



This is a digital copy of a book that was preserved for generations on library shelves before it was carefully scanned by Google as part of a project to make the world's books discoverable online.

It has survived long enough for the copyright to expire and the book to enter the public domain. A public domain book is one that was never subject to copyright or whose legal copyright term has expired. Whether a book is in the public domain may vary country to country. Public domain books are our gateways to the past, representing a wealth of history, culture and knowledge that's often difficult to discover.

Marks, notations and other marginalia present in the original volume will appear in this file - a reminder of this book's long journey from the publisher to a library and finally to you.

Usage guidelines

Google is proud to partner with libraries to digitize public domain materials and make them widely accessible. Public domain books belong to the public and we are merely their custodians. Nevertheless, this work is expensive, so in order to keep providing this resource, we have taken steps to prevent abuse by commercial parties, including placing technical restrictions on automated querying.

We also ask that you:

- + *Make non-commercial use of the files* We designed Google Book Search for use by individuals, and we request that you use these files for personal, non-commercial purposes.
- + *Refrain from automated querying* Do not send automated queries of any sort to Google's system: If you are conducting research on machine translation, optical character recognition or other areas where access to a large amount of text is helpful, please contact us. We encourage the use of public domain materials for these purposes and may be able to help.
- + *Maintain attribution* The Google "watermark" you see on each file is essential for informing people about this project and helping them find additional materials through Google Book Search. Please do not remove it.
- + *Keep it legal* Whatever your use, remember that you are responsible for ensuring that what you are doing is legal. Do not assume that just because we believe a book is in the public domain for users in the United States, that the work is also in the public domain for users in other countries. Whether a book is still in copyright varies from country to country, and we can't offer guidance on whether any specific use of any specific book is allowed. Please do not assume that a book's appearance in Google Book Search means it can be used in any manner anywhere in the world. Copyright infringement liability can be quite severe.

About Google Book Search

Google's mission is to organize the world's information and to make it universally accessible and useful. Google Book Search helps readers discover the world's books while helping authors and publishers reach new audiences. You can search through the full text of this book on the web at <http://books.google.com/>

Ind 3596.2



Harvard College Library

FROM

Prof. W. Z. Ripley.

TRANSFERRED
TO
HARVARD COLLEGE
LIBRARY

327
Ethnographic Survey of India.

ANTHROPOMETRIC DATA

FROM

BALUCHISTAN.



CALCUTTA :
SUPERINTENDENT GOVERNMENT PRINTING, INDIA
1908.

ser
Ethnographic Survey of India.

ANTHROPOMETRIC DATA

FROM

BALUCHISTAN.



CALCUTTA:
SUPERINTENDENT GOVERNMENT PRINTING, INDIA
1908.

Ethnographic Survey of India.

6

ANTHROPOMETRIC DATA

FROM

BALUCHISTAN.




CALCUTTA :
SUPERINTENDENT GOVERNMENT PRINTING, INDIA
1908.

✓ ~~Ind 3462.1~~

Ind 3596.2

✓



Prof. W. Z. Ripsley

24-57.1

CONTENTS

	PAGE
Lori. Individual Measurements	1
— Abstract of Measurements	7
— Seriations	11
Wanechi. Individual Measurements	15
— Abstract of Measurements	23
— Seriations	27
Jat. Individual Measurements	31
— Abstract of Measurements	41
— Seriations	45
Pani, Pauni is Pauri. Individual Measurements	49
— Abstract of Measurements	59
— Seriations	63
Dehwar. Individual Measurements	67
— Abstract of Measurements	91
— Seriations	97
Mir Jats. Individual Measurements	101
— Abstract of Measurements	107
— Seriations	111
Kalandrini. Individual Measurements	115
— Abstract of Measurements	119
Med. Individual Measurements	123
— Abstract of Measurements	131
— Seriations	135
Mengal. Individual Measurements	139
— Abstract of Measurements	149
Chhuta Lok. Individual Measurements	153
— Abstract of Measurements	159
Sangur. Individual Measurements	163
— Abstract of Measurements	167
Bandija. Individual Measurements	171
— Abstract of Measurements	177
Summary	181

ANTHROPOMETRIC DATA.

TABLE I.

Individual Measurements.

TYPE—LORI.

TABLE

Measurements of male members of the Lori tribe

1	2	3	4	5	6	7	8	9	10	11	12	13	14
Serial No.	Province or State and District of birth.	Tribe or caste.	Age.	Cephalic length (glabella-occipital).	Cephalic breadth.	Cephalic index.	Nasal height.	Nasal breadth.	Nasal index.	Height from vertex to root of the nose.	Height from vertex to tragus of ear.	Height from vertex to chin.	Cephalic volume.
1	Shah Dost, Mastung.	Nagarjai	55	17.8	14.0	78.6	5.2	4.4	84.6
2	Baran, Mastung.	Do.	23	17.3	14.1	81.5	5.6	3.8	67.8
3	Lal Bakhsh, Mastung.	Do.	30	18.0	14.0	77.7	5.6	3.4	60.7
4	Dauran, Mastung.	Kalátir	25	18.0	13.8	76.6	6.0	3.6	60.0
5	Gaiti, Kalát	Kaláti	27	19.0	14.0	73.6	5.7	3.6	63.1
6	Imambakhsh, "	Do.	30	17.0	15.0	83.2	6.0	3.2	53.3
7	Alibakhsh, Jard.	Tilizai	30	18.2	14.0	76.9	5.4	3.4	62.9
8	Mahomud, "	Do.	22	17.5	13.0	74.2	5.6	3.4	60.7
9	Dirma, Mastung.	Sarmastáni	31	18.3	14.0	78.5	6.4	3.4	53.1
10	Haidar, Mastung.	Do.	32	18.0	14.0	77.7	5.6	3.2	57.1
11	Darbag, Mastung.	Do.	33	18.2	13.6	70.8	5.8	3.1	53.4
12	Allabakhsh, Mastung.	Do.	56	17.3	13.0	75.1	5.4	4.0	74.0
13	Musafr Zard	Do.	56	18.0	13.0	72.2	5.4	3.8	70.3
14	Murad, Mungachá.	...	35	17.8	14.2	79.7	6.0	3.2	53.3
15	Mauladud Mungacher.	Sarmastáni	31	18.0	13.0	72.2	6.0	3.5	58.3
16	Gulad Mungacher.	Do.	22	18.0	13.0	72.2	5.7	3.5	61.4
17	Dildad, Mastung.	Sarmastáni.	17	18.0	14.4	80.0	6.0	3.4	56.6
18	Sobha, Mastung.	Do.	17	18.0	14.0	77.7	6.0	3.6	60.0
19	Lwang, Mastung.	Do.	18	18.2	13.8	75.8	5.5	3.5	63.6
20	Bangul, Mastung.	Parukáni	18	17.6	15.0	85.2	5.7	3.4	59.6
21	Jungikhán Mastung.	Do.	18	18.0	13.9	77.2	5.2	3.3	63.4
22	Uméd, Mastung.	Domb	25	17.2	14.0	81.4	5.2	3.4	65.3
23	Kharu, Kanak.	Sarmastáni	35	15.8	13.6	86.0	5.5	3.5	63.6
24	Gulsher, Quetta.	Domb	35	18.4	14.5	78.8	6.0	3.8	63.3
25	Khalikdad, Moharam (Kachi).	Surmastáni	28	18.2	14.6	80.2	5.4	3.4	62.9
26	Jálal, Bhág.	Do.	30	18.0	13.6	75.5	5.7	3.0	52.6
27	Gurghai, Jaeshabad.	...	35	17.4	13.0	74.7	4.4	3.4	77.2
28	Hammal, Mastung.	Jalshabad	55	17.5	13.3	76.0	5.2	4.2	80.7
29	Darwesh Mithri.	Do.	35	17.6	13.7	77.8	5.3	3.5	66.0

I.

taken at Mastung on the 18th April 1903.

15	16	17	18	19	20	21	22	23	24	25	26	27	28	29
Maximum bi-zygomatic breadth.	Nasio-mental length.	Facial index.	Facial angle (Unvier).	External orbital breadth.	Bi-orbito nasal arc.	Orbito-nasal index.	Bigonial breadth.	Height standing.	Height sitting.	Height kneeling.	Height to chin.	Height to sternal notch.	Bi-lisao crest breadth.	Serial No.
12.5	9.9	12.4	125.2	9.2	1
13.0	9.6	10.4	108.3	9.1	2
13.5	10.0	12.2	122.0	10.0	3
13.0	10.0	12.2	122.0	10.0	4
12.4	10.1	12.4	122.7	10.0	5
13.0	10.0	12.4	124.0	10.0	6
13.0	10.0	12.0	120.0	10.0	7
11.6	9.6	12.0	125.0	9.2	8
13.0	9.4	12.0	127.6	9.2	9
13.0	9.0	11.2	124.4	9.4	10
13.0	9.2	12.2	132.3	9.3	11
12.2	9.6	11.6	120.3	9.0	12
13.1	9.7	12.0	123.7	10.1	13
13.0	9.9	12.0	121.2	10.0	14
12.6	9.8	12.0	122.4	10.0	15
12.5	9.9	12.0	121.2	10.0	16
12.9	10.2	12.4	121.5	10.0	17
12.8	9.7	10.2	105.1	9.9	18
13.0	10.6	13.2	124.5	10.0	19
12.8	9.5	12.0	126.3	10.3	20
12.5	9.7	11.4	117.5	10.5	21
13.0	9.8	11.4	116.3	9.8	22
13.0	10.0	12.2	122.0	9.8	23
13.4	10.2	12.6	123.5	11.0	24
13.0	10.0	11.2	112.0	10.4	25
12.8	9.8	10.8	110.2	9.8	26
13.0	10.0	12.0	120.0	10.0	27
13.0	10.0	12.0	120.0	10.3	28
13.0	10.1	12.0	118.3	10.1	29

TABLE
Measurements of male members of the Lori

1	2	3	4	5	6	7	8	9	10	11	12	13	14
Serial No.	Province or State and District of birth.	Tribe or caste.	Age.	Cephalic length (glabella-occipital).	Cephalic breadth.	Cephalic index.	Nasal height.	Nasal breadth.	Nasal Index.	Height from vertex to root of the nose.	Height from vertex to tragus of ear.	Height from vertex to chin.	Cephalic volume.
30	Arhale, Káchi.	Surmástani.	30	17.0	14.0	82.3	5.7	3.6	68.1
31	Murád, Mithri.	Do.	32	18.0	13.6	75.5	5.6	3.7	66.0
32	Bakhsh Ali, Mastung.	Do.	32	17.0	13.0	76.4	4.9	3.6	73.4
33	Kádir Bakhsh, Mastung.	Do.	24	18.1	14.2	78.4	5.0	3.4	68.0
34	Barair, Mastung.	Surmástani	40	17.5	14.3	81.7	6.0	3.3	55.0
35	Hakdád do.	Do.	28	16.1	14.5	90.0	5.6	3.8	67.8
36	Hawrin Jacobabad.	Do.	30	18.2	13.5	74.1	5.6	3.7	66.0
37	Baghli Kanak	Do.	35	18.5	14.6	78.9	6.0	3.7	61.6
38	Abdu, Sariab.	Do.	18	17.5	14.5	82.8	6.0	3.5	58.3
39	Auran, Mastung.	Do.	35	19.0	13.4	70.5	5.5	3.6	65.4
40	Kurbánali, Quetta.	Do.	17	18.0	14.0	77.7	6.0	3.3	55.0
41	Bata, Mastung.	...	17	18.0	14.0	77.7	5.5	3.0	54.5
42	Ghulam Muhd. Kiráni.	...	32	17.6	13.0	73.8	5.0	3.2	64.0
43	Háji, Munga-char.	Kirani	32	18.0	13.0	72.2	5.2	3.3	63.4
44	Sahlu, Mastung	Do.	35	18.0	13.3	73.8	6.6	3.2	48.4
45	Arz Muhd. Suít	Do.	17	17.2	14.2	82.5	6.0	3.3	55.0
46	Nazir, Mastung.	Sarmástani	32	17.5	14.0	80.0	6.0	3.5	58.3
47	Dál Muhd. Sibi.	Do.	17	17.6	13.3	75.5	6.0	3.0	50.0
48	Jaefar, Sariab	Do.	16	18.0	14.0	77.7	6.0	3.5	58.3
49	Imamdád, Sibi	Do.	17	17.0	13.0	76.4	6.0	3.5	58.3
50	Imambakhsh, Quetta.	Do.	20	19.0	14.4	75.7	5.7	4.1	71.9
51	Kádir Bakhsh, Bhág.	Do.	37	18.3	15.2	83.0	5.0	4.1	82.0
52	Gohram Peshin.	Do.	27	17.5	15.0	85.7	6.0	3.5	58.3
53	Kaura, Bhág.	Do.	31	18.0	14.4	80.0	5.6	3.5	62.5
54	Barat, Balur.	Angrani	35	17.5	14.8	84.5	6.4	4.0	62.5
55	Musa, Hal	Do.	25	17.0	14.6	85.8	5.6	3.5	62.5
56	Larang, Sárúna	Kharini	20	17.2	15.0	87.2	6.0	4.0	66.6
57	Jumma, Angisar.	Do.	22	17.0	15.2	89.4	4.8	2.6	54.1
58	Dhanibakhsh, Dir tni.	Agiani	24	17.6	14.5	82.3	5.4	3.7	68.5
	Average			17.6	13.9.5	78.5	5.6.4	3.5.1	62.2

I.

tribe taken at Quetta on the 23rd April 1903.

15	16	17	18	19	20	21	22	23	24	25	26	27	28	29
Maximum bi-zygomatic breadth.	Nasio-mental length.	Facial index.	Facial angle (Cuvier).	External orbital breadth.	Bi-orbito nasal arc.	Orbito-nasal index.	Bigonial breadth.	Height standing.	Height sitting.	Height kneeling.	Height to chin.	Height to sternal notch.	Bi iliac crest breadth.	Serial No.
13.1	10.0	10.8	108.0	10.0	30
12.6	9.8	12.0	122.4	10.3	31
12.8	9.4	10.4	110.6	10.0	32
13.0	9.8	12.0	122.4	9.9	33
12.6	9.3	11.2	120.4	10.0	34
13.0	9.1	10.8	118.6	10.5	35
13.0	10.0	12.0	120.0	10.0	36
13.5	9.4	12.0	127.6	11.0	37
13.0	9.5	12.0	126.3	10.0	38
12.2	9.7	11.4	117.5	9.0	39
13.0	10.1	12.0	118.8	10.0	40
12.2	9.7	12.0	137.7	10.0	41
12.6	9.7	11.2	115.4	10.0	42
13.0	9.3	12.0	129.0	10.1	43
12.5	9.4	12.0	127.6	9.5	44
13.0	9.5	11.4	120.0	9.5	45
13.0	9.8	11.6	118	10.0	46
12.3	9.6	11.4	118.7	9.5	47
12.5	10.0	12.0	120.0	9.9	48
12.0	8.8	10.8	122.7	10.0	49
13.5	11.3	14.0	123.8	10.5	50
14.0	10.4	13.4	123.8	11.0	51
14.0	10.5	12.6	120.0	10.0	52
13.6	10.2	12.2	119.6	10.4	53
13.0	10.2	12.8	125.4	10.0	54
13.0	11.2	14.0	125.0	10.1	55
13.1	11.0	14.0	127.2	10.2	56
12.4	9.8	11.8	120.4	10.2	57
13.0	11.2	13.2	117.8	11.2	58
123.5	98.7	119.5	191.0	100.0

128.5

ANTHROPOMETRIC DATA.

TABLE II.

Abstract of Measurements.

TYPE-- LORI.

TABLE

Abstract of measurements of male members of the Lori

1	2	3	4	5	6	7	8	9	10	11	12	13	14
Serial No.	Province or State and District of birth.	Tribe or caste.	Age.	Cephalic length (glabella-occipital.)	Cephalic breadth.	Cephalic index.	Nasal height.	Nasal breadth.	Nasal index.	Height from vertex to root of the nose	Height from vertex to tragus of ear.	Height from vertex to chin.	Cephalic volume.
1-10		1791	1399	...	571	354
1-20		1801	1370	...	575	350
21-30		1751	1382	...	536	351
31-40		1779	1396	...	562	356
41-50		1779	1362	...	580	336
51-58		1401	1187	...	448	289
	GRAND TOTAL			10302	8096	...	3272	2036	
	AVERAGE			177.6	139.5	78.5	56.4	35.1	62.2

II.

tribe taken at Mastung on the 18th April 1903.

15	16	17	18	19	20	21	22	23	24	25	26	27	28	29
Maximum bizygomatic breadth.	Nasio-mental length.	Facial index.	Facial angle (Cuvier).	External orbital breadth.	Bi-orbito nasal arc.	Orbito-nasal index.	Bigonial breadth.	Height standing.	Height sitting.	Height kneeling.	Height to chin.	Height to sternal notch.	Bi-iliac crest breadth.	Serial No.
1264	976	1192	...	961	1-10
1279	981	1196	...	991	11-20
1298	996	1164	...	1022	21-30
1287	961	1158	...	1007	31-40
1266	971	1184	...	990	41-50
1061	845	1040	...	881	51-58
7455	5730	6934	...	5302	
128.5	98.7	119.5	121.0	100.0	

X X

ANTHROPOMETRIC DATA.

SERiations.

TYPE—LORI.

SERiations.

Turko-Iranian Type.

Type Specimen : Lori.

PROPORTIONS OF HEAD.				PROPORTIONS OF NOSE.				RELATIVE PROMINENCE OF ROOT OF NOSE.			
(Cephalic—Index.)				(Nasal—Index.)				(Orbito-nasal—Index.)			
Average	78.5	Average	82.2	Average	121.0
Maximum	90	Maximum	85	Maximum	133
Minimum	71	Minimum	48	Minimum	105
Range	19	Range	37	Range	28
INVOICES.				Percentage on number of subjects.							
				Number of subjects.	5	10	15	20	25	30	35
HEAD.											
LONG HEADS (Dolicho-Cephalic).	{ 70 and under 72.5			6	◆◆◆◆◆	◆◆◆◆◆	◆◆◆◆◆	◆◆◆◆◆	◆◆◆◆◆	◆◆◆◆◆	◆◆◆◆◆
	{ 72.5 and under 75			6	◆◆◆◆◆	◆◆◆◆◆	◆◆◆◆◆	◆◆◆◆◆	◆◆◆◆◆	◆◆◆◆◆	◆◆◆◆◆
MEDIUM HEADS (Meso-Cephalic).	{ 75 and under 77.5			13	◆◆◆◆◆	◆◆◆◆◆	◆◆◆◆◆	◆◆◆◆◆	◆◆◆◆◆	◆◆◆◆◆	◆◆◆◆◆
	{ 77.5 and under 80			12	◆◆◆◆◆	◆◆◆◆◆	◆◆◆◆◆	◆◆◆◆◆	◆◆◆◆◆	◆◆◆◆◆	◆◆◆◆◆
	{ 80 and under 82.5.			9	◆◆◆◆◆	◆◆◆◆◆	◆◆◆◆◆	◆◆◆◆◆	◆◆◆◆◆	◆◆◆◆◆	◆◆◆◆◆
	{ 82.5 and under 85			4	◆◆◆◆◆	◆◆◆◆◆	◆◆◆◆◆	◆◆◆◆◆	◆◆◆◆◆	◆◆◆◆◆	◆◆◆◆◆
BROAD HEADS (Brachy-Cephalic).	{ 85 and under 87.5.			5	◆◆◆◆◆	◆◆◆◆◆	◆◆◆◆◆	◆◆◆◆◆	◆◆◆◆◆	◆◆◆◆◆	◆◆◆◆◆
	{ 87.5 and under 90.			2	◆◆◆◆◆	◆◆◆◆◆	◆◆◆◆◆	◆◆◆◆◆	◆◆◆◆◆	◆◆◆◆◆	◆◆◆◆◆
	{ 90 and over			1	◆◆◆◆◆	◆◆◆◆◆	◆◆◆◆◆	◆◆◆◆◆	◆◆◆◆◆	◆◆◆◆◆	◆◆◆◆◆

ANTHROPOMETRIC DATA.

TABLE I.

Individual Measurements.

TYPE--WANECHI.

TABLE

Measurements of male members of the Wanechi tribe

1	2	3	4	5	6	7	8	9	10	11	12	13	14
Serial No.	Province or State and District of birth.	Tribe or caste.	Age.	Cephalic length (glabella-occipital).	Cephalic breadth.	Cephalic index.	Nasal height.	Nasal breadth.	Nasal index.	Height from vertex to root of the nose.	Height from vertex to tragus of ear.	Height from vertex to chin.	Cephalic volume.
1	Sta Muhamad Shin Kaoh Sibi	Mehmani	23	16.5	13.5	81.8	5.7	3.4	59.6
2	Malik Sibi	...	24	18.0	13.5	75.0	5.7	3.1	54.3
3	Musir "	...	18	17.6	13.0	73.8	5.3	3.1	58.4
4	Sherdil "	...	20	17.1	14.5	84.8	5.4	3.0	55.5
5	Baran "	...	15	16.1	13.4	83.2	5.2	3.0	57.6
6	Nur Muhamad Sibi.	...	15	16.8	13.4	79.7	6.0	2.8	46.6
7	Hassan Ali Khan Kat, T. C. District	...	33	17.7	15.5	87.5	6.0	3.8	63.8
8	Rozai Shin Kaoh.	...	48	18.1	13.7	75.6	6.0	3.1	51.6
9	Khavir, a Khan Kaoh.	...	33	17.5	14.3	81.7	5.4	3.4	62.9
10	Sabzal, Shin Kaoh.	...	50	17.6	15.5	88.0	6.0	3.2	53.3
11	Wazir, Gaddo-ga.	...	31	17.0	14.6	85.8	5.6	3.2	57.1
12	Moya Khan Shapaki.	Norani	35	18.4	15.1	82.0	5.4	3.3	61.1
13	Z. Zat Pirshor	Dalatani	35	19.1	15.3	80.1	6.2	3.8	61.2
14	Aligul, Pirshor	Do.	19	17.6	13.8	75.5	5.4	3.3	61.1
15	Umar, Shapai	Malani	30	18.0	13.5	75.0	6.0	3.7	61.6
16	Diltan, Ali-Khan Kaoh.	Utmalani	31	18.0	15.1	83.8	5.5	3.4	61.8
17	Sandogar, Shapai.	Marani	55	18.0	13.4	74.4	5.4	3.1	57.4
18	Jama, Duo	Malani	17	13.0	12.6	70.0	5.4	3.2	59.2
19	Rasu Telu	Tgiami	37	18.0	13.5	75.0	5.6	3.8	67.8
20	Taj Muhamad Pirshor.	Jalwani	20	16.4	13.6	82.9	6.0	3.1	51.6
21	Amánchelú	Utmalani.	35	17.4	13.2	75.8	4.8	3.4	70.8
22	Muhammad Nur, cheld.	...	20	16.5	13.4	81.2	5.7	3.0	52.6
23	Siddiy, Sakhalir.	Jalwani	33	17.6	14.5	82.3	5.5	3.1	56.3
24	Samá Sekhni	Marani	20	16.8	14.4	85.7	5.0	3.6	72.0
25	Bázú, Ali Khan Kaoh.	...	55	18.0	14.6	81.1	6.1	3.7	60.6
26	Bahádur, Ali Khan Kaoh.	Zakaryá-zai.	57	18.8	14.0	74.4	6.2	3.6	58.0
27	Nurau, Sihani	Marani	23	18.5	14.6	78.9	5.3	3.4	64.1
28	Hussein, Pirshor.	Syed	32	18.0	14.4	80.0	6.1	3.6	59.0

I.

taken at Spintangi on the 3rd May 1903.

15	16	17	18	19	20	21	22	23	24	25	26	27	28	29
Maximum biygo- matic breadth.	Nasio-mental length.	Facial index.	Facial angle (Ouvrier).	External orbital breadth.	Bi-orbital nasal arc.	Orbito nasal index.	Bigonial breadth.	Height, standing.	Height, sitting.	Height, kneeling.	Height to chin.	Height to sternal notch.	Bi-iliac breadth.	Serial No.
12.5	10.0	12.0	120.0	9.0	1
12.5	9.9	12.0	121.2	9.5	2
13.0	10.1	12.4	122.2	9.6	3
13.4	10.0	12.6	126.0	10.0	4
12.0	9.3	11.0	118.2	9.0	5
12.6	9.4	11.2	119.3	9.7	6
14.4	10.3	13.0	126.2	10.8	7
13.5	10.0	12.2	122.0	9.5	8
13.3	9.8	11.8	120.4	11.1	9
13.5	10.0	12.2	122.0	11.0	10
13.2	9.5	11.2	117.8	10.8	11
14.5	11.0	14.0	127.2	10.6	12
13.2	10.1	12.6	124.7	10.5	13
13.0	10.0	12.0	120.0	10.5	14
13.0	10.0	12.4	124.0	10.0	15
13.4	10.0	12.0	120.0	10.4	16
13.5	9.9	12.0	121.2	11.3	17
12.2	10.0	12.0	120.0	10.0	18
14.0	10.0	12.2	122.0	9.5	19
12.5	9.9	12.0	121.2	10.0	20
12.3	10.1	12.4	122.7	10.2	21
13.2	10.1	12.2	120.7	10.1	22
12.5	9.0	11.0	122.2	9.9	23
13.5	10.4	12.8	128.0	10.6	24
12.6	10.0	12.6	120.0	9.4	25
13.6	10.2	12.2	119.6	10.7	26
13.8	10.3	12.4	120.3	11.4	27
14.0	10.0	12.0	120.0	10.5	28

TABLE

Measurements of male members of the Wanechi tribe

1	2	3	4	5	6	7	8	9	10	11	12	13	14
Serial No.	Province or State and District of birth.	Tribe or caste.	Age.	Cephalic length (glabella-occipital).	Cephalic breadth.	Cephalic index.	Nasal height.	Nasal breadth.	Nasal index.	Height from vertex to root of the nose.	Height from vertex to tragus of ear.	Height from vertex to chin.	Cephalic volume.
29	Lál Muhammad Shin Kaob.	Muduari	55	18.3	14.5	79.2	6.0	3.8	68.3
30	Madat Ali Khan Kaob.	Mehmání	53	19.0	13.5	71.0	6.1	3.3	54.1
31	Pirkhan Pirshor.	Syed	82	16.1	13.8	85.7	6.1	3.0	49.1
32	Paínd	...	33	18.1	14.3	79.0	5.8	3.1	53.4
33	Fazil, Dub	Jalwání.	30	17.0	14.4	84.7	5.4	3.2	59.2
34	Musa, Telu	Nikazai.	30	18.0	13.4	74.4	6.2	3.4	54.8
35	Jahari Khan. Seni.	Nozai	32	18.0	14.8	82.2	6.1	3.5	64.8
36	Shambai Khan, Shapai.	Zakarya-zai.	30	17.5	13.3	76.0	6.0	3.0	50.0
37	Ismail, Seni	Nehuani	45	16.6	14.7	88.5	5.5	3.4	61.8
38	Jumá Khan Shapi.	Zakar-yazai.	35	17.3	13.0	75.1	5.4	3.2	59.2
39	Misri Khan Shapai	...	32	19.0	14.5	76.3	6.0	3.2	53.3
40	Zalu Khan, Pirshor.	Dalatani	53	18.3	14.2	77.6	5.7	4.0	70.1
41	Sarfaraz, Dabshar.	Utmaláni	45	18.1	14.5	80.1	5.2	4.5	86.5
42	Wakil, Pirshor.	Syed	23	18.0	15.1	83.8	5.2	3.2	61.5
43	Káld, Dabshar	Mirazai	27	18.0	13.6	75.5	6.0	3.5	58.3
44	Halim, Pirshor	Mareni	43	18.3	14.0	76.5	6.6	3.1	46.9
45	Samundar, Pirshor.	Hidiani	43	19.5	14.5	74.8	5.8	4.0	68.9
46	Khanán Pirshor.	Dalatani.	40	17.6	14.0	79.5	5.4	3.6	66.6
47	Jumá Khan, Tehla.	Nikazai	27	17.3	13.8	79.7	5.1	3.3	64.7
48	Alif, Pirshor	Nikzai	34	18.3	15.0	81.9	6.3	4.0	63.4
49	Alif, Dubshor	Nillazhi.	50	18.1	15.0	82.8	6.2	3.3	56.4
50	Rashid, Dubshor.	Jalwání	47	17.5	14.0	80.0	5.4	3.4	62.9
51	Saleh, Dubshor	Do.	20	18.2	14.6	80.2	5.0	3.4	68.0
52	Aligul, Sappar-bahar.	Syed	60	19.0	14.6	78.8	5.6	3.2	57.1
53	Mohmin, Selim	Pechi	63	19.0	14.5	78.3	5.6	3.2	57.1
54	Alianyar, Selim	Do.	37	18.6	13.3	71.5	6.4	3.0	46.8
55	Ali Muhammad, Selim.	Maráni	27	17.7	14.0	79.1	5.5	3.7	67.2
56	Zamgn, Guddur.	Do.	18	17.4	13.9	79.8	5.4	3.0	55.5

I.

taken at Spintangi on the 8rd May 1903.

15	16	17	18	19	20	21	22	23	24	25	26	27	28	29
Maximum bizygomatic breadth.	Nasio-mental length.	Facial index.	Facial angle (Ouvrier).	External orbital breadth.	Bi-orbito nasal arc.	Orbito-nasal index.	Bigonial breadth.	Height, standing.	Height, sitting.	Height, kneeling.	Height to chin.	Height to sternal notch.	Bi-iliac crest breadth.	Serial No.
138	9.8	12.0	122.4	10.1	29
138	10.0	12.0	120.0	10.0	30
130	8.7	10.8	124.1	10.0	31
133	9.8	12.2	124.4	10.1	32
136	10.0	11.4	114.0	11.0	33
128	9.4	11.6	123.4	9.2	34
132	9.9	12.0	121.2	10.4	35
128	10.0	12.0	120.0	10.0	36
132	10.1	12.2	120.7	10.0	37
131	12.0	122.4	9.5	38
133	10.2	12.8	125.4	10.1	39
136	9.9	12.4	125.2	11.0	40
140	10.3	12.8	124.2	10.2	41
140	10.0	12.0	120.0	10.1	42
125	9.8	12.2	124.4	10.0	43
134	10.1	12.8	126.7	10.2	44
142	10.5	14.0	133.3	11.0	45
132	9.8	12.4	126.5	10.5	46
130	9.3	12.0	129.0	10.4	47
140	10.4	12.4	119.2	10.7	48
140	9.5	12.6	132.6	11.0	49
125	9.5	10.8	113.6	9.0	50
135	9.6	12.0	125.0	11.4	51
135	9.2	12.0	130.4	9.3	52
143	11.2	14.0	125.0	10.6	53
140	10.1	12.6	124.7	10.0	54
140	9.9	12.4	125.2	11.1	55
132	9.8	12.0	122.4	10.0	56

TABLE

Measurements of male members of the Wanechi

1	2	3	4	5	6	7	8	9	10	11	12	13	14
Serial No.	Province or State and District of birth.	Tribe or caste.	Age.	Cephalic length (glabell-occipital.)	Cephalic breadth.	Cephalic index.	Nasal height.	Nasal breadth.	Nasal index.	Height from vertex to root of the nose.	Height from vertex to tragus of ear.	Height from vertex to chin.	Cephalic volume.
57	Nadir Gududurg.	Melmáni	47	18.5	14.4	77.8	6.3	3.5	55.5
58	Mulla Yakub	...	33	17.6	14.0	79.5	5.4	3.0	55.5
59	Safar, Selmi	Maráni .	33	18.2	14.6	80.2	6.0	3.6	60.0
AVERAGE .				178.1	141.2	79.2	56.9	33.7	59.2

I.

tribe taken at Spintangi on the 4th May 1903.

15	16	17	18	19	20	21	22	23	24	25	26	27	28	29
Maximum bizygomatic breadth.	Nasio-mental length.	Facial index.	Facial angle (Cuvier).	External orbital breadth.	Bi-orbito nasal arc.	Orbito-nasal index.	Bigonial breadth.	Height, standing.	Height, sitting.	Height, kneeling.	Height to chin.	Height to sternal notch.	Bi-iliac crest breadth.	Serial No.
136	93	120	129.0	10.7	57
132	100	124	124.0	9.8	58
130	101	120	118.8	9.0	59
133.1	99.2	121.8	122.7	102.0	

ANTHROPOMETRIC DATA:

SERiations.

TYPE—WANECHI.

ANTHROPOMETRIC DATA.

TABLE II.

Abstract of Measurements.

TYPE—WANECHI.

TABLE

Abstract of measurements of male members of the

1	2	3	4	5	6	7	8	9	10	11	12	13	14
Serial No.	Province or State and District of birth.	Tribe or caste.	Age.	Cephalic length (glabella-occipital.)	Cephalic breadth.	Cephalic index.	Nasal height.	Nasal breadth.	Nasal index.	Height from vertex to root of the nose.	Height from vertex to tragus of ear.	Height from vertex to chin.	Cephalic volume.
1-10	Spintangi.						567	319	
11-20							565	339	
21-30							568	345	
31-40							575	330	
41-50							572	361	
51-59							512	296	
	GRAND TOTAL	10512	8332		3359	1990	
	Average	178.1	141.2	79.2	56.9	33.7	59.2

II.

Wanechi tribe taken at Spintangi on the 4th May 1903.

15	16	17	18	19	20	21	22	23	24	25	26	27	28	29
Maximum bizygomatic breadth.	Nasio-mental length.	Facial index.	Facial angle (Cuvier).	External orbital breadth.	Bi-orbito nasal arc.	Orbito-nasal index.	Bigonial breadth.	Height standing.	Height sitting.	Height kneeling.	Height to chin.	Height to sternal notch.	Bi-iliac crest breadth.	Serial No.
1307	988	1204	...	992	1-10
1325	1004	1224	...	1036	11-20
1331	999	1216	...	1029	21-30
1319	978	1194	...	1018	31-40
1348	992	1240	...	1031	41-50
1223	892	1114	...	919	51-59
7853	5853	7192	...	6020	
1331	992	1218	1227	1020	

SERiations.

Turko-Iranian Type.

Type Specimen : Wanechi.

PROPORTIONS OF HEAD.			PROPORTIONS OF NOSE.			RELATIVE PROMINENCE OF ROOT OF NOSE.		
(Cephalic—Index.)			(Nasal—Index.)			(Orbito-nasal—Index.)		
Average	.	79.2	Average	.	59.2	Average	.	122.7
Maximum	.	89	Maximum	.	87	Maximum	.	133
Minimum	.	70	Minimum	.	47	Minimum	.	114
Range	.	19	Range	.	40	Range	.	19

INDICES.		Number of subjects.	Percentage on number of subjects.									
HEAD.			5	10	15	20	25	30	35			
LONG HEADS. (Dolicho-cephalic).	70 and under 72.5	3	◆◆◆—5									
	72.5 and under 75	5	◆◆◆◆◆—8									
MEDIUM HEADS. (Meso-cephalic).	75 and under 77.5	13	◆◆◆◆◆◆◆◆◆◆◆	◆◆◆◆◆◆◆◆◆◆◆	◆◆◆◆◆◆◆◆◆◆◆	◆◆◆◆◆◆◆◆◆◆◆	◆◆◆◆◆◆◆◆◆◆◆					
	77.5 and under 80	11	◆◆◆◆◆◆◆◆◆◆◆	◆◆◆◆◆◆◆◆◆◆◆	◆◆◆◆◆◆◆◆◆◆◆	◆◆◆◆◆◆◆◆◆◆◆	◆◆◆◆◆◆◆◆◆◆◆	◆◆◆◆◆◆◆◆◆◆◆				
BROAD HEADS. (Brachy-cephalic).	80 and under 82.5	14	◆◆◆◆◆◆◆◆◆◆◆	◆◆◆◆◆◆◆◆◆◆◆	◆◆◆◆◆◆◆◆◆◆◆	◆◆◆◆◆◆◆◆◆◆◆	◆◆◆◆◆◆◆◆◆◆◆	◆◆◆◆◆◆◆◆◆◆◆	◆◆◆◆◆◆◆◆◆◆◆			
	82.5 and under 85	7	◆◆◆◆◆◆◆◆◆◆◆	◆◆◆◆◆◆◆◆◆◆◆	◆◆◆◆◆◆◆◆◆◆◆	◆◆◆◆◆◆◆◆◆◆◆	◆◆◆◆◆◆◆◆◆◆◆	◆◆◆◆◆◆◆◆◆◆◆	◆◆◆◆◆◆◆◆◆◆◆			
	85 and under 87.5	3	◆◆◆◆◆◆◆◆◆◆◆	◆◆◆◆◆◆◆◆◆◆◆	◆◆◆◆◆◆◆◆◆◆◆	◆◆◆◆◆◆◆◆◆◆◆	◆◆◆◆◆◆◆◆◆◆◆	◆◆◆◆◆◆◆◆◆◆◆	◆◆◆◆◆◆◆◆◆◆◆			
	87.5 and over	3	◆◆◆◆◆◆◆◆◆◆◆	◆◆◆◆◆◆◆◆◆◆◆	◆◆◆◆◆◆◆◆◆◆◆	◆◆◆◆◆◆◆◆◆◆◆	◆◆◆◆◆◆◆◆◆◆◆	◆◆◆◆◆◆◆◆◆◆◆	◆◆◆◆◆◆◆◆◆◆◆			

ANTHROPOMETRIC DATA.

TABLE I.

Individual Measurements.

NOTE.—The t. in word Jat agriculturist is pronounced hard to distinguish it from Jat, a camel grazier.

TYPE—JAT.

TABLE

Measurements of male members of the Jat

1	2	3	4	5	6	7	8	9	10	11	12	13	14
Serial No.	Province or State and District of birth.	Tribe of caste.	Age.	Cephalic length (glabella-occipital.)	Cephalic breadth.	Cephalic index.	Nasal height.	Nasal breadth.	Nasal index.	Height from vertex to root of the nose.	Height from vertex to tragus of ear.	Height from vertex to chin.	Cephalic volume.
1	Gulsher, Sibi	...	33	17.0	14.3	84.1	6.0	3.5	58.3
2	Khairo "	...	37	17.0	14.0	82.3	5.0	3.6	72.0
3	Hashim, Bhág	...	27	17.0	14.5	85.2	6.0	3.2	53.3
4	Sohin, Sibi	...	39	17.5	13.6	77.7	6.2	3.7	59.6
5	Ghern, Bhág.	...	23	18.0	14.5	80.5	6.0	3.6	60.0
6	Halidar, Bhág	...	35	18.3	14.7	80.3	6.0	3.6	60.0
7	Daim, Sibi	...	45	17.2	14.0	81.4	5.6	3.4	60.7
8	Umar, Bhág.	...	57	18.5	15.0	81.0	6.0	4.0	66.6
9	Ghazu, "	...	23	16.6	14.3	86.1	5.7	3.7	64.9
10	Fez Muhd., Bhág.	...	23	17.5	14.0	80.0	6.0	3.7	61.6
11	Ubbinkar, Bhág.	...	25	17.2	14.6	84.8	6.0	3.1	51.6
12	Arzi, Sibi	...	45	17.8	14.3	81.4	5.5	3.8	69.0
13	Wasayu, Bhág	...	30	16.8	14.0	88.3	5.8	3.5	60.3
14	Fakir Muhd., Bhág.	...	23	18.0	14.6	81.1	5.4	3.0	55.5
15	Hamil, Nári	Hánbi	28	17.7	15.1	85.3	5.6	3.6	64.2
16	Ahmad, Nári.	Babbur	33	18.5	14.7	79.4	5.3	3.4	64.1
17	Ghaus, Bhág	Hanbi	23	18.0	14.6	81.1	5.5	3.6	65.4
18	Allah Bakhsh, Bhág.	Babbur	35	19.2	15.0	78.1	6.0	3.6	60.0
19	Dost Muhd., Nári.	Siál	55	18.0	14.5	80.5	6.0	4.0	66.6
20	Allah Sitta, Bhág.	Hánbi	38	18.2	13.7	75.2	6.4	3.7	57.8
21	Miham, Nari	...	45	19.6	13.7	69.9	6.0	4.3	71.6
22	Bamsan, Tuk	...	35	18.2	14.0	76.9	5.4	3.8	70.3
23	Muhd. Siddiz Jalalkhan.	...	60	18.5	13.2	71.3	5.2	3.4	65.3
24	Chutta, Badul-wa.	Siál	33	17.3	13.8	79.7	5.5	3.0	54.5
25	Miscu	Kalhora	23	17.5	14.6	83.4	6.0	3.5	58.3
26	Raza Muhd. Tuk.	Hánbi	37	17.3	14.2	82.0	6.0	3.2	53.3
27	Yar Muhd. Tuk.	Do.	37	18.5	14.0	75.6	6.0	3.3	55.0
28	Hasein Lakari	Lakan	23	18.0	14.4	80.0	5.4	3.4	62.9
29	Abdulla, Tuk.	Arain	37	18.0	13.0	72.2	5.2	3.3	63.4

I.

tribe taken at Sibi on the 4th May 1903.

15	16	17	18	19	20	21	22	23	24	25	26	27	28	29
Maximum bizygomatic breadth.	Nasio-mental length.	Facial index.	Facial angle (Cuvier.)	External orbital breadth.	Bi-orbito-nasal arc.	Orbito nasal index.	Bigonial breadth.	Height standing.	Height sitting.	Height kneeling.	Height to chin.	Height to sternal notch.	Bi-iliac crest breadth.	Serial No.
133	9.4	10.8	114.8	10.4	1
130	9.4	12.6	134.0	10.0	2
136	9.4	12.0	127.6	11.0	3
130	9.9	12.6	127.2	10.8	4
143	9.8	12.6	128.5	9.8	5
132	10.3	13.4	130.1	10.3	6
133	10.0	12.6	126.0	10.6	7
140	9.5	11.6	122.1	10.3	8
136	10.1	12.4	123.7	11.0	9
131	9.9	12.2	123.2	10.2	10
133	9.2	11.8	123.2	9.6	11
131	10.4	12.2	117.4	10.0	12
131	9.2	12.0	130.4	11.0	13
134	10.0	12.8	128.0	10.5	14
136	9.7	12.4	127.8	10.0	15
140	10.6	14.0	132.0	10.0	16
132	9.9	13.0	131.3	9.2	17
133	10.2	13.0	127.4	11.2	18
133	10.0	12.8	128.0	10.1	19
132	10.5	14.0	133.3	10.1	20
130	10.1	12.0	118.8	10.1	21
130	10.1	12.8	126.7	11.0	22
130	10.0	12.4	124.0	9.7	23
130	9.5	12.0	126.3	10.2	24
131	10.0	12.8	128.0	9.5	25
130	9.6	12.0	125.0	10.0	26
130	8.5	10.0	117.6	9.8	27
135	10.6	12.8	120.7	10.4	28
135	10.0	12.6	126.0	10.2	29

TABLE
Measurements of male members of the Jat

1	2	3	4	5	6	7	8	9	10	11	12	13	14
Serial No.	Province or State and District of birth.	Tribe or caste.	Age.	Cephalic length (glabella-occipital.)	Cephalic breadth.	Cephalic index.	Nasal height.	Nasal breadth.	Nasal index.	Height from vertex to root of the nose.	Height from vertex to tragus of ear.	Height from vertex to chin.	Cephalic volume.
30	Ramzan, Tuk	Hanbi	35	17.6	13.9	78.9	5.1	3.1	60.7
31	Nur Muhd., Badulwa.	Sial	33	18.2	13.8	75.8	6.0	3.4	56.6
32	Khuda Bux Badulwa.	Do.	23	17.0	13.0	76.4	5.4	3.4	62.9
33	Muhd. Farid, Bhag.	Hanbi	37	17.5	14.0	80.0	5.2	3.6	63.2
34	KhudaBhaksh, Badulune.	Sial	37	18.0	13.6	75.5	6.1	3.0	49.1
35	Abdul Karim Babbar.	Babbar	60	17.0	14.0	82.3	5.7	3.6	63.1
36	Juma Karim Babbar.	Do.	50	18.0	13.6	75.5	5.6	3.2	57.1
37	Mitha Karim Babbar.	Do.	65	18.6	13.2	70.9	6.0	3.2	53.3
38	Khan Muhd., Tuk.	Hanbi	35	18.0	13.5	75.0	5.7	3.2	56.1
39	Waddah, Tuk	Do.	60	18.6	13.0	69.3	6.0	3.7	61.6
40	Rasul Bahksh, Rustom.	Abra	45	18.2	14.3	78.5	5.0	4.2	34.0
41	Kirimbox, Badalwal.	Kalhoru	37	17.5	14.0	80.0	6.0	3.5	53.3
42	Allahbux Jalalkhan.	Abra	40	17.0	13.6	80.0	6.0	3.4	56.6
43	Barkhurdar Jalalkhan.	Do.	45	17.3	14.3	82.6	5.2	3.3	63.4
44	Matu, Hanbi	Hanbi	47	18.0	13.8	76.6	6.0	3.4	56.6
45	Dildar, Jalalkhan.	Abra	65	18.2	13.6	74.7	5.6	3.2	57.1
46	Sawan, Hanbi.	Hanbi	60	17.3	13.8	79.7	6.0	3.5	53.3
47	Bachal, Landore.	Landore	32	17.8	13.2	74.1	5.0	3.5	70.0
48	Gauhar Landore.	Do.	37	16.8	13.3	79.1	5.6	3.5	62.5
49	Sultan, Taj	Leghari	55	17.2	14.5	84.3	5.7	4.6	30.7
50	Gul Muhammed, Chalgari.	Pahwar	33	17.3	13.8	79.7	5.7	3.5	61.4
51	Karim Bukhah, Eri.	Machhi	34	17.6	14.6	82.9	5.7	3.6	63.1
52	Sonhars, Machhi.	Do.	35	18.0	14.3	82.2	5.6	4.0	71.4
53	Chuta, Takri	Mastor	35	16.3	14.5	86.3	4.7	3.5	74.4
54	Khair Muhd. Main Khan.	Lashari	33	18.2	14.7	80.7	5.6	4.1	73.2
55	Imam Bux, Main Rasul Bux.	Khokar	38	17.0	13.5	79.4	5.5	3.5	63.6
56	Im, Sial	Phul	38	18.0	14.1	78.3	6.2	3.3	53.2
57	Allah Ditta, Sial.	Awán	50	18.1	14.2	73.4	6.0	3.6	60.0

I.

tribe taken at Sibi on the 5th May 1903.

15	16	17	18	19	20	21	22	23	24	25	26	27	28	29
Maximum bizygomatic breadth.	Nasio-mental length.	Facial index.	Facial angle (Cuvier).	External orbital breadth.	Bi-orbito nasal arc.	Orbito-nasal index.	Bigonial breadth.	Height standing.	Height sitting.	Height kneeling.	Height to chin.	Height to sternal notch.	Bi-iliac crest breadth.	Serial No.
13.0	9.5	12.4	130.5	9.0	30
13.2	10.0	12.4	124.0	9.9	31
12.8	10.0	12.2	122.0	10.2	32
13.2	9.2	12.0	130.4	10.0	33
13.0	9.6	12.0	125.0	10.0	34
13.0	9.9	12.2	123.2	10.0	35
12.5	10.0	12.0	120.0	9.1	36
13.0	10.0	12.4	124.0	10.4	37
13.0	9.5	12.0	126.3	10.4	38
12.4	9.9	12.4	125.2	9.0	39
13.6	10.3	12.4	120.3	10.4	40
13.6	10.0	12.4	124.0	11.0	41
13.0	9.3	11.0	118.2	10.8	42
13.6	9.8	12.4	126.5	10.8	43
13.1	10.2	12.6	123.5	10.0	44
13.0	10.0	12.4	124.0	9.8	45
12.6	9.2	11.2	121.7	10.1	46
13.3	10.0	12.0	120.0	10.5	47
12.3	9.7	12.0	123.7	10.0	48
13.4	10.3	13.6	132.0	10.1	49
13.0	9.2	12.0	130.4	9.0	50
13.8	10.3	13.2	128.2	11.0	51
13.4	10.1	12.8	126.7	11.0	52
13.0	10.0	10.4	104.0	10.8	53
13.2	10.4	12.8	123.0	10.1	54
12.5	9.7	11.2	115.4	10.8	55
13.2	10.2	12.8	125.4	10.1	56
12.8	9.9	12.4	125.2	9.0	57

TABLE
Measurements of male members of the Jat

1	2	3	4	5	6	7	8	9	10	11	12	13	14
Serial No.	Province or State and District of birth.	Tribe or caste.	Age.	Cephalic length (glabella-occipital).	Cephalic breadth.	Cephalic index.	Nasal height.	Nasal breadth.	Nasal index.	Height from vertex to root of the nose.	Height from vertex to tragus of ear.	Height from vertex to chin.	Cephalic volume.
58	Hayat, Jalal-khan.	Baglia	23	183	143	78.1	6.0	3.4	56.6
59	Maaláduw, Chita.	Abra	21	160	145	90.6	6.0	3.2	53.3
60	Elahi Bakhsh, Chita.	Do.	22	160	133	83.1	5.4	3.0	55.5
61	Chuar, Mian-kodhur.	Khand	37	175	143	81.7	5.4	3.5	64.8
62	Ramzan, "	Sial	67	172	144	83.7	5.4	3.1	57.4
63	Mobile, Nari Kalharu.	Do.	37	180	148	82.2	5.4	3.7	68.5
64	Imam Bakhsh, Neri.	Do.	37	173	143	82.6	5.4	4.0	74.0
65	Mehrali, Mohi-ka-got.	Muruzai	43	170	140	82.3	4.8	3.2	66.6
66	Khamisa, Tuk	Hanbi	53	183	140	74.4	5.4	3.3	61.1
67	Karim Bakhsh, Haji.	Babbur	37	174	140	80.4	5.4	3.7	68.5
68	Mehrab, Tarkari.	Ronga	70	180	142	78.8	6.2	3.7	59.6
69	Hassan, "	Do.	30	175	146	83.4	6.0	3.7	61.6
70	Gohram Haji.	Babbur	34	183	144	78.6	6.0	4.2	70.0
71	Umar, Tunju.	Tunia	57	185	150	81.0	5.6	4.0	71.4
72	Juma' Khan, Haji.	Ladhani	31	170	131	77.0	5.4	3.6	66.6
73	Ismail, "	Bhatti	45	184	150	81.5	6.0	4.0	66.6
74	Toyyale, Tuk	Kalhara	36	170	142	83.5	5.7	3.6	63.1
75	Allah Bux, Haji.	Btiath	32	170	140	82.3	5.4	3.5	64.8
76	Nabi Bux, Tahri.	Ronga	31	170	140	82.3	5.0	3.2	64.0
77	Lahi, Bhag	Missan	31	178	147	82.5	5.3	4.0	75.4
78	Sumar, Lehri	Babbur	55	190	152	80.0	5.4	4.0	74.0
79	Ditto, "	Do.	36	195	145	74.3	5.7	3.4	59.6
80	Umar, "	Do.	37	180	153	85.0	6.4	3.7	57.8
81	Jan Mnhd., Gannia.	Maher	35	175	140	80.0	6.0	4.0	66.6
82	Nobi Box, Ganmir.	Do.	33	190	150	78.9	6.0	4.0	66.6
83	Sher Mnhd., Bhag.	Abra	35	182	155	85.1	6.0	3.6	60.0
84	Nur Mnhd., Bhag.	Do.	34	180	144	80.0	5.6	3.4	60.7
85	Nabi Bakhsh, Bhag.	Wagha	35	176	145	82.3	6.0	2.5	41.6
86	Abdulla, Bhag	Abra	35	194	140	72.1	6.0	3.2	53.3

I.

tribe taken at Sibi on the 5th May 1903.

15	16	17	18	19	20	21	22	23	24	25	26	27	28	29
Maximum bizygomatic breadth.	Nasio-mental length.	Facial index.	Facial angle (Cuvier).	External orbital breadth.	Bi-orbito nasal arc.	Orbito-nasal index.	Bigonial breadth.	Height standing.	Height sitting.	Height kneeling.	Height to chin.	Height to sternal notch.	Bi-iliac crest breadth.	Serial No.
134	100	120	1200	104	58
135	98	120	1224	108	59
120	95	120	1263	100	60
132	94	120	1276	105	61
130	85	106	1247	100	62
135	95	120	1263	110	63
135	99	122	1232	103	64
123	84	120	1428	100	65
124	95	124	1305	102	66
130	96	122	1270	104	67
130	93	120	1290	104	68
134	100	120	1200	106	69
135	99	120	1212	100	70
141	92	126	1369	105	71
124	92	108	1173	100	72
130	98	126	1235	101	73
120	94	120	1276	100	74
122	99	122	1232	98	75
130	97	120	1237	110	76
135	95	126	1326	112	77
135	100	126	1260	110	78
130	103	124	1203	110	79
134	100	126	1260	110	80
130	99	122	1232	110	81
132	105	134	1276	102	82
134	100	124	1240	101	83
135	98	124	1265	105	84
130	90	106	1177	95	85
130	98	106	1081	101	86

TABLE

Measurements of male members of the Jat tribe

1	2	3	4	5	6	7	8	9	10	11	12	13	14
Serial No.	Province or State and District of birth.	Tribe or caste.	Age.	Cephalic length (glabella-occipital.)	Cephalic breadth.	Cephalic index.	Nasal height.	Nasal breadth.	Nasal index.	Height from vertex to root of the nose.	Height from vertex to tragus of ear.	Height from vertex to chin.	Cephalic volume.
87	Fateh Muhd.,	Abra	45	17.8	14.9	88.7	5.1	3.9	76.4
88	Allawarabhu, Bhag.	Do.	28	17.7	13.6	76.8	6.0	3.4	56.6
89	Ali Muhd., Mithri.	Pahor	37	17.6	14.1	80.1	5.0	3.4	68.0
90	HazurBakhsh, Mithri.	Do.	23	16.6	15.3	92.1	4.4	3.1	70.4
91	Gul Muhd. Mithri.	Do.	47	18.0	13.5	75.0	5.4	3.6	66.6
92	Alisher Bhag	Abra	53	19.6	14.8	75.5	5.3	3.3	62.2
93	Nohram, "	Do.	33	16.8	14.2	84.5	5.4	3.5	64.8
94	Allah ditta Bhag.	Do.	47	19.0	14.1	74.2	5.0	3.4	68.0
95	Mull Mh., Bhag.	Do.	35	17.8	14.3	80.3	4.4	3.7	84.0
96	Mir Mhmd., Bhag.	Do.	40	17.1	14.2	83.0	5.1	3.4	66.6
97	Razd, Bhag.	Do.	27	19.0	14.0	73.6	5.4	3.4	62.9
98	Jaru, Sibi	Hanbi	18	18.3	14.3	78.1	5.0	3.7	74.0
99	Wadhu, Sibi	Hadoa	33	17.4	14.6	83.9	5.7	4.0	70.1
100	Ramzan, Sibi	Do.	34	18.2	15.1	82.9	5.5	4.0	72.7
AVERAGE			...	177.8	141.9	79.8	56.1	35.4	63.1

I.

taken at Sibi on the 5th May 1903.

15	16	17	18	19	20	21	22	23	24	25	26	27	28	29
Maximum biygomatic breadth.	Nasio-mental length.	Facial index.	Facial angle (Ouvier).	External orbital breadth.	Bi-orbito-nasal arc.	Orbito-nasal index.	Bigonial breadth.	Height standing.	Height sitting.	Height kneeling.	Height to chin.	Height to sternal notch.	Bi-iliac crest breadth.	Serial No.
130	10.3	12.8	124.2	9.9	87
134	10.1	12.4	122.7	10.8	88
130	9.8	12.4	126.5	10.8	89
125	9.5	12.2	128.4	10.0	90
130	9.8	12.4	126.5	9.6	91
135	10.1	12.8	126.7	9.8	92
130	9.8	12.0	122.4	10.6	93
135	10.1	13.2	130.6	10.1	94
137	10.3	12.8	124.2	11.0	95
128	9.4	12.0	127.6	9.7	96
125	10.0	12.8	128.0	10.3	97
134	10.0	12.0	120.0	10.6	98
132	10.0	12.0	120.0	10.4	99
136	10.1	12.8	126.7	10.6	100
131.3	98.0	122.5	125.0	102.6	

ANTHROPOMETRIC DATA.

TABLE II.

Abstract of Measurements.

TYPE—JAT.

TABLE

Abstract of measurements of male members of the Jat

1	2	3	4	5	6	7	8	9	10	11	12	13	14
Serial No.	Province or State and District of birth.	Tribe or caste.	Age.	Cephalic length (glabello-occipital.)	Cephalic breadth.	Cephalic index.	Nasal height.	Nasal breadth.	Nasal index.	Height from vertex to root of the nose.	Height from vertex to tragus of ear.	Height from vertex to chin.	Cephalic volume.
1-10	1746	1429	...	585	360
11-20	1794	1453	...	575	353
21-30	1805	1388	...	558	343
31-40	1791	1360	...	567	345
41-50	1744	1379	...	568	354
51-60	1740	1425	...	567	352
61-70	1770	1430	...	554	361
71-80	1792	1450	...	559	370
81-90	1794	1453	...	561	345
91-100	1812	1431	...	522	360
	GRAND TOTAL	17788	14198	...	5616	3543
	Average	177.8	141.9	79.8	56.1	35.4	63.1

II.

tribe taken at Sibi on the 5th May 1903.

15	16	17	18	19	20	21	22	23	24	25	26	27	28	29
Maximum bizygomatic breadth.	Nasio-mental length.	Facial index.	Facial angle (uvier).	External orbital breadth.	Bi-orbito-nasal arc.	Orbito-nasal index.	Bigonial breadth.	Height standing.	Height sitting.	Height kneeling.	Height to chin.	Height to sternal notch.	Bi-iliac breadth.	Serial No.
1344	977	1228	...	1044	1-10
1335	997	1280	...	1017	11-20
1311	979	1218	...	999	21-30
1297	984	1220	...	994	31-40
1303	977	1216	...	1021	41-50
1308	999	1216	...	1040	51-60
1308	940	1194	...	1034	61-70
1301	970	1224	...	1056	71-80
1310	987	1214	...	1029	81-90
1322	996	1248	...	1027	91-100
13139	9806	12258	...	10261	
1313	980	1225	1250	1026	

ANTHROPOMETRIC DATA.

SERiations.

TYPE—JAT.

ANTHROPOMETRIC DATA.

SERIATIONS.

TYPE—JAT.

SERIATIONS.

Turko-Iranian Type. Type Specimen : JAT.

PROPORTIONS OF HEAD.				PROPORTIONS OF NOSE.				RELATIVE PROMINENCE OF ROOT OF NOSE.			
(Cephalic - Index.)				(Nasal - Index.)				(Orbito-nasal - Index.)			
Average	.	.	79.8	Average	.	.	65.1	Average	.	.	125.0
Maximum	.	.	92	Maximum	.	.	84	Maximum	.	.	143
Minimum	.	.	70	Minimum	.	.	42	Minimum	.	.	104
Range	.	.	22	Range	.	.	42	Range	.	.	39
Indices.				Percentage on number of subjects.							
				Number of subjects.	5	10	15	20	25	30	35
VERY LONG HEADS. (Hyper dolichocephalic).	HEAD. Under 70			2	◆◆-2						
	{ 70 and under 72.5			4	◆◆◆-4						
	{ 72.5 and under 75			6	◆◆◆◆-6						
LONG HEADS. (Dolicho-Cephalic).	{ 75 and under 77.5			13	◆◆◆◆◆-13						
	{ 77.5 and under 80			17	◆◆◆◆◆◆-17						
	{ 80 and under 82.5			32	◆◆◆◆◆◆◆-32						
MEDIUM HEADS. (Meso-Cephalic).	{ 82.5 and under 85			18	◆◆◆◆◆◆-18						
	{ 85 and under 87.5			6	◆◆◆◆◆-6						
	{ 87.5 and over			2	◆◆-2						

NOSE.		ROOT OF NOSE.	
FINE NOSES. (Leptorhine).	Under 50 . . .	2	2
	50 and under 55 . . .	8	8
	55 and under 60 . . .	21	21
	60 and under 65 . . .	32	32
	65 and under 70 . . .	17	17
MEDIUM NOSES. (Mesorhine).	70 and under 75 . . .	16	16
	75 and under 80 . . .	2	2
	80 and under 85 . . .	3	3
PLATY-ORIO (Flat).	Under 110 . . .	2	2
	113 and under 116 . . .	2	2
	116 and under 119 . . .	6	6
	119 and under 122 . . .	11	11
	122 and under 125 . . .	24	24
PRO-ORIO (Prominent).	125 and under 128 . . .	30	30
	128 and over . . .	25	25

ANTHROPOMETRIC DATA

TABLE I.

Abstract of Measurements.

TYPE—PANI, PAUNI OR PAURI.

TABLE

Measurements of male members of the Pani Tribe

1	2	3	4	5	6	7	8	9	10	11	12	13	14
Serial No.	Province or State and District of birth.	Tribe or caste.	Age.	Cephalic length (Glabello-occipital).	Cephalic breadth.	Cephalic index.	Nasal height.	Nasal breadth.	Nasal index.	Height from vertex to root of the nose.	Height from vertex to tragus of ear.	Height from vertex to chin.	Cephalic volume.
1	Baluchistan, Sibi.	Mar-ghā-zāni.	40	179	149	83.2	54	36	66.6	97	131	213	153
2	Do.	Do.	30	192	148	77.0	47	41	87.2	109	140	231	160
3	Do.	Do.	35	189	149	78.8	53	36	67.9	110	148	232	162
4	Do.	Do.	30	192	156	81.2	54	37	68.5	113	153	234	167
5	Do.	Do.	36	185	149	80.5	55	35	63.6	110	145	228	160
6	Do.	Do.	30	187	148	79.1	56	42	75.0	108	138	240	158
7	Do.	Do.	27	176	158	89.7	52	39	75.0	112	147	222	160
8	Do.	Do.	30	179	144	80.4	53	39	73.5	96	137	208	153
9	Do.	Do.	33	182	145	79.6	56	36	64.2	97	133	221	155
10	Do.	Do.	36	180	143	79.4	56	37	66.0	91	136	218	156
11	Do.	Do.	28	192	154	86.2	55	46	72.7	111	145	240	164
12	Do.	Do.	33	178	146	82.0	52	38	73.0	110	146	232	157
13	Do.	Do.	32	178	143	80.3	49	36	73.4	93	133	206	153
14	Do.	Do.	38	184	146	79.3	54	37	68.5	109	134	231	155
15	Do.	Do.	30	181	146	80.6	48	37	77.0	103	133	210	153
16	Do.	Do.	35	180	143	79.4	54	38	70.3	104	137	221	153
17	Do.	Do.	45	179	146	81.5	52	39	75.0	105	139	231	155
18	Do.	Do.	33	180	149	82.7	55	35	63.6	104	145	230	158
19	Do.	Do.	33	184	151	82.6	58	37	63.7	108	151	232	162
20	Do.	Do.	30	183	140	76.5	44	39	88.6	106	134	214	152
21	Baluchistan, Sibi, Bostān.	Do.	45	188	144	76.5	49	34	69.3	95	139	222	157
22	Do.	Do.	28	177	149	84.1	47	38	80.3	103	143	221	156
23	Do.	Do.	35	184	150	81.5	53	32	55.1	95	132	222	155
24	Do.	Do.	45	192	147	76.5	51	37	72.5	103	139	226	159
25	Do.	Do.	27	179	145	81.0	49	39	79.5	99	145	227	159
26	Do.	Do.	35	194	147	75.7	48	43	89.5	110	140	223	160
27	Do.	Do.	30	189	145	76.7	47	41	87.2	98	137	210	157
28	Do.	Do.	30	178	151	84.8	51	37	72.5	97	133	217	156
29	Do.	Do.	30	179	150	83.7	48	36	75.0	108	147	221	159

I.
taken at Sibi during the month of June 1902.

15	16	17	18	19	20	21	22	23	24	25	26	27	28	29
Maximum biygo- matic breadth.	Nasio-mental length.	Facial index.	Facial angle (Onvier).	External orbital breadth.	Bi-orbito nasal arc.	Orbito-nasal Index.	Bigonial breadth.	Height standing.	Height sitting.	Height kneeling.	Height to chin.	Height to sternal notch.	Bi-iliac crest breadth.	Serial No.
134	116	115.3	68	104	128	123.0	102	1632	848	1220	1419	1352	259	1
139	122	118.9	61	118	138	116.9	110	1652	855	1250	1421	1353	252	2
139	122	118.9	66	117	138	117.9	108	1694	844	1239	1462	1390	263	3
143	121	118.1	66	121	146	120.6	101	1682	864	1252	1448	1372	282	4
132	118	111.8	65	110	130	118.1	106	1614	890	1321	1386	1308	254	5
135	122	102.2	64	113	136	120.3	110	1766	902	1301	1526	1451	255	6
146	110	132.7	66	119	136	114.2	111	1698	888	1274	1474	1375	264	7
136	112	121.4	61	111	126	113.5	105	1631	899	1216	1423	1340	267	8
133	124	107.2	64	114	144	126.3	103	1672	882	1246	1451	1376	267	9
136	127	107.0	55	111	124	111.7	109	1602	845	1292	1384	1309	251	10
142	129	110.0	63	116	134	115.5	96	1720	926	1301	1480	1390	261	11
130	122	106.5	62	107	130	121.4	98	1712	880	1264	1460	1381	259	12
134	113	118.5	61	110	128	116.3	99	1622	856	1210	1416	1330	272	13
136	122	111.4	61	118	138	122.1	102	1688	876	1243	1457	1378	282	14
132	107	123.3	65	106	123	116.0	107	1586	840	1178	1376	1302	265	15
135	117	115.3	64	111	133	119.3	106	1632	880	1202	1411	1338	275	16
140	126	111.1	63	116	134	115.5	101	1666	882	1216	1435	1372	291	17
135	126	107.1	63	113	132	116.8	98	1712	910	1276	1482	1393	268	18
141	124	113.7	63	114		119.2	109	1668	882	1246	1436	1366	268	19
143	108	132.4	70	118	131	111.0	100	1596	800	1202	1382	1338	254	20
130	127	102.3	65	106	128	120.7	106	1578	844	1190	1356	1285	251	21
141	118	119.4	67	114	130	134.0	111	1634	856	1244	1418	1331	259	22
136	127	107.0	61	110	128	116.3	100	1600	821	1190	1376	1308	245	23
133	123	108.1	63	113	134	118.5	106	1643	864	1236	1417	1342	260	24
136	128	106.2	63	109	128	117.4	110	1729	890	1292	1502	1410	236	25
140	113	123.8	65	113	130	115.0	114	1776	888	1308	1553	1468	267	26
137	112	123.3	63	112	132	117.8	102	1574	848	1168	1364	1273	262	27
140	120	116.6	63	116	136	117.2	105	1650	848	1224	1433	1362	235	28
131	113	115.2	63	107	123	114.9	111	1654	848	1244	1433	1352	251	29

TABLE

Measurements of male members of the Pani Tribe

1	2	3	4	5	6	7	8	9	10	11	12	13	14
Serial No.	Provinces or State and District of birth.	Tribe or caste.	Age.	Cephalic length (glabella-occipita.)	Cephalic breadth.	Cephalic Index.	Nasal height.	Nasal breadth.	Nasal index.	Height from vertex to root of the nose.	Height from vertex to tragus of ear.	Height from vertex to chin.	Cephalic volume.
30	Baluchistan, Sibi, Bostán.	Mar-ghā-zāni.	27	176	149	84.6	54	36	66.6	98	134	218	153
31	Baluchistan, Sibi.	Do.	43	189	149	78.8	56	33	58.9	100	130	226	156
32	Do.	Do.	32	180	139	77.2	49	38	77.5	108	137	225	152
33	Do.	Do.	33	176	144	81.8	50	39	78.0	99	131	222	150
34	Do.	Do.	35	185	146	78.9	49	33	67.1	96	131	207	154
35	Do.	Do.	32	178	144	80.8	48	37	77.0	107	142	218	155
36	Do.	Do.	26	182	139	76.3	48	36	75.0	101	141	215	154
37	Do.	Do.	43	194	145	74.7	49	33	77.5	99	127	227	155
38	Do.	Do.	35	174	143	85.0	52	39	75.0	106	138	219	153
39	Do.	Do.	44	191	154	80.6	52	40	76.9	107	142	243	162
40	Do.	Do.	40	191	154	80.6	54	36	66.6	104	142	231	163
41	Do.	Deh-pāl.	30	187	149	79.6	55	35	63.6	103	140	223	159
42	Do.	Do.	35	184	153	83.1	53	38	71.7	108	140	222	159
43	Do.	Do.	28	182	146	80.2	52	35	67.3	113	131	224	153
44	Do.	Do.	25	184	141	76.6	50	41	82.0	109	138	222	154
45	Do.	Do.	35	176	149	84.6	50	35	70.0	104	140	221	155
46	Do.	Do.	30	191	150	73.5	43	33	88.3	112	150	228	164
47	Do.	Do.	28	176	147	83.5	55	35	63.6	96	135	221	153
48	Do.	Do.	32	180	140	77.7	52	36	69.2	100	132	215	151
49	Do.	Do.	27	179	149	83.2	46	36	78.2	105	138	221	155
50	Do.	Do.	30	192	151	78.6	45	35	77.7	103	135	214	159
51	Do.	Do.	35	176	145	82.3	52	37	71.1	104	138	231	153
52	Do.	Do.	45	187	141	75.4	49	36	73.4	108	135	234	154
53	Do.	Do.	45	185	151	81.6	56	33	67.8	105	131	194	156
54	Do.	Do.	35	173	141	79.2	50	37	74.0	99	129	215	149
55	Do.	Do.	35	179	147	82.1	47	39	82.9	106	137	220	154
56	Do.	Do.	35	168	143	81.0	43	36	75.0	110	134	222	150
57	Do.	Do.	45	182	146	80.2	51	40	78.4	109	146	225	158
58	Do.	Do.	45	186	143	76.8	53	33	71.7	99	139	215	156

I.
 taken at Sibi during the month of June 1902.

15	16	17	18	19	20	21	22	23	24	25	26	27	28	29
Maximum bi- gnathic breadth.	Nasio-mental length.	Facial index.	Facial angle (Cuvier).	External orbital breadth.	Bi-orbito nasal arc.	Orbito-nasal index.	Bigonial breadth.	Height standing.	Height sitting.	Height kneeling.	Height to chin.	Height to sternal notch.	Bi-iliac breadth.	Serial No.
185	120	112.5	61	113	182	116.8	104	1652	834	1242	1434	1349	255	30
136	126	107.9	61	107	126	117.7	118	1720	906	1286	1494	1411	284	31
133	117	113.6	65	107	128	119.6	106	1638	862	1231	1408	1354	258	32
130	123	105.6	60	111	133	119.8	108	1790	902	1312	1568	1462	291	33
133	111	119.8	68	109	128	117.4	115	1674	852	1254	1457	1332	258	34
131	111	118.0	61	108	126	116.6	100	1728	900	1298	1510	1419	278	35
126	114	110.5	68	106	120	113.2	90	1642	852	1222	1427	1344	261	36
141	128	110.1	...	118	186	115.2	121	1754	884	1298	1527	1454	275	37
138	113	122.1	65	114	141	123.6	104	1708	876	1264	1489	1410	275	38
146	136	107.3	...	120	140	116.6	115	1702	876	1256	1459	1394	288	39
140	127	110.2	61	114	134	117.5	106	1650	864	1262	1419	1341	263	40
135	123	109.7	69	115	136	118.2	104	1721	874	1236	1498	1400	280	41
137	114	120.1	66	109	130	119.2	106	1746	913	1291	1524	1432	259	42
131	111	118.0	63	114	135	118.4	106	1740	900	1302	1516	1438	277	43
135	113	119.4	62	112	132	117.8	101	1722	878	1272	1500	1408	263	44
139	117	118.8	64	112	127	113.3	93	1662	897	1253	1441	1374	246	45
143	116	123.2	64	114	132	115.7	117	1719	891	1269	1481	1400	273	46
136	125	106.8	63	118	134	118.5	107	1602	870	1204	1381	1306	255	47
131	115	118.9	65	109	126	115.5	100	1617	858	1208	1402	1317	253	48
141	116	121.5	69	112	128	114.2	112	1640	860	1223	1419	1342	280	49
135	111	121.6	63	109	132	121.1	101	1604	842	1194	1390	1308	242	50
139	134	108.7	63	115	139	120.3	115	1716	904	1263	1495	1392	276	51
135	126	107.1	60	114	138	121.0	106	1756	924	1310	1522	1446	263	52
141	89	158.4	69	114	136	119.2	107	1580	836	1170	1366	1278	259	53
134	116	115.5	65	107	128	119.6	105	1654	835	1240	1439	1352	259	54
132	112	117.8	70	107	132	123.3	108	1634	866	1230	1464	1394	265	55
130	112	116.0	69	108	124	114.8	105	1594	853	1204	1372	1290	255	56
143	116	123.2	60	117	136	116.2	111	1761	902	1296	1536	1440	282	57
139	116	119.8	...	111	132	118.9	113	1674	892	1298	1459	1370	277	58

TABLE

Measurements of male members of the Panl Tribe

1	2	3	4	5	6	7	8	9	10	11	12	13	14
Serial No.	Province or State and District of birth.	Tribe or caste.	Age.	Cephalic length (glabella-occipita.)	Cephalic breadth.	Cephalic index.	Nasal height.	Nasal breadth.	Nasal index.	Height from vertex to root of the nose.	Height from vertex to tragus of ear.	Height from vertex to chin.	Cephalic volume.
59	Baluchistan, Sibi.	Deh-pal.	32	181	150	82.8	50	37	74.0	105	148	230	158
60	Do.	Do.	32	194	152	78.3	50	36	72.0	112	134	237	160
61	Do.	Do.	45	185	144	77.8	49	34	69.3	100	126	219	152
62	Do.	Do.	26	192	148	77.0	57	39	68.4	116	134	232	158
63	Do.	Do.	35	181	151	83.4	50	38	76.0	116	136	232	156
64	Do.	Do.	27	187	155	82.8	46	37	80.4	115	147	218	163
65	Do.	Báro-zai.	28	182	149	81.3	50	43	86.0	110	142	232	158
66	Do.	Do.	25	190	153	80.5	52	38	73.0	113	128	229	157
67	Do.	Do.	27	194	152	78.3	52	35	67.3	100	140	223	162
68	Do.	Zmari or Mizri.	35	182	145	79.6	52	35	67.3	107	140	229	156
69	Do.	Do.	40	188	141	75.0	50	38	76.0	92	133	211	154
70	Do.	Do.	42	179	149	88.2	48	38	79.1	105	136	228	155
71	Do.	Do.	30	182	152	88.5	47	35	74.4	109	136	233	157
72	Do.	Do.	27	176	149	84.6	51	34	66.6	99	123	216	151
73	Do.	Do.	28	185	152	82.1	50	38	76.0	98	138	218	158
74	Do.	Do.	33	189	147	77.7	48	35	72.9	109	134	231	157
75	Do.	Do.	40	192	150	78.1	49	38	77.5	118	150	229	164
76	Do.	Do.	35	189	149	78.8	51	37	72.5	109	128	223	155
77	Do.	Do.	42	190	149	78.4	53	41	77.3	100	136	224	158
78	Do.	Do.	45	183	151	82.5	48	35	72.9	105	130	220	155
79	Do.	Do.	48	184	141	76.6	55	37	67.2	112	129	240	151
80	Do.	Lunf.	45	197	149	75.6	57	37	64.9	107	148	238	165
81	Do.	Do.	45	184	151	82.0	54	37	68.5	116	140	236	
82	Do.	Do.	35	186	144	77.4	46	38	82.6	106	129	228	156
83	Do.	Do.	40	181	144	79.5	48	35	72.9	98	138	220	154
84	Do.	Do.	30	190	149	78.4	54	38	70.3	109	131	227	157
85	Do.	Do.	35	171	140	81.8	47	41	87.2	94	130	215	147
86	Do.	Do.	45	198	153	79.7	58	39	67.2	117	150	240	169
87	Do.	Do.	28	193	150	77.7	45	39	86.6	113	144	226	162

I.

taken at Sibi during the month of June, 1902.

15	16	17	18	19	20	21	22	23	24	25	26	27	28	29
Maximum bizygomatic breadth.	Nasio-mental length.	Facial index.	Facial angle (Ouvier.)	External orbital breadth.	Bi-orbito nasal arc.	Orbito nasal index.	Bigonial breadth.	Height standing.	Height sitting.	Height kneeling.	Height to chin.	Height to sternal notch.	Bi-iliac breadth.	Serial No.
142	125	113.6	63	117	138	117.9	110	1572	866	1172	1342	1282	277	59
142	125	113.6	72	123	154	125.2	111	1738	868	1276	1501	1430	266	60
189	119	116.8	65	113	140	123.8	107	1712	898	1268	1493	1399	278	61
126	116	108.6	66	106	122	115.0	98	1712	874	1284	1480	1394	274	62
140	116	120.6	70	112	131	116.9	120	1852	940	1363	1620	1544	275	63
137	113	121.2	61	115	132	114.7	111	1568	848	1190	1350	1282	257	64
137	122	112.2	66	115	138	120.0	111	1740	914	1305	1508	1422	271	65
142	116	122.4	64	115	136	118.2	112	1668	872	1262	1439	1372	271	66
141	123	114.6	64	115	136	118.2	103	1616	843	1226	1393	1332	263	67
140	122	114.7	64	112	130	116.0	113	1678	862	1250	1449	1363	270	68
133	119	111.7	58	106	130	122.6	100	1562	812	1152	1351	1281	264	69
139	123	113.0	64	115	132	114.7	120	1668	880	1244	1440	1348	255	70
135	124	108.8	67	108	126	116.6	110	1692	914	1266	1459	1387	230	71
135	117	115.3	64	110	135	122.7	104	1533	828	1168	1367	1306	260	72
143	120	119.1	68	117	140	119.6	114	1662	912	1256	1444	1354	237	73
133	121	109.9	66	109	126	115.5	100	1738	896	1284	1507	1424	276	74
130	111	117.1	65	110	126	114.5	109	1705	921	1268	1476	1396	280	75
137	114	120.1	64	109	128	117.4	102	1671	860	1246	1448	1374	240	76
134	124	108.0	68	111	134	120.7	113	1701	830	1266	1477	1406	278	77
134	115	116.5	67	111	124	111.7	110	1635	854	1216	1415	1336	257	78
130	128	101.5	63	108	126	116.6	100	1750	896	1308	1510	1424	252	79
135	121	111.5	...	111	132	118.9	102	1750	876	1260	1512	1404	290	80
134	120	111.6	66	108	130	120.3	105	1682	828	1256	1446	1378	258	81
133	122	109.0	63	106	121	114.1	109	1702	886	1288	1474	1390	277	82
131	122	107.3	61	107	124	115.8	105	1651	876	1224	1431	1350	252	83
141	118	119.4	63	116	141	121.5	105	1744	836	1282	1517	1422	233	84
130	121	107.4	63	110	132	120.0	106	1682	840	1248	1467	1384	276	85
144	123	117.0	...	118	138	116.9	110	1678	860	1256	1488	1368	284	86
134	118	118.5	69	113	140	123.8	107	1692	888	1254	1466	1372	293	87

TABLE

Measurements of male members of the Panl Tribe

1	2	3	4	5	6	7	8	9	10	11	12	13	14
Serial No.	Province or State and District of birth.	Tribe or caste.	Age.	Cephalic length (glabella-occipital).	Cephalic breadth.	Cephalic index.	Nasal height.	Nasal breadth.	Nasal index.	Height from vertex to root of the nose.	Height from vertex to tragus of ear.	Height from vertex to chin.	Cephalic volume.
88	Baluchistan, Sibi.	Lunf.	36	177	141	79.6	43	35	81.3	106	133	217	150
89	Do.	Do.	30	176	147	83.5	54	37	68.5	100	134	223	152
90	Do.	Do.	27	183	147	80.3	52	34	65.3	104	138	230	156
91	Do.	Do.	30	187	152	81.2	52	36	69.2	99	142	223	160
92	Do.	Saf.	30	189	144	76.1	48	33	79.1	106	128	222	154
93	Do.	Do.	33	192	148	77.0	55	37	67.2	103	143	228	161
94	Do.	Do.	28	179	148	82.6	56	34	60.7	95	128	216	152
95	Do.	Do.	30	178	147	82.5	55	35	63.6	90	138	217	154
96	Do.	Do.	23	176	141	80.1	45	37	82.2	107	135	218	151
97	Do.	Do.	32	187	150	80.2	46	41	89.1	101	129	217	155
98	Do.	Do.	30	176	148	84.0	49	41	83.6	110	133	220	152
99	Do.	Do.	32	187	141	75.4	44	38	86.3	100	133	214	154
100	Do.	Do.	23	190	145	76.3	51	36	70.5	110	140	221	158
				183.9	147.4	80.1	50.9	37.2	78.0	104.6	137.6	223.4	156.3

I.

taken at Sibi during the month of June 1902.

15	16	17	18	19	20	21	22	23	24	25	26	27	28	29
Maximum bizygomatic breadth.	Nasio-mental length.	Facial index.	Facial angle (Cuvier.)	External orbital breadth.	Bi-orbito nasal arc.	Orbito-nasal index.	Bigonial breadth.	Height standing.	Height sitting.	Height kneeling.	Height to chin.	Height to sternal notch.	Bi-iliac breadth.	Serial No.
137	111	123.4	63	110	122	110.9	110	1701	864	1250	1484	1396	267	88
141	123	114.6	69	115	135	117.3	118	1762	892	1300	1539	1442	272	89
185	126	107.1	62	110	134	121.8	101	1772	836	1314	1542	1450	260	90
183	129	108.1	60	109	124	113.7	111	1667	844	1252	1439	1360	275	91
141	116	121.5	66	114	133	116.6	111	1754	856	1266	1532	1450	279	92
135	125	108.0	62	110	134	121.8	109	1788	882	1297	1510	1432	271	93
134	121	110.7	60	111	130	117.1	109	1750	864	1304	1536	1435	264	94
139	127	109.4	62	116	136	117.2	110	1684	862	1249	1467	1376	243	95
129	111	116.2	66	107	126	117.7	104	1690	882	1252	1472	1386	263	96
142	116	122.4	59	115	131	113.9	112	1671	848	1256	1454	1377	290	97
139	110	126.3	62	112	130	116.0	107	1670	808	1234	1450	1374	258	98
135	114	118.4	68	113	136	120.3	107	1578	822	1186	1354	1300	242	99
134	111	120.7	69	112	137	122.3	100	1610	834	1194	1389	1323	277	100
136.3	119.0	114.5	64.3	112.0	132.0	117.8	106.8	167.7	87.0	125.1	145.4	137.4	266.3	

ANTHROPOMETRIC DATA.

TABLE II.

Abstract of Measurements.

TYPE—PANI.

TABLE

Measurements of male members of the Pani Tribe

1	2	3	4	5	6	7	8	9	10	11	12	13	14
Serial No.	Province or State and District of birth.	Tribe or caste.	Age.	Cephalic length (glabella-occipital).	Cephalic breadth.	Cephalic index.	Nasal height.	Nasal breadth.	Nasal index.	Height from vertex to root of the nose.	Height from vertex to tragus of ear.	Height from vertex to chin.	Cephalic volume.
1-11				1841	1489		536	378		1043	1413	2247	1584
11-20				1819	1464		521	376		1053	1402	2247	1562
21-30				1836	1477		502	373		1006	1394	2207	1571
31-40				1840	1462		507	369		1027	1361	2233	1553
41-50				1831	1475		501	364		1053	1379	2211	1562
51-60				1816	1464		506	374		1059	1366	2213	1548
61-70				1860	1487		506	375		1074	1362	2253	1571
71-80				1867	1489		509	367		1066	1357	2272	1571
81-90				1839	1471		501	373		1063	1377	2262	1561
91-100				1841	1464		501	373		1021	1349	2201	1551
TOTAL				18390	14742		5090	3722		10465	13760	22346	15634
Average				183.9	147.4	80.1	50.9	37.2	73.0	104.6	137.6	223.4	156.3

II.

taken at Sibi during the month of June 1902.

15	16	17	18	19	20	21	22	23	24	25	26	27	28	29
Maximum bizygomatic breadth.	Nasio-mental length.	Facial index	Facial angle (Cuvier).	External orbital breadth.	Bi-orbito nasal arc.	Orbito-nasal index.	Bigonial breadth.	Height standing.	Height sitting.	Height kneeling.	Height to chin.	Height to sternal notch.	Bi-iliac breadth.	Serial No.
1373	1204		636	1138	1346		1065	16641	8707	12581	14394	13626	2614	1-10
1368	1194		635	1124	1319		1016	16602	8712	12338	14355	13643	2690	11-20
1359	1201		644	1113	1301		1069	16490	8541	12338	14283	13435	2621	21-30
1354	1206		509	1114	1312		1078	17001	8774	12683	14768	13971	2731	31-40
1363	1161		653	1119	1312		1047	16778	8783	12502	14562	13725	2635	41-50
1377	1171		591	1133	1357		1091	16709	8801	12464	14496	13630	2684	51-60
1374	1189		642	1124	1327		1095	16776	8746	12569	14523	13737	2678	61-70
1346	1195		592	1104	1297		1064	16387	8737	12538	14615	13311	2600	71-80
1360	1199		578	1113	1317		1076	17066	8656	12672	14804	13952	2722	81-90
1361	1180		634	1119	1317		1080	16812	8502	12490	14603	13313	2662	91-100
13635	11900		6114	11201	13205		10681	167757	87009	125175	145403	137443	26637	
1363	1190	114.5	64.3	1120	1320	117.3	106.3	167.7	870	125.1	145.4	137.4	266.3	

O.K.
 O.K.
 S.K.
 X
 O.K.
 X
 X
 O.K.
 O.K.
 X
 X
 X
 O.K.

ANTHROPOMETRIC DATA.

SERiations.

TYPE—PANI.

ANTHROPOMETRIC DATA.

TABLE I.

Individual Measurements.

TYPE—DEHWÁR.

TABLE

Measurements of male members of the Dehwar Tribe

1	2	3	4	5	6	7	8	9	10	11	12	13	14
Ser. al No.	Province or State and District of birth.	Tribe or caste.	Age.	Cephalic length (glabella-occipital).	Cephalic breadth.	Cephalic index.	Nasal height.	Nasal breadth.	Nasal index.	Height from vertex to root of the nose.	Height from vertex to tragus of ear.	Height from vertex to chin.	Cephalic volume.
1	Baluchistan, Mastung.	...	30	183	142	77.5	50	37	74.0	112	140	222	155
2	Do.	...	26	192	146	76.0	45	36	80.0	129	148	241	162
3	Do.	...	33	170	145	85.2	46	33	71.7	98	136	205	150
4	Do.	...	30	178	150	84.2	50	34	68.0	98	137	217	155
5	Do.	...	35	179	142	79.3	50	33	66.0	105	126	222	149
6	Do.	...	32	178	151	84.3	42	34	80.9	104	133	212	154
7	Do.	...	40	174	150	86.2	46	36	78.2	105	139	218	154
8	Do.	...	45	179	144	80.4	53	36	67.9	95	135	220	153
9	Do.	...	28	182	150	82.4	51	37	72.5	111	144	220	159
10	Do.	...	30	175	153	87.4	44	36	81.8	97	128	205	152
11	Do.	...	30	177	147	83.0	48	37	77.0	111	141	213	155
12	Do.	...	35	187	156	83.4	49	35	71.4	93	135	212	159
13	Do.	...	30	180	149	82.7	50	35	70.0	99	137	220	155
14	Do.	...	42	175	148	84.5	45	40	88.3	102	138	214	154
15	Do.	...	33	175	150	85.7	46	30	65.2	110	138	221	154
16	Do.	...	30	185	149	80.5	48	36	75.0	110	124	235	153
17	Do.	...	30	167	143	85.6	49	35	71.4	113	127	228	146
18	Do.	...	25	176	151	85.7	53	34	64.1	95	138	220	155
19	Do.	...	30	170	146	85.6	53	32	60.3	87	129	208	148
20	Do.	...	20	178	144	80.8	46	38	82.6	99	136	216	153
21	Do.	...	28	183	149	81.4	49	38	79.1	100	134	214	155
22	Do.	...	40	175	141	80.5	49	35	71.4	80	118	199	145
23	Do.	...	45	183	146	79.7	54	36	66.6	105	138	214	156
24	Do.	...	45	179	151	84.3	50	32	64.0	114	134	232	155
25	Do.	...	35	178	152	85.3	45	36	80.0	107	143	216	158
26	Do.	...	35	185	149	80.5	55	33	60.0	95	138	211	157
27	Do.	...	30	174	149	85.6	51	34	66.6	90	134	207	152
28	Do.	...	33	178	156	87.6	52	37	71.1	103	139	227	158
29	Do.	...	32	179	155	86.5	53	36	67.9	98	143	220	159

I.

taken at Mastung during the month of May 1902.

15	16	17	18	19	20	21	22	23	24	25	26	27	28	29
Maximum bizygomatic breadth.	Nasio-mental length.	Facial index.	Facial angle (Cuvier).	External orbital breadth.	Bi-orbito nasal arc.	Orbito nasal index.	Bigonial breadth.	Height standing.	Height sitting.	Height kneeling.	Height to chin.	Height to sternal notch.	Bi-iso crest breadth.	Serial No.
130	110	118.1	64	105	130	123.8	98	1626	854	1222	1404	1335	253	1
133	112	118.7	66	113	132	116.8	106	1744	926	1292	1503	1434	265	2
135	107	126.1	64	100	118	118.0	102	1634	816	1188	1429	1332	251	3
132	119	110.9	66	106	128	120.7	105	1603	860	1206	1336	1318	231	4
133	117	118.6	68	105	123	121.9	105	1682	912	1272	1460	1399	272	5
130	108	120.3	69	97	108	111.3	100	1564	820	1174	1356	1296	239	6
130	113	115.0	64	103	114	110.6	101	1601	824	1200	1383	1318	250	7
127	125	101.6	66	102	120	117.6	100	1674	824	1246	1454	1370	275	8
135	109	123.8	62	110	128	116.3	108	1643	870	1230	1428	1350	268	9
134	108	124.0	74	107	121	113.0	104	1607	833	1203	1402	1310	264	10
135	112	120.5	70	109	130	119.2	103	1646	852	1222	1433	1344	267	11
139	119	116.8	62	115	133	115.6	100	1650	846	1230	1438	1363	254	12
131	121	108.2	63	110	132	120.0	104	1718	870	1234	1498	1424	288	13
130	112	116.0	...	106	127	119.8	96	1670	870	1246	1456	1376	261	14
126	111	113.5	70	105	120	114.2	102	1674	873	1230	1453	1360	265	15
126	125	100.8	69	104	126	121.1	103	1622	832	1224	1337	1309	261	16
135	115	117.3	63	109	124	113.7	109	1653	872	1226	1430	1332	260	17
134	125	107.2	66	110	136	123.6	109	1661	836	1234	1441	1343	255	18
128	116	110.3	64	104	126	121.1	96	1532	804	1158	1329	1262	263	19
133	117	113.6	61	109	128	117.4	101	1677	836	1226	1461	1374	274	20
129	114	113.1	63	108	129	119.4	101	1700	912	1232	1436	1398	255	21
126	119	105.8	60	101	126	124.7	106	1580	820	1202	1331	1293	270	22
136	108	125.9	...	109	128	117.4	105	1604	843	1174	1390	1302	231	23
132	118	111.8	65	106	122	115.0	103	1666	890	1226	1434	1362	266	24
130	109	119.2	69	105	126	120.0	100	1644	846	1222	1428	1352	231	25
133	116	114.6	69	110	136	123.6	99	1647	864	1232	1436	1370	270	26
127	117	108.5	64	105	130	123.8	102	1664	868	1235	1457	1372	262	27
131	124	105.6	62	108	129	119.4	100	1697	876	1240	1470	1404	253	28
131	123	107.3	65	109	130	119.2	109	1616	843	1236	1396	1335	273	29

TABLE

Measurements of male members of the Dehwar Tribe

1	2	3	4	5	6	7	8	9	10	11	12	13	14
Serial No.	Province or State and District of birth.	Tribe or caste.	Age.	Cephalic length (glabella-occipital.)	Cephalic breadth.	Cephalic index.	Nasal height.	Nasal breadth.	Nasal index.	Height from vertex to root of the nose.	Height from vertex to tragus of ear.	Height from vertex to chin.	Cephalic volume.
30	Baluchistan Mastung.	...	27	177	147	83.0	48	34	70.3	97	139	207	154
31	Do.	...	28	179	151	84.3	47	38	80.8	103	132	219	154
32	Do.	...	30	177	147	83.0	46	38	82.6	98	138	203	154
33	Do.	...	32	169	152	89.9	48	33	68.7	97	131	208	151
34	Do.	...	25	177	150	84.7	49	38	77.5	100	136	218	154
35	Do.	...	28	179	141	78.7	44	35	79.5	108	128	215	149
36	Do.	...	30	179	138	77.0	42	35	83.3	103	131	20	149
37	Do.	...	33	169	150	88.7	50	36	72.0	106	128	223	149
38	Do.	...	33	186	151	81.1	45	39	86.0	115	144	230	160
39	Do.	...	30	173	141	81.5	47	39	82.9	97	123	197	147
40	Do.	...	24	173	149	86.1	45	37	82.2	112	142	216	155
41	Do.	...	40	176	135	76.7	46	34	73.9	104	140	212	150
42	Do.	...	45	179	143	79.3	43	37	86.6	97	130	203	151
43	Do.	...	30	168	141	83.9	46	35	76.0	94	129	203	146
44	Do.	...	28	188	149	79.2	46	36	78.2	101	136	212	153
45	Do.	...	30	179	146	81.5	43	36	75.0	99	130	203	152
46	Do.	...	30	183	144	78.6	46	35	76.0	116	126	223	151
47	Do.	...	35	173	139	80.3	43	36	75.0	91	131	205	148
48	Do.	...	35	176	151	85.7	46	37	80.4	99	130	213	152
49	Do.	...	46	179	148	82.6	59	37	62.7	103	140	229	156
50	Do.	...	50	170	147	86.4	55	33	60.0	86	134	205	150
51	Do.	...	35	181	147	81.2	47	34	72.3	106	135	216	154
52	Do.	...	45	186	143	79.5	50	34	68.0	87	130	213	155
53	Do.	...	22	178	149	83.7	46	37	80.4	104	138	210	155
54	Do.	...	30	181	151	83.4	45	40	88.8	105	145	216	159
55	Do.	...	45	178	132	74.1	55	33	60.0	95	127	219	146
56	Do.	...	45	170	149	87.6	43	37	77.0	100	141	214	153
57	Do.	...	35	176	142	80.6	50	40	80.0	95	137	210	152
58	Do.	...	22	190	141	74.2	56	34	60.7	85	128	230	153

I.

taken at Mastung during the month of May 1902.

15	16	17	18	19	20	21	22	23	24	25	26	27	28	29
Maximum bizygomatic breadth.	Nasio-mental length.	Facial index.	Facial angle (Cuvier).	External orbital breadth.	Bi-orbito nasal arc.	Orbito nasal index.	Bigonial breadth.	Height standing.	Height sitting.	Height kneeling.	Height to chin.	Height to sternal notch.	Bi-iliac breadth.	Serial No.
180	110	118.1	68	112	180	116.0	100	1616	854	1220	1409	1332	251	30
187	116	118.1	66	113	185	119.4	111	1670	876	1238	1451	1382	280	31
187	105	130.4	65	103	126	122.3	97	1614	820	1201	1411	1328	244	32
186	111	122.5	65	113	132	116.8	105	1688	880	1254	1480	1387	275	33
180	118	110.1	68	111	129	116.2	100	1614	870	1200	1396	1324	255	34
135	107	126.1	67	104	128	123.0	100	1667	860	1249	1452	1384	261	35
129	104	124.0	65	102	120	117.6	94	1664	878	1242	1457	1384	268	36
181	117	111.9	60	110	130	118.1	100	1761	924	1316	1538	1384	255	37
182	115	114.7	64	108	126	116.6	101	1677	920	1180	1447	1399	304	38
123	100	123.0	63	102	128	115.6	97	1626	816	1192	1429	1336	249	39
180	104	125.0	64	107	123	119.6	108	1657	840	1216	1441	1354	254	40
181	108	121.2	70	104	122	117.3	102	1626	828	1218	1414	1347	257	41
181	103	123.5	68	106	126	118.8	106	1588	848	1184	1485	1318	266	42
126	109	115.5	62	102	116	113.7	90	1522	806	1150	1419	1242	241	43
128	111	115.3	66	108	126	116.6	102	1696	878	1254	1484	1383	259	44
133	104	127.8	62	107	130	121.4	104	1652	847	1228	1449	1381	264	45
184	112	119.6	...	118	136	120.3	106	1728	898	1278	1500	1424	281	46
127	114	111.4	68	107	120	112.1	92	1642	854	1218	1437	1342	251	47
150	114	131.5	62	107	129	120.5	112	1530	806	1160	1317	1260	261	48
129	126	102.3	...	104	122	117.3	99	1664	858	1250	1435	1354	273	49
124	119	104.2	...	108	122	118.4	90	1628	836	1200	1428	1344	255	50
124	110	121.8	62	110	130	118.1	102	1707	846	1219	1491	1402	267	51
138	126	105.5	67	105	124	118.0	102	1578	804	1192	1465	1297	264	52
135	106	127.3	63	118	128	113.2	104	1600	843	1190	1490	1316	242	53
135	111	121.6	68	97	126	129.8	100	1612	838	1201	1396	1328	255	54
124	124	100.0	...	104	118	113.4	100	1672	866	1224	1453	1382	260	55
139	114	113.1	71	104	126	121.1	97	1596	832	1174	1482	1320	244	56
181	115	118.9	70	108	120	116.5	105	1622	844	1192	1412	1334	288	57
127	115	110.4	70	106	128	120.7	101	1672	834	1228	1472	1386	259	58

TABLE

Measurements of male members of the Dehwar tribe

1	2	3	4	5	6	7	8	9	10	11	12	13	14
Serial No.	Province or State and District of birth.	Tribe or caste.	Age.	Cephalic length (glabello-occipital)	Cephalic breadth.	Cephalic index.	Nasal height.	Nasal breadth.	Nasal index.	Height from vertex to root of the nose.	Height from vertex to tragus of ear.	Height from vertex to chin.	Cephalic volume.
59	Baluchistan, Mastung.	...	45	178	145	83.8	48	31	64.5	97	136	209	151
60	Do.	...	45	185	141	76.2	49	29	79.5	108	138	217	155
61	Do.	...	30	179	149	83.2	55	35	63.6	98	136	217	155
62	Do.	...	35	185	145	78.8	43	37	77.0	103	132	225	154
63	Do.	...	30	180	142	78.8	50	35	70.0	105	133	220	152
64	Do.	...	45	183	143	78.1	47	37	78.7	102	122	215	149
65	Do.	...	30	197	144	73.0	53	34	64.1	96	138	224	160
66	Do.	...	32	177	153	86.4	45	36	75.2	107	140	214	157
67	Do.	...	27	179	141	78.7	45	37	82.2	104	136	220	152
68	Do.	...	29	185	151	81.6	43	36	75.0	99	140	223	159
69	Do.	...	35	179	146	81.5	49	33	67.3	100	134	218	153
70	Do.	...	38	187	151	80.7	50	39	78.0	103	131	219	156
71	Do.	...	29	180	149	82.7	43	33	76.7	98	130	202	153
72	Do.	...	40	180	146	81.1	47	33	80.8	112	139	234	155
73	Do.	...	22	179	140	78.2	43	33	76.7	95	130	200	150
74	Do.	...	39	182	150	82.4	51	39	76.4	100	136	215	156
75	Do.	...	30	172	150	87.2	53	32	60.3	94	126	220	149
76	Do.	...	40	177	150	84.7	50	40	80.0	98	133	213	153
77	Do.	...	40	180	151	83.8	53	35	71.7	102	130	225	154
78	Do.	...	42	180	143	82.2	47	32	67.9	93	123	223	150
79	Do.	...	35	199	143	75.2	46	33	71.7	93	136	212	156
80	Do.	...	26	189	151	79.8	52	36	69.2	96	134	215	158
81	Do.	...	35	180	155	86.1	55	35	63.6	110	144	240	160
82	Do.	...	40	173	147	84.9	49	31	63.2	106	130	221	150
83	Do.	...	45	175	150	85.7	50	37	74.0	101	144	227	156
84	Do.	...	22	185	143	77.2	47	39	82.9	118	142	238	157
85	Do.	...	40	182	148	81.3	55	36	65.4	94	133	212	154
86	Do.	...	40	181	150	82.8	54	40	78.9	108	142	229	158
87	Do.	...	29	183	146	79.7	49	35	71.4	94	128	210	152

I.

taken at Mastung during the month of May 1902.

15	16	17	18	19	20	21	22	23	24	25	26	27	28	29
Maximum bizygomatic breadth.	Nasio-mental length.	Facial index.	Facia angle (Ouvier).	External orbital breadth.	Bi-orbito nasal arc.	Orbito-nasal index.	Bigonial breadth.	Height standing.	Height sitting.	Height kneeling.	Height to chin.	Height to sternal notch.	Bi-iliac breadth.	Serial No.
127	112	118.3	72	108	115	111.6	96	1652	846	1200	1443	1374	...	59
139	109	127.5	65	113	126	111.5	115	1716	839	1254	1499	1416	288	60
138	119	115.9	66	105	124	118.0	113	1663	882	1 48	1446	1363	270	61
126	122	103.2	65	106	124	116.9	99	1662	878	1240	1437	1368	262	62
132	115	114.7	68	104	150	115.3	104	1636	872	1220	1416	1354	254	63
128	113	113.2	...	105	128	121.9	100	1658	868	1238	1438	1360	271	64
135	118	114.4	69	113	140	123.8	115	1638	837	1166	1414	1344	280	65
126	117	107.6	61	108	124	120.3	95	1610	837	1164	1386	1332	269	66
131	116	112.9	66	108	128	118.5	105	1641	878	1242	1421	1362	258	67
131	124	105.6	69	114	138	121.0	100	1648	874	1212	1425	1336	289	68
139	118	117.7	65	111	134	120.7	102	1628	868	1224	1410	1324	248	69
130	116	111.9	61	106	121	114.1	101	1572	796	1180	1353	1292	257	70
131	104	115.9	70	108	122	112.9	100	1572	806	1174	1370	1302	249	71
136	122	111.4	64	109	132	121.1	100	1694	852	1252	1460	1371	288	72
129	105	122.8	67	102	120	117.6	102	1578	810	1162	1378	1302	283	73
134	115	116.5	64	110	129	117.2	106	1642	854	1224	1427	1352	273	74
130	126	103.1	63	118	130	110.1	100	1688	870	1254	1468	1374	282	75
130	115	113.0	64	106	134	126.4	105	1640	878	1273	1427	1342	252	76
135	123	102.7	67	111	132	118.9	110	1692	891	1270	1467	1386	275	77
126	125	100.8	...	101	122	120.7	96	1642	844	1230	1419	1342	266	78
129	114	113.1	70	108	136	125.9	105	1572	858	1186	1360	1286	285	79
137	119	115.1	66	112	138	123.2	109	1665	840	1251	1450	1360	263	80
138	130	104.6	66	116	136	117.2	107	1706	876	1260	1466	1390	265	81
130	115	113.0	65	107	138	119.6	97	1644	853	1234	1423	1352	270	82
131	126	103.9	67	109	136	124.7	107	1688	851	1256	1461	1393	268	83
133	120	110.8	64	114	136	119.2	105	1644	891	1241	1406	1354	253	84
135	118	114.4	66	111	134	120.7	104	1602	851	1172	1390	1296	262	85
129	121	106.6	69	109	129	118.3	103	1636	863	1210	1407	1359	262	86
133	116	114.6	61	112	136	121.4	100	1634	838	1200	1424	1360	264	87

TABLE

Measurements of male members of the Dehwar Tribe

1	2	3	4	5	6	7	8	9	10	11	12	13	14
Serial No.	Province or State and District of birth.	Tribe or caste.	Age.	Cephalic length (glabella-occipital.)	Cephalic breadth.	Cephalic index.	Nasal height.	Nasal breadth.	Nasal index.	Height from vertex to root of the nose.	Height from vertex to tragus of ear.	Height from vertex to chin.	Cephalic volume.
88	Baluchistan, Mastung.	...	30	183	149	81.4	50	34	68.0	98	138	210	157
89	Do.	...	30	188	146	77.6	46	43	93.4	98	137	209	157
90	Do.	...	30	180	159	88.3	50	36	72.0	98	140	215	160
91	Do.	...	35	174	188	79.3	50	35	70.0	99	136	211	150
92	Do.	...	45	180	149	82.7	51	37	72.5	108	138	224	156
93	Do.	...	43	178	155	87.0	45	36	80.0	115	138	224	157
94	Do.	...	30	181	150	82.8	49	40	81.6	109	140	227	157
95	Do.	...	30	185	144	77.8	47	34	72.3	108	138	224	156
96	Do.	...	45	190	151	79.4	48	39	81.2	98	143	218	161
97	Do.	...	25	179	152	84.9	47	35	74.4	105	145	226	159
98	Do.	...	32	170	140	82.3	47	35	74.4	95	138	208	149
99	Do.	...	30	182	145	79.6	47	34	72.3	90	131	201	153
100	Do.	...	30	193	141	73.0	51	40	78.4	102	128	220	154
101	Do.	...	28	189	141	74.6	48	38	79.1	96	143	220	153
102	Do.	...	35	179	146	81.5	53	37	69.8	86	127	200	151
103	Do.	...	33	185	140	75.6	48	37	77.0	102	143	213	156
104	Do.	...	40	182	150	82.4	46	37	80.4	96	127	217	153
105	Do.	...	30	168	146	86.9	45	34	75.5	85	128	185	147
106	Do.	...	28	178	147	82.5	49	35	71.4	97	132	221	152
107	Do.	...	35	194	146	75.2	53	35	66.0	112	131	231	157
108	Do.	...	30	177	149	84.1	51	32	62.7	97	136	200	154
109	Do.	...	35	180	153	85.0	47	39	82.9	104	140	220	158
110	Do.	...	35	182	140	76.9	48	35	72.9	95	120	200	147
111	Do.	...	40	194	147	75.7	57	38	66.6	107	140	227	160
112	Do.	...	32	188	154	84.1	50	34	68.0	94	125	212	154
113	Do.	...	30	179	136	75.9	46	37	80.4	105	133	210	149
114	Do.	...	28	178	146	82.0	47	40	85.1	88	138	200	154
115	Do.	...	30	181	152	83.9	45	36	80.0	110	145	233	159
116	Do.	...	35	187	152	81.2	52	36	69.2	108	143	233	161

I.

taken at Mastung during the month of May 1902.

15	16	17	18	19	20	21	22	23	24	25	26	27	28	29
Maximum bizygomatic breadth.	Nasio-mental length.	Facial index.	Facial angle (Ouvier).	External orbital breadth.	Bi-orbito nasal arc.	Orbito-nasal index.	Bigonial breadth.	Height standing.	Height sitting.	Height kneeling.	Height to chin.	Height to sternal notch.	Bi-iliac breadth.	Serial No.
130	112	116.0	65	106	124	116.9	93	1706	870	1266	1496	1402	258	88
131	111	118.0	70	109	136	124.7	95	1656	856	1236	1447	1369	265	89
130	117	111.1	67	105	122	116.1	102	1540	834	1140	1325	1242	265	90
128	112	114.2	58	108	130	120.3	100	1551	832	1176	1370	1298	253	91
130	116	111.9	60	106	126	118.8	100	1638	868	1234	1414	1331	256	92
129	109	118.3	...	103	134	124.0	102	1714	886	1253	1490	1433	274	93
133	118	112.7	62	111	124	111.7	90	1606	815	1181	1379	1314	256	94
135	116	116.3	67	109	128	117.4	96	1662	860	1226	1438	1362	276	95
141	120	117.5	67	109	132	121.1	98	1558	818	1154	1340	1281	257	96
130	121	107.4	63	106	126	118.8	105	1700	882	1264	1474	1393	265	97
130	108	120.3	61	105	122	116.1	102	1662	866	1240	1459	1352	247	98
135	111	121.6	61	105	124	118.0	101	1652	800	1156	1351	1284	256	99
123	118	104.2	62	106	124	116.9	98	1632	856	1234	1462	1386	277	100
130	124	104.8	64	110	126	114.5	100	1772	878	1292	1552	1464	290	101
132	114	115.7	65	109	126	115.5	105	1562	796	1166	1362	1230	255	102
131	141	92.9	67	107	128	119.6	101	1642	851	1212	1429	1354	279	103
134	121	110.7	59	106	126	118.8	107	1650	848	1246	1433	1352	250	104
129	140	92.1	68	103	121	117.4	95	1554	816	1174	1369	1298	265	105
125	124	100.8	64	105	126	120.0	100	1668	876	1241	1447	1356	274	106
136	119	114.2	61	115	134	116.5	112	1681	894	1270	1450	1368	286	107
131	103	127.1	64	105	132	125.7	96	1638	866	1248	1433	1336	261	108
131	116	112.9	70	111	130	117.1	105	1620	846	1208	1410	1332	269	109
130	105	123.8	67	108	126	116.6	92	1660	846	1208	1460	1394	259	110
131	120	109.1	67	109	134	122.9	103	1607	846	1204	1380	1306	273	111
133	118	112.7	67	109	130	119.2	100	1664	836	1242	1452	1372	274	112
125	105	119.0	62	101	120	118.8	97	1458	768	1110	1278	1242	245	113
133	112	118.7	61	110	124	112.7	112	1650	838	1236	1450	1350	250	114
139	123	113.0	63	114	128	112.2	110	1636	873	1248	1403	1344	257	115
133	125	106.4	60	114	133	116.6	98	1697	864	1260	1464	1394	235	113

TABLE

Measurements of male members of the Dehwār tribe

1	2	3	4	5	6	7	8	9	10	11	12	13	14
Serial No.	Province or State and District of birth.	Tribe or caste.	Age.	Cephalic length (glabella-occipital.)	Cephalic breadth.	Cephalic index.	Nasal height.	Nasal breadth.	Nasal Index.	Height from vertex to root of the nose	Height from vertex to tragus of ear.	Height from vertex to chin.	Cephalic volume.
117	Baluchistan, Mastung.	...	30	179	150	83.7	47	36	76.5	100	130	207	153
118	Do.	...	33	180	144	80.0	49	33	67.3	102	142	213	155
119	Do.	...	30	180	149	82.7	50	38	76.0	115	140	238	156
120	Do.	...	35	179	142	79.3	46	36	78.2	113	138	220	153
121	Do.	...	35	177	144	81.3	47	35	74.4	89	133	210	151
122	Do.	...	26	173	144	83.2	44	36	81.8	109	127	210	148
123	Do.	...	28	177	145	81.9	47	34	72.3	102	138	215	153
124	Do.	...	30	192	148	77.0	42	41	97.6	107	128	218	156
125	Do.	...	35	183	150	81.9	49	35	71.4	106	146	225	160
126	Do.	...	30	173	144	83.2	48	31	64.5	95	137	207	151
127	Do.	...	40	196	141	71.9	46	37	80.4	106	133	216	157
128	Do.	...	30	186	141	75.8	49	39	79.5	100	138	212	155
129	Do.	...	24	165	145	87.8	47	33	70.2	97	128	206	146
130	Do.	...	23	184	142	77.1	47	39	82.9	100	135	214	154
131	Do.	...	23	167	131	78.4	47	32	67.9	92	131	200	143
132	Do.	...	32	185	152	82.1	46	36	78.2	101	142	223	160
133	Do.	...	26	174	145	83.3	46	37	80.4	103	140	221	153
134	Do.	...	35	181	148	81.7	46	37	80.4	91	136	202	155
135	Do.	...	40	185	153	82.7	53	36	67.9	110	143	237	160
136	Do.	...	35	183	143	78.7	50	39	78.0	95	138	216	158
137	Do.	...	45	170	143	84.1	49	35	71.4	91	136	196	150
138	Do.	...	20	174	143	82.1	50	35	70.0	106	135	216	151
139	Do.	...	30	188	150	79.7	45	35	77.7	97	142	207	160
140	Do.	...	35	170	139	81.7	50	33	66.0	100	136	215	148
141	Do.	...	20	170	153	90.0	43	35	72.9	90	133	206	154
142	Do.	...	35	185	153	82.7	52	36	69.2	112	130	236	156
143	Do.	...	35	181	149	82.3	50	32	64.0	95	136	206	155
144	Do.	...	35	180	149	82.7	50	33	66.0	99	141	221	157
145	Do.	...	30	170	151	88.8	52	35	67.3	91	128	220	150

I.

taken at Mastung during the month of May 1902.

15	16	17	18	19	20	21	22	23	24	25	26	27	28	29
Maximum bizygomatic breadth.	Nasio-mental length.	Facial index.	Facial angle (Cuvier)	External orbital breadth.	Bi-orbito nasal arc.	Orbito-nasal index.	Bigonial breadth.	Height standing.	Height sitting.	Height kneeling.	Height to chin.	Height to sternal notch.	Bi-iliac crest breadth.	Serial No.
135	107	126.1	64	118	130	110.1	95	1614	824	1220	1407	1346	274	117
126	111	113.5	63	107	128	119.6	101	1640	812	1202	1427	1348	274	118
135	107	126.1	63	106	120	113.2	106	1652	863	1240	1430	1366	260	119
135	107	126.1	64	103	122	118.4	101	1694	940	1298	1474	1370	260	120
123	121	101.6	65	104	122	117.3	106	1678	862	1234	1468	1378	260	121
127	101	125.7	58	108	129	119.4	100	1714	870	1256	1504	1420	272	122
132	113	116.8	67	107	120	112.1	110	1624	844	1212	1409	1342	275	123
137	111	123.4	73	110	150	118.1	115	1722	902	1307	1504	1420	250	124
136	119	114.2	65	108	132	122.2	102	1660	842	1210	1435	1342	269	125
125	112	111.6	69	107	126	117.7	97	1511	812	1136	1304	1252	240	126
138	110	125.4	63	107	132	123.3	100	1714	896	1272	1498	1406	296	127
136	112	121.4	70	115	136	118.2	110	1640	852	1218	1423	1354	264	128
127	109	116.5	67	105	123	117.1	97	1560	788	1163	1354	1230	236	129
134	114	117.5	70	109	126	115.5	99	1617	834	1220	1403	1332	252	130
122	103	112.9	68	104	124	119.2	102	1575	838	1180	1375	1288	246	131
136	122	111.4	72	112	132	117.8	105	1653	868	1250	1430	1352	271	132
127	118	107.6	67	104	124	119.2	97	1702	874	1256	1421	1396	270	133
127	111	114.4	...	104	122	117.3	104	1646	854	1226	1444	1368	255	134
141	126	111.9	...	110	123	116.3	108	1712	846	1260	1475	1404	265	135
135	121	111.5	69	108	123	118.5	111	1720	914	1304	1504	1438	255	136
135	105	128.5	...	107	123	114.9	106	1614	790	1198	1418	1334	257	137
130	110	118.1	68	109	132	121.1	100	1646	812	1188	1430	1360	255	138
136	110	123.6	67	110	126	114.5	104	1632	818	1202	1425	1336	267	139
129	115	112.1	60	102	120	117.6	103	1660	830	1232	1445	1382	272	140
131	116	112.9	66	102	116	113.7	103	1620	842	1216	1414	1326	247	141
139	124	112.0	67	109	132	121.1	106	1802	896	1324	1596	1490	286	142
136	111	112.5	69	110	132	120.0	100	1674	876	1260	1458	1378	251	143
126	122	103.2	69	108	132	122.2	100	1631	864	1212	1410	1340	268	144
134	129	103.8	66	110	126	114.5	98	1642	844	1210	1422	1344	266	145

TABLE

Measurements of male members of the Dehwar tribe

1	2	3	4	5	6	7	8	9	10	11	12	13	14
Serial No.	Province or State and District of birth.	Tribe or caste.	Age.	Cephalic length (glab. to occipital).	Cephalic breadth.	Cephalic index.	Nasal height.	Nasal breadth.	Nasal index.	Height from vertex to root of the nose.	Height from vertex to tragus of ear.	Height from vertex to chin.	Cephalic volume.
146	Baluchistan, Mastung.	...	28	178	148	83.1	47	89	82.9	103	133	205	158
147	Do.	...	25	183	144	78.6	47	88	80.8	99	134	222	154
148	Do.	...	35	182	147	80.7	51	89	76.4	113	147	221	159
149	Do.	...	28	175	147	84.0	45	87	82.2	96	136	210	153
150	Do.	...	24	174	148	82.1	44	42	95.4	98	136	205	151
151	Do.	...	28	178	146	82.0	47	37	78.7	95	181	205	152
152	Do.	...	24	180	144	80.0	52	34	65.3	105	138	220	154
153	Do.	...	38	175	152	86.8	48	34	70.8	112	129	230	152
154	Do.	...	33	174	147	84.4	47	35	74.4	110	140	228	151
155	Do.	...	30	187	149	79.6	45	37	82.2	99	128	205	155
156	Do.	...	30	175	144	82.2	47	34	72.3	103	128	212	149
157	Do.	...	35	177	131	74.0	47	37	78.7	103	133	224	149
158	Do.	...	45	175	189	79.4	55	42	76.3	110	130	221	148
159	Do.	...	30	178	149	86.1	50	34	68.0	113	144	230	155
160	Do.	...	28	170	145	85.2	42	38	78.5	98	128	199	148
161	Do.	...	45	198	153	77.2	52	43	82.6	114	143	225	165
162	Do.	...	40	182	146	80.2	50	37	74.0	104	134	219	154
163	Do.	...	38	173	145	83.8	53	32	60.3	109	141	229	158
164	Do.	...	35	185	151	81.6	58	35	60.8	113	140	249	159
165	Do.	...	35	182	141	77.4	50	40	80.0	95	127	221	150
166	Do.	...	28	172	149	86.6	58	38	71.7	110	136	219	152
167	Do.	...	24	178	147	82.5	45	38	84.4	101	133	211	153
168	Do.	...	20	171	145	84.7	46	34	73.9	107	138	217	151
169	Do.	...	27	172	146	84.8	48	33	68.7	90	135	203	151
170	Do.	...	32	182	136	74.7	44	35	79.5	94	128	208	149
171	Do.	...	40	185	150	81.0	52	36	69.2	97	132	218	156
172	Do.	...	28	188	151	80.3	45	37	82.2	103	141	215	160
173	Do.	...	28	184	139	75.5	46	35	76.0	103	135	210	153
174	Do.	...	30	183	140	76.5	50	36	72.0	99	139	220	154

I.

taken at Mastung during the month of May 1902.

15	16	17	18	19	20	21	22	23	24	25	26	27	28	29
Maximum bizygomatic breadth.	Nasio-mental length.	Facial index.	Facial angle (Ouvrier).	External orbital breadth.	Bi-orbito nasal arc.	Orbito-nasal index.	Bigonial breadth.	Height standing.	Height sitting.	Height kneeling.	Height to chin.	Height to sternal notch.	Bi-iliac breadth.	Serial No.
127	102	124.5	67	103	120	116.5	95	1636	836	1294	1431	1366	257	146
134	123	108.9	70	112	132	117.8	99	1642	864	1216	1420	1332	247	147
146	108	135.1	72	115	140	121.7	108	1665	848	1232	1444	1360	265	148
127	114	111.4	72	106	122	115.0	97	1596	830	1192	1386	1314	263	149
133	107	123.3	69	108	132	122.2	100	1602	825	1186	1397	1323	255	150
130	110	118.1	72	108	124	114.3	99	1542	791	1148	1337	1264	257	151
133	115	115.6	67	107	123	114.9	94	1605	800	1180	1385	1314	245	152
124	118	105.0	66	103	120	116.5	100	1658	828	1202	1428	1364	245	153
134	118	113.5	67	112	128	114.2	100	1668	869	1254	1440	1360	277	154
125	106	117.9	71	105	128	121.9	100	1558	846	1168	1353	1276	258	155
131	109	120.1	69	110	128	116.3	96	1622	828	1210	1410	1344	255	156
123	121	101.6	67	104	120	115.3	90	1554	850	1150	1330	1211	252	157
132	111	118.9	...	106	128	120.7	102	1672	848	1240	1451	1378	273	158
123	117	105.1	69	103	123	124.2	95	1700	859	1262	1670	1408	261	159
129	101	127.7	68	102	120	117.6	98	1556	834	1178	1357	1266	251	160
142	111	127.9	...	115	134	116.5	115	1776	902	1208	1551	1450	274	161
128	115	111.3	67	105	120	114.2	110	1663	859	1220	1449	1376	265	162
133	120	115.0	65	112	130	116.0	94	1738	908	1288	1509	1451	295	163
141	131	107.6	62	114	136	119.2	104	1783	920	1334	1535	1446	300	164
136	126	107.9	61	115	126	109.5	96	1649	865	1228	1428	1358	275	165
133	109	126.6	70	107	129	120.5	97	1808	919	1330	1588	1486	288	166
135	110	122.7	66	112	129	115.1	101	1674	850	1218	1463	1382	257	167
123	110	116.3	63	107	127	118.6	97	1600	822	1183	1383	1316	254	168
134	113	118.5	65	112	132	117.8	101	1560	830	1164	1357	1268	249	169
128	114	112.2	64	108	131	121.2	105	1578	846	1172	1370	1316	257	170
133	121	109.9	63	109	132	121.1	99	1658	856	1238	1440	1350	266	171
140	112	125.0	64	119	136	114.2	103	1713	878	1232	1498	1422	290	172
129	107	120.5	63	113	135	119.4	100	1591	842	1180	1381	1308	266	173
133	121	109.9	64	112	132	117.8	103	1690	844	1250	1470	1396	273	174

TABLE

Measurements of male members of the Dehwar tribe

1	2	3	4	5	6	7	8	9	10	11	12	13	14
Serial No.	Province or State and District of birth.	Tribe or caste.	Age.	Cephalic length (glabella to occipital.)	Cephalic breadth.	Cephalic index.	Nasal height.	Nasal breadth.	Nasal index.	Height from vertex to root of the nose.	Height from vertex to tragus of ear.	Height from vertex to chin.	Cephalic volume.
175	Baluchistan Mastung.	...	33	181	147	81.2	50	36	72.0	101	142	226	157
176	Do.	...	35	182	148	81.3	52	42	80.7	111	143	217	158
177	Do.	...	33	179	150	88.7	48	34	70.8	115	144	228	158
178	Do.	...	35	182	141	77.4	44	41	93.1	98	132	208	152
179	Do.	...	35	185	144	77.8	49	38	77.5	111	144	227	158
180	Do.	...	30	183	142	77.5	46	34	73.9	101	133	216	153
181	Do.	...	22	173	149	86.1	44	38	86.3	98	136	205	153
182	Do.	...	30	177	149	84.1	44	37	84.0	98	135	210	154
183	Do.	...	20	183	146	79.7	44	36	81.8	116	137	221	155
184	Do.	...	32	184	152	82.6	46	31	67.3	106	146	210	161
185	Do.	...	35	182	149	81.8	45	33	73.3	90	137	210	156
186	Do.	...	30	180	150	88.3	49	36	73.4	99	140	217	157
187	Do.	...	30	175	159	90.8	45	36	80.0	112	137	226	157
188	Do.	...	45	183	138	75.4	53	38	71.7	96	137	207	153
189	Do.	...	45	175	146	83.4	51	31	60.7	96	130	209	150
190	Do.	...	35	175	144	82.2	50	36	72.0	88	122	210	147
191	Do.	...	45	180	151	88.8	51	40	78.4	100	134	219	155
192	Do.	...	33	173	143	82.6	54	39	72.2	95	129	209	148
193	Do.	...	35	177	143	80.7	52	35	67.3	95	127	206	149
194	Do.	...	25	171	152	88.8	46	45	97.8	96	133	205	152
195	Do.	...	23	176	151	85.7	53	34	64.1	98	140	216	156
196	Do.	...	33	182	145	79.6	46	36	73.2	109	137	210	155
197	Do.	...	30	191	146	76.4	47	35	74.4	102	127	217	155
198	Do.	...	28	179	149	83.2	42	37	88.0	103	143	213	157
199	Do.	...	35	170	145	85.2	46	35	76.0	88	134	203	150
200	Do.	...	24	178	146	82.0	42	39	92.8	111	137	218	154
201	Do. Mastung.	Abizai	35	180	151	83.8	50	35	70.0
202	Murad	Do.	35	175	146	83.4	60	36	60.0
203	Paden	Do.	22	180	142	78.8	54	38	70.3

taken at Mastung during the month of May 1902.

15	16	17	18	19	20	21	22	23	24	25	26	27	28	29
Maximum biygo- matic breadth.	Nasio-mental length.	Facial index.	Facial angle (Ouvier).	External orbital breadth.	Bi-orbito nasal arc.	Orbito-nasal index.	Bigonial breadth.	Height standing.	Height sitting.	Height kneeling.	Height to chin.	Height to sternal notch.	Bi-iliac crest breadth.	Serial No.
131	125	104.8	64	108	124	114.8	101	1702	868	1258	1476	1401	280	175
140	106	132.0	62	116	134	115.5	110	1736	916	1301	1519	1422	275	176
232	113	116.8	61	106	130	122.6	97	1659	831	1226	1431	1372	285	177
132	110	120.0	72	112	130	116.0	109	1642	818	1206	1434	1356	257	178
133	116	114.6	69	109	126	115.5	105	1654	862	1232	1427	1362	276	179
123	115	106.9	64	98	118	120.4	99	1628	886	1223	1412	1340	246	180
127	107	118.6	67	107	122	114.0	105	1610	822	1176	1405	1316	257	181
130	112	116.0	67	109	124	113.7	98	1626	822	1191	1416	1314	258	182
125	105	119.0	67	107	118	110.2	96	1617	842	1212	1396	1326	269	183
128	104	123.0	69	108	125	115.7	92	1596	828	1202	1386	1326	261	184
129	120	107.5	60	106	125	117.9	99	1594	818	1198	1384	1302	272	185
136	118	115.2	67	110	122	110.9	94	1611	826	1198	1394	1318	254	186
113	114	99.1	65	106	116	109.4	93	1674	848	1238	1448	1376	273	187
127	111	114.4	...	104	120	115.3	95	1602	813	1182	1395	1330	254	188
125	113	110.6	61	103	122	118.4	106	1642	840	1232	1433	1344	270	189
129	122	105.7	...	107	124	115.8	104	1622	816	1210	1412	1328	264	190
131	119	110.0	...	106	124	116.9	107	1626	850	1244	1407	1340	258	191
127	114	111.4	60	107	124	115.8	100	1634	811	1198	1425	1346	261	192
137	111	123.4	64	109	130	119.2	111	1602	856	1211	1396	1393	255	193
133	109	122.0	63	111	130	117.1	100	1660	858	1223	1455	1372	263	194
127	118	107.6	66	109	132	121.1	104	1594	844	1189	1378	1292	258	195
126	101	124.7	63	104	120	115.3	109	1546	822	1159	1336	1254	244	196
136	115	118.2	64	109	128	117.4	110	1684	858	1242	1467	1383	273	197
125	110	113.6	66	105	124	118.0	96	1602	836	1190	1389	1324	255	198
125	115	108.6	66	103	123	119.4	95	1602	842	1192	1399	1318	252	199
126	107	117.7	66	105	126	120.0	100	1544	798	1143	1326	1264	256	200
130	10.3	12.6	122.3	9.4	201
134	10.4	12.0	115.4	9.5	202
130	11.0	12.0	109.0	9.4	203

TABLE
Measurements of male members of the Dehwar

1	2	3	4	5	6	7	8	9	10	11	12	13	14
Serial No.	Province or State and District of birth.	Tribe or caste.	Age.	Cephalic length (glabella-occipital).	Cephalic breadth.	Cephalic index.	Nasal height.	Nasal breadth.	Nasal index.	Height from vertex to root of the nose.	Height from vertex to tragus of ear.	Height from vertex to chin.	Cephalic volume.
204	Talkhu, Mastung.	Táj	18	18.2	14.2	78.0	5.6	3.6	64.2
205	Nur Mhd.,	Sheikh	25	18.0	15.0	83.3	5.6	3.3	58.9
206	Juma "	Najar	35	18.0	13.6	75.5	5.4	3.5	64.8
207	Shádi "	Hotezai	25	17.5	15.2	86.8	5.5	3.0	54.5
208	Nur Mhd.,	Do.	25	18.0	15.0	83.3	5.4	3.7	68.5
209	Abdul Rahim, Mastung.	Do.	25	18.0	13.0	72.2	5.7	3.6	63.1
210	Allah Dad, Mastung.	Sheikh	28	18.4	14.0	76.0	6.0	3.4	56.6
211	Ghulam Shah, Mastung.	Do.	30	17.5	13.8	78.8	5.4	3.0	55.5
212	Sherali, Mastung.	Dadizai	20	17.9	14.6	81.5	5.6	3.6	64.2
213	Qadir Bakhsh	Manyozai	22	18.3	14.5	79.2	4.5	3.6	80.0
214	Miskan, Mastung.	Do.	35	17.3	14.0	80.9	4.8	3.4	70.8
215	Fakir Mhd., Mastung.	Abizai	24	18.2	13.8	75.8	4.7	3.0	63.8
216	Jahankhan, Mastung.	Dadizai	32	19.0	14.6	76.8	5.5	3.4	61.8
217	Abdulla, Mastung.	Hotizai	18	18.0	14.0	77.7	6.0	4.0	66.6
218	Pir Mhd.,	Najar	35	17.0	14.0	82.3	5.7	3.0	52.6
219	Ali Mhd.,	Mulhzai	28	18.0	13.6	75.5	5.8	3.8	65.5
220	Dad Mhd.,	Lodi	30	18.0	14.0	77.7	5.8	3.4	58.6
221	Rahim Bakhsh.	Abezai	25	18.0	15.0	83.3	5.0	3.5	70.0
222	Guldad "	Dum	30	18.0	15.0	83.3	5.8	4.0	68.9
223	Safar Khan Bakhsh.	Gwarazai	35	18.0	13.5	75.0	5.3	3.4	64.1
224	Rasul Bakhsh, Mastung.	Khalifa	30	18.0	15.0	83.3	5.2	3.4	65.3
225	Abdul Qadir, Mastung.	Najar	17	18.3	15.0	81.9	6.0	3.0	50.0
226	Qader, Mastung.	Sarang	27	18.1	14.4	79.5	5.5	3.6	65.4
227	Abdul Ghani Mastung.	Sadiqzai	40	19.0	14.0	73.6	6.1	3.4	55.7
228	Ramazan "	Najar	21	18.0	14.3	79.4	5.4	3.8	70.3
229	Azizulla "	Sheikh	33	17.8	14.0	78.6	4.5	3.4	75.5
230	Dad Mhd.,	Sarparrab	35	18.5	14.9	80.5	6.2	4.0	64.5
231	Khuda Bakhsh.	Sheikh	27	17.0	14.0	82.3	5.6	3.0	53.5

I.

tribe taken at Mastung on the 18th April 1903.

15	16	17	18	19	20	21	22	23	24	25	26	27	28	29
Maximum bizygomatic breadth.	Nasio-mental length.	Facial index.	Facial angle (Ouvier).	External orbital breadth.	Bi-orbito nasal arc.	Orbito-nasal index.	Bigonial breadth.	Height standing.	Height sitting.	Height kneeling.	Height to chin.	Height to sternal notch.	Bi-iliac crest breadth.	Serial No.
12.5	9.8	12.0	123.4	9.2	204
13.0	9.9	11.2	118.1	9.5	205
13.3	9.7	12.0	123.7	9.9	206
12.5	9.4	12.0	127.6	10.0	207
13.8	10.3	11.0	106.7	11.0	208
12.0	10.0	11.2	112.0	9.4	209
13.0	9.8	11.6	118.3	8.6	210
12.5	9.6	11.6	120.8	9.8	211
13.2	10.0	12.4	124.0	11.0	212
13.0	10.0	12.0	120.0	10.8	213
12.5	9.3	10.2	109.6	9.6	214
12.8	10.0	12.4	124.0	9.0	215
12.2	10.0	12.0	120.0	10.0	216
13.1	10.0	12.0	120.0	9.0	217
12.3	9.4	11.6	123.4	9.2	218
12.0	10.0	11.4	114.0	10.0	219
13.0	9.7	12.0	123.7	10.0	220
13.0	10.2	12.0	117.6	11.4	221
13.0	10.2	12.8	125.4	10.8	222
12.5	9.9	11.2	118.1	10.8	223
13.3	10.0	12.0	120.0	11.0	224
13.0	10.1	12.0	118.6	10.0	225
13.3	10.0	12.2	122.0	10.0	226
13.2	10.0	12.0	120.0	10.2	227
13.0	10.0	12.0	120.0	10.0	228
12.9	9.6	11.4	118.7	9.6	229
13.0	9.8	12.0	122.4	10.0	230
13.1	9.3	11.2	120.4	10.0	231

TABLE

Measurements of male members of the Dehwār

1	2	3	4	5	6	7	8	9	10	11	12	13	14
Serial No.	Province or State and District of birth.	Tribe or caste.	Age.	Cephalic length (glabella-occipital.)	Cephalic breadth.	Cephalic index.	Nasal height.	Nasal breadth.	Nasal index.	Height from vertex to root of the nose.	Height from vertex to tragus of ear.	Height from vertex to chin.	Cephalic volume.
232	Murad Bakhsh Mastung.	Najār .	45	18.0	15.0	83.3	5.0	3.6	72.0
233	Bahadur Khan, Mastung.	Shahdad-zai.	55	17.5	13.6	77.7	5.4	3.8	70.3
234	Pirū Khan, Mastung.	Dadizai.	28	16.2	14.3	78.5	5.0	4.0	80.0
235	Muhammed Yar, Mastung	Sheikh .	28	17.5	14.0	80.0	4.7	3.4	72.3
236	Khaliqdad, Mastung.	Saulai .	40	16.8	14.0	83.3	6.8	3.4	50.0
237	Kadir Bakhsh, Mastung.	Sheikh .	22	18.0	13.8	76.6	5.2	3.2	61.5
238	Jabbar Khan, Mastung.	Do. .	17	18.0	14.0	77.7	4.8	3.5	72.9
239	Karim, Mastung.	Yusuffzai	28	17.9	13.0	72.6	5.1	3.5	68.6
240	Alif Khan, Mastung.	Qazi .	22	17.8	15.0	84.2	5.0	3.4	68.0
241	Baran, Mastung.	Karākar	25	19.0	15.0	78.9	5.7	3.4	59.6
242	Zaman Khan, Mastung.	Dadar .	35	17.5	14.2	81.1	5.6	3.4	60.7
243	Wali Muham-med, Mastung.	Sheikh .	29	18.3	14.5	79.2	6.0	3.2	53.3
244	Wali Khan, Mastung.	Do. .	35	18.2	14.0	76.9	5.2	3.2	61.5
245	Ali Bakhsh, Mastung.	Dadizai.	35	18.0	14.2	78.8	5.5	3.5	63.6
246	Muhammed Siddik.	Yusuffzai	35	18.4	13.3	72.2	5.6	3.6	64.2
247	Sarang, Mastung.	Sheikh .	28	18.0	13.8	76.6	6.0	3.1	51.6
248	Dil Muham-med, Mastung	Khawaju.	22	17.5	15.0	85.7	6.5	3.1	47.6
249	Khudā Bakhsh, Mastung.	Shakh .	24	17.3	13.0	75.1	5.5	3.4	61.8
250	Dad Bakhsh, Mastung.	Dadizai	29	18.0	14.0	77.7	5.5	3.2	58.1
251	Ghulam Shah, Mastung.	Do. .	35	18.0	14.0	77.7	5.5	3.2	58.1
252	Yār Maham-med, Mastung.	Dadezai	24	17.0	14.0	82.3	5.0	3.5	70.0
253	Isa Khan, Mastung.	Sheikh .	28	13.3	15.	83.6	6.0	3.5	58.3
254	Bahadur Khan, Mastung.	Sarang .	27	16.5	14.6	88.4	5.8	3.1	53.4
255	Lal, Mastung	Baluch .	27	18.0	14.4	80.0	5.3	3.1	58.4
256	Kabul, Mastung.	Sheikh .	25	19.0	15.5	81.5	6.0	3.0	50.0
257	Kamal, Mastung.	Do. .	25	19.0	15.0	78.9	5.7	4.0	70.1

I.

tribe taken at Mastung on the 19th April 1902.

15	16	17	18	19	20	21	22	23	24	25	26	27	28	29
Maximum bizygomatic breadth.	Nasio-mental length.	Facial index.	Facial angle (Cuvier).	External orbital breadth.	Bi-orbito nasal arc.	Orbito-nasal index.	Bigonial breadth.	Height standing.	Height sitting.	Height kneeling.	Height to chin.	Height to sternal notch.	Bi-iliac crest breadth	Serial No.
130	99	120	121.2	100	232
130	97	116	119.9	100	233
132	102	128	125.4	103	234
130	98	120	122.4	100	235
122	96	120	125.0	95	236
124	92	114	123.9	105	237
126	93	112	120.4	95	238
130	99	120	121.2	100	239
130	99	114	115.1	95	240
130	102	120	117.6	100	241
132	100	114	114.0	94	242
130	97	120	123.7	103	243
136	100	120	120.0	100	244
140	100	130	130.0	102	245
125	100	120	120.0	96	246
130	100	124	124.0	105	247
132	100	120	120.0	106	248
105	96	120	125.0	95	249
134	90	120	133.3	90	250
128	96	120	125.0	93	251
128	103	126	122.3	103	252
130	96	120	125.0	100	253
126	90	120	133.3	90	254
124	100	120	120.0	103	255
133	101	126	124.7	105	256
130	96	124	129.1	104	257

TABLE

Measurements of male members of the Dehwar

1	2	3	4	5	6	7	8	9	10	11	12	13	14
Serial No.	Province or State and District of birth.	Tribe or caste.	Age.	Cephalic length (glabella-occipital.)	Cephalic breadth.	Cephalic Index.	Nasal height.	Nasal breadth.	Nasal index.	Height from vertex to root of the nose.	Height from vertex to tragus of ear.	Height from vertex to chin.	Cephalic volume.
258	Sanidad, Mastung.	Sheik .	40	18.6	14.0	75.2	6.2	8.1	50.0
259	Nazar, Mastung.	Abizai .	25	17.4	13.4	77.0	5.4	3.1	57.4
260	Juma . .	Dadesai	35	17.6	13.0	73.8	5.6	3.4	60.7
261	Alu, Mastung	Shahdad-zai.	24	17.0	14.5	85.2	5.0	3.0	60.0
262	Alisher „	Sheikh .	30	18.0	14.0	77.7	5.4	6.3	61.1
263	Lashkari „	Do. .	40	18.6	15.0	80.6	5.6	8.5	62.5
264	Umed „	Dadarizai	27	17.0	14.5	85.2	5.5	8.0	54.5
265	Fatch Muhl.	Sheikh .	17	17.5	14.0	80.0	6.0	2.8	46.6
266	Barn, Mastung.	Khwa-jakhel.	23	17.0	14.3	84.1	5.0	4.0	80.0
267	Muhomede, Mastung.	Sheikh .	18	18.0	14.5	80.5	4.8	3.4	70.8
268	Khush Muhl, Mastung.	Najar .	33	18.1	14.0	77.3	4.7	6.3	70.2
269	Dadi Khuda, Mastung.	Sheikh .	40	19.0	13.0	68.4	6.0	3.2	53.3
270	Shambhai .	Dumb .	23	17.0	13.0	76.4	5.6	3.4	60.7
271	Allah Bakhs Mastung.	Sheikh .	35	18.0	15.0	83.3	5.2	3.3	63.4
272	Muhumed Hussin.	Tarakar.	60	18.0	14.0	77.7	5.0	3.4	68.0
273	Gul Muhumed Mastung.	Do. .	65	17.9	13.6	75.9	5.4	3.6	66.6
274	Lashkar Khan Mastung.	Mangozai	35	18.0	14.2	78.8	5.7	4.0	70.1
275	Faulad „	Do. .	27	20.0	14.5	72.5	6.4	3.4	53.1
276	Nabi Bakhs Mastung.	Dadarizai	23	17.8	14.0	78.6	5.6	3.5	62.5
277	Habibulla, Kalat.	Dodki .	39	18.1	15.0	82.8	6.2	3.4	54.8
278	Sultan, Kalat.	Baistok .	23	17.5	14.3	81.7	5.3	3.4	64.1
279	Mabrulla, Kalat.	Moghalzai	42	18.3	13.3	72.6	5.9	3.4	57.6
280	Muhl. Rahim Kalat.	Tolonti .	23	17.8	14.0	78.6	6.0	3.0	50.0
281	Aboul Rahim, Kalat.	Dodki .	35	18.0	15.1	83.8	6.2	3.0	48.3
282	Schbu, Kalat.	Tolonti .	60	18.0	14.0	77.7	5.5	3.2	58.1
283	Alimuhumed, Kalat.	Do. .	25	18.2	15.2	83.5	5.8	3.5	60.3
284	Bahadur Khan, Kalat.	Dodaki .	65	19.0	14.6	81.1	5.6	3.5	62.5
285	Walidid, Kalat.	Tolonti .	60	17.6	14.5	82.3	6.0	4.0	66.6
286	Dastmuhumed, Kalat.	Abizai .	60	18.2	14.5	79.6	5.8	3.6	62.0

1.

tribe taken at Mastung on the 20th April 1903.

15	16	17	18	19	20	21	22	23	24	25	26	27	28	29
Maximum bizygomatic breadth.	Nasio-mental length.	Facial Index.	Facial angle (Cuvier).	External orbital breadth.	Bi-orbito nasal arc.	Orbito-nasal Index.	Bigonial breadth.	Height standing.	Height sitting.	Height kneeling.	Height to chin.	Height to sternal notch.	Bi-iliac crest breadth.	Serial No.
130	10.1	12.2	120.7	10.0	258
130	10.0	11.4	114.0	9.7	259
12.4	10.0	12.2	122.0	10.0	260
13.4	10.0	12.0	120.0	10.0	261
13.1	10.0	12.0	120.0	10.4	262
14.1	10.2	12.8	125.4	9.6	263
12.0	9.5	11.2	117.8	9.3	264
12.4	9.7	12.4	127.8	9.5	265
12.8	10.0	12.0	120.0	9.7	266
11.5	9.0	11.6	128.3	9.5	267
13.2	10.0	12.2	122.0	10.3	268
12.5	9.8	12.0	122.4	10.0	269
13.0	9.4	11.6	123.4	10.0	270
13.1	9.9	12.2	123.2	10.0	271
13.2	9.3	12.0	129.9	9.0	272
13.2	9.1	11.6	127.4	10.0	273
12.3	9.6	12.3	133.3	10.0	274
13.5	9.8	12.4	126.5	10.0	275
12.8	9.8	11.2	114.2	9.6	276
14.0	11.0	13.6	123.6	10.0	277
12.6	10.2	12.0	117.6	9.0	278
13.2	10.3	13.6	125.9	9.5	279
12.0	9.7	12.6	129.8	9.0	280
13.5	10.0	12.6	126.0	9.8	281
12.5	8.8	12.2	124.4	8.5	282
14.2	10.8	12.6	116.6	10.3	283
13.2	9.5	11.6	122.1	10.1	284
13.0	9.8	11.4	116.3	10.5	285
14.0	9.8	13.0	132.6	10.0	286

TABLE

Measurements of male members of the Dehwār

1	2	3	4	5	6	7	8	9	10	11	12	13	14
Serial No.	Province or State and District of birth.	Tribe or caste.	Age.	Cephalic length (glabella-occipital).	Cephalic breadth.	Cephalic index.	Nasal height.	Nasal breadth.	Nasal index.	Height from vertex to root of the nose.	Height from vertex to tragus of ear.	Height from vertex to chin.	Cephalic volume.
287	Abdul Majid, Kalāt.	Dodaki .	65	18.2	13.5	74.1	5.6	3.4	60.7
288	Khalidad, Kalāt.	Do.	60	16.8	14.2	84.5	5.8	3.4	58.6
289	I'd Muhd., Kalāt.	Tolomti .	70	17.2	14.0	81.4	5.5	3.6	65.4
290	Dost Muhd., Kalāt.	Do.	60	18.0	15.0	83.3	7.0	3.8	54.2
291	Hussein Baksh, Kalāt.	Dodaki .	55	17.5	15.0	85.7	6.2	3.8	61.2
292	Abdul Ghani, Kalāt.	Baistok .	40	18.0	15.4	85.5	6.0	3.4	56.6
293	Pir Bakhsh, Kalāt.	Dodaki .	60	17.4	14.2	81.6	6.0	3.7	61.6
294	Din Muhd., Kalāt.	Do.	60	18.2	13.5	74.1	5.8	3.4	58.6
295	Ata Muhd., Kalāt.	Do.	70	17.8	13.6	76.4	5.6	3.6	61.2
296	Talkhu, Kalat	Moghalsi	50	18.1	16.0	88.4	6.6	3.3	50.0
297	Raza Muhd., Kalāt.	Do.	33	18.2	14.3	78.5	6.4	3.7	57.8
298	Khatu, Kalat	Abirai .	65	17.0	14.5	85.2	6.0	3.4	56.6
299	Is'akhan, Kalāt.	Dodaki .	35	18.2	14.4	79.1	5.7	3.4	59.6
300	Ata Muhd., Kalāt.	Moghalsai	30	18.2	14.6	80.2	6.4	3.6	56.2
			...	17.94	14.53	80.9	50.9	35.4	69.5	101.2	135.2	215.7	153.8

I.

tribe taken at Kalat on the 25th April 1903.

15	16	17	18	19	20	21	22	23	24	25	26	27	28	29
Maximum bizygomatic breadth.	Nasio-mental length.	Facial index.	Facial angle (Cuvier).	External orbital breadth.	Bi-orbito nasal arc.	Orbito-nasal index.	Bigonial breadth.	Height standing.	Height sitting.	Height kneeling.	Height to chin.	Height to sternal notch.	Bi-iliac breadth.	Serial No.
12.3	9.6	11.4	118.7	10.2	287
12.5	9.1	11.2	123.0	9.6	288
12.5	10.0	11.4	114.0	9.4	289
13.5	10.6	12.6	118.8	9.8	290
13.5	10.0	12.0	120.0	11.0	291
13.0	9.6	12.0	125.0	10.4	292
13.0	9.8	11.2	114.2	9.0	293
13.3	10.0	12.8	128.0	10.4	294
13.5	10.8	12.4	118.5	10.0	295
13.3	10.1	12.8	126.7	10.0	296
13.0	10.0	12.0	120.0	9.5	297
13.6	9.0	11.6	123.8	9.8	298
13.0	10.0	13.0	130.0	9.0	299
12.4	10.1	11.4	112.8	8.8	300
130.7	114.7	113.9	65.6	104.6	124.6	119.1	100.6	164.2	85.0	122.1	142.9	135.0	268.8	

ANTHROPOMETRIC DATA.

TABLE II.

Abstract of Measurements.

TYPE—DEHWAR.

TABLE

Abstract of measurements of male members of the Dehwar

1	2	3	4	5	6	7	8	9	10	11	12	13	14
Serial No.	Province or State and District of birth.	Tribe or caste.	Age.	Cephalic length (glabella-occipital).	Cephalic breadth.	Cephalic index.	Nasal height.	Nasal breadth.	Nasal index.	Height from vertex to root of the nose.	Height from vertex to tragus of ear.	Height from vertex to chin.	Cephalic volume.
1-10	1790	1473	...	477	352	...	1054	1366	2182	1543
11-20	770	1483	...	487	352	...	1009	1343	2182	1532
21-30	1791	1495	...	505	351	...	989	1360	2147	1549
31-40	1761	1470	...	463	368	...	1039	1388	2136	1522
41-50	1771	1443	...	483	356	...	990	1325	2113	1514
51-60	1793	1445	...	494	359	...	922	1355	2124	1593
61-70	1831	1465	...	491	359	...	1017	1342	2205	1547
71-80	1809	1478	...	485	354	...	991	1317	2159	1534
81-90	1810	1493	...	505	366	...	1025	1378	2211	1561
91-100	1812	1465	...	482	365	...	1029	1378	2173	1552
101-110	1814	1458	...	488	359	...	970	1327	2107	1533
111-120	1820	1472	...	489	364	...	1042	1374	2177	1554
121-130	1806	1444	...	466	360	...	1011	1343	2133	1315
131-140	1782	1452	...	482	355	...	986	1379	2133	1538
141-150	1778	1484	...	486	376	...	996	1359	2152	1542
151-160	1764	1446	...	480	357	...	1048	1334	2174	1516
161-170	1795	1459	...	499	365	...	1042	1355	2201	1537
171-180	1832	1452	...	482	369	...	1039	1385	2185	1559
181-190	1787	1482	...	471	352	...	999	1357	2125	1543

I.

tribe taken at Mastung during the month of May 1902.

15	16	17	18	19	20	21	22	23	24	25	26	27	28	29
Maximum bizygomatic breadth.	Nasio-mental length.	Facial index.	Facial angle (Cuvier).	External orbital breadth.	Bi-orbito nasal arc.	Orbito-nasal index.	Bigonial breadth.	Height standing.	Height sitting.	Height kneeling.	Height to chin.	Height to sternal notch.	Bi-iliac crest breadth.	Serial No.
1319	1128	...	663	1048	1227	...	1029	16387	8554	12232	14205	13462	2623	1-10
1317	1173	...	588	1081	1232	...	1023	16508	8596	12310	14326	13542	2648	11-20
1305	1157	...	585	1073	1236	...	1025	16434	8626	12259	14237	13520	2697	21-30
1320	1097	...	642	1073	1272	...	1013	16638	8679	12238	14502	13719	2645	31-40
1313	1123	...	453	1061	1249	...	1003	16276	8429	12140	14363	13395	2608	41-50
1314	1142	...	608	1058	1241	...	1022	16427	8862	12104	14503	13555	2367	51-60
1316	1178	...	590	1075	1281	...	1034	16356	8590	12134	14141	13440	2608	61-70
1317	1168	...	595	1085	1295	...	1033	16385	8513	12279	14226	13417	2636	71-80
1318	1186	...	660	1098	1317	...	1013	16456	8588	12215	14245	13522	2632	81-90
1314	1149	...	566	1073	1270	...	992	16355	8483	12123	14177	13474	2617	91-100
1309	1207	...	649	1079	1275	...	1013	16447	8517	12265	14350	13534	2688	101-110
1325	1135	...	639	1091	1269	...	1023	16342	8474	12270	14165	13438	2662	111-120
1315	1122	...	672	1080	1276	...	1036	16440	8502	12238	14307	13526	2614	121-130
1318	1146	...	471	1070	1259	...	1040	16560	8464	12296	14427	13658	2643	131-140
1332	1156	...	687	1083	1284	...	1006	16510	8525	12342	14338	13573	2605	141-150
1284	1126	...	616	1060	1247	...	974	16135	8353	11992	14161	13185	2574	151-160
1343	1159	...	583	1107	1294	...	1020	16334	8720	12345	14633	13849	2714	161-170
1326	1146	...	646	1102	1297	...	1031	16673	8551	12346	14438	13729	2714	171-180
1269	1126	...	523	1067	1218	...	982	16194	8275	12034	14069	13230	2632	181-190

TABLE

Abstract of Measurements of male members of the Dehwar

1	2	3	4	5	6	7	8	9	10	11	12	13	14
Serial No	Province or State and District of birth.	Tribe or caste.	Age.	Cephalic length (glabella-occipital.)	Cephalic breadth.	Cephalic index.	Nasal height.	Nasal breadth.	Nasal index.	Height from vertex to root of the nose.	Height from vertex to tragus of ear.	Height from vertex to chin.	Cephalic volume.
191-200	1777	1471	...	479	375	...	997	1341	2116	1531
201-210	1796	1489	...	556	850
211-220	1792	1409	...	538	842
221-230	1817	1451	...	550	855
231-240	1767	1407	..	526	848
241-250	1802	1410	...	571	881
251-260	1794	1432	...	565	830
261-270	1772	1408	...	536	829
271-280	1814	1419	...	567	844
281-290	1782	1446	...	588	850
291-300	1786	1455	...	607	853
GRAND TOTAL		53820	43606	...	15293	10636	...	20255	27057	43140	30771
Average		1784	1453	80.9	50.9	35.4	69.5	101.2	135.2	215.7	153.8

II.

tribe taken at Mastung on the 18th April 1903.

15	16	17	18	19	20	21	22	23	24	25	26	27	28	29
Maximum bizygomatic breadth.	Nasio-mental length.	Facial index.	Facial angle (Cuvier).	External orbital breadth.	Bi-orbito nasal arc.	Orbito nasal index.	Bigonial breadth.	Height standing.	Height sitting.	Height kneeling.	Height to chin.	Height to sternal notch.	Bi-iliac crest breadth.	Serial No.
1293	1119	...	578	1068	1261	...	1082	16094	8375	12001	13978	13291	2575	191-200
1295	1006	1176	...	959	201-210
1276	980	1176	...	984	211-220
1302	998	1196	...	1038	221-230
1285	968	1176	...	993	231-240
1294	985	1208	...	991	241-250
1283	983	1214	...	995	251-260
1280	976	1198	...	983	261-270
1304	992	1240	...	961	271-280
1312	990	1200	...	982	281-290
1316	994	1216	...	976	291-300
39219	22943	...	12019	31404	37400	...	30209	328451	170.76	244203	285941	270109	52502	
130.7	114.7	113.9	65.6	104.6	124.6	119.1	100.6	164.2	85.0	122.1	142.9	135.0	263.8	

ANTHROPOMETRIC DATA.

SERIATIONS.

TYPE—DEHWAR.

ANTHROPOMETRIC DATA.

TABLE I.

Individual Measurements.

TYPE—MIR JATS.

TABLE

Measurements of male members of the Mir Jats

1	2	3	4	5	6	7	8	9	10	11	12	13	14
Serial No.	Province or State and District of birth.	Tribe or caste.	Age.	Cephalic length (glabella-occipital)	Cephalic breadth.	Cephalic index.	Nasal height.	Nasal breadth.	Nasal index.	Height from vertex to root of the nose.	Height from vertex to tragus of ear.	Height from vertex to chin.	Cephalic volume.
1	Pir Bukhah, Bakhra.	Kundhani	37	18.2	14.5	79.6	5.5	3.5	63.6
2	Murad "	"	37	18.0	14.5	80.5	6.0	3.5	58.3
3	Alimuward "	"	37	17.8	14.7	82.5	6.0	3.3	55.0
4	Bijar "	"	46	19.2	14.7	76.5	5.5	4.1	74.5
5	Ahmad Mithri	"	55	18.6	14.6	78.4	6.0	4.0	66.6
6	Juma, Bakhra	Hajarja	33	18.5	14.3	77.3	6.0	3.8	63.3
7	Doda "	"	36	18.3	14.0	76.5	5.3	3.5	65.0
8	Yaru "	"	23	19.0	14.0	73.6	5.5	3.0	54.5
9	Makoru "	"	34	18.0	15.5	86.1	5.0	3.7	74.0
10	Saranj Mithri	Lanjwani	57	19.3	14.6	75.7	5.5	3.6	65.4
11	Gul Beg "	"	37	18.8	14.8	78.7	5.5	3.6	65.4
12	Sanjar "	"	36	18.0	14.6	81.1	5.0	3.2	64.0
13	Fathi "	"	35	18.1	15.3	84.5	5.5	3.5	63.6
14	Saindad Mithri	"	37	17.8	14.0	78.8	5.3	4.0	75.4
15	Niasi "	"	33	17.8	14.1	79.2	5.1	3.1	60.7
16	Ditta "	"	37	17.6	15.3	86.9	5.4	3.1	57.4
17	Jhandu Gullu	"	34	18.0	15.3	85.0	6.0	3.5	58.3
18	Mehrdil, Bakhra.	Hujani	33	18.0	15.1	83.8	5.4	3.6	66.6
19	Bakhia, Gullu	"	55	17.6	14.7	83.5	5.2	3.5	67.3
20	Massu Nulteri.	Kendhani	47	18.0	14.6	81.1	6.4	4.1	64.0
21	Juma, Gullu	Hajana	57	18.3	14.2	77.6	6.0	3.4	56.6
22	Dadu "	Barhani	37	17.6	14.0	79.5	5.4	3.1	57.4
23	Gudu, Tali	"	65	18.2	13.5	74.1	5.4	3.4	62.9
24	Ramdu, Mithri	Kundhani	37	18.8	14.4	76.6	5.6	3.1	55.3
25	Dau "	"	38	18.0	15.8	87.7	6.5	3.6	55.3
26	Doshti "	"	70	17.0	15.6	91.7	6.3	3.3	52.3
27	Piru, Gullu	Lanjwani	18	17.7	13.7	77.4	4.8	3.6	75.0
28	Murad "	Hajana	65	18.6	13.5	72.5	6.0	9.6	60.0
29	Walya "	"	23	17.4	15.4	88.5	5.4	3.5	64.8

I.

tribe taken at Sibi on the 5th May 1903.

15	16	17	18	19	20	21	22	23	24	25	26	27	28	29
Maximum bizygomatic breadth.	Nasio-mental length.	Facial index.	Facial angle (Cuvier).	External orbital breadth.	Bi-orbito nasal arc.	Orbito-nasal index.	Bigonial breadth.	Height standing.	Height sitting.	Height kneeling.	Height to chin.	Height to sternal notch.	Bi-iliac crest breadth.	Serial No.
13.4	10.3	12.4	120.3	10.0	1
14.0	10.2	12.4	121.5	11.0	2
13.6	10.1	12.4	122.7	10.9	3
13.1	9.9	12.2	123.2	10.5	4
13.0	10.2	12.6	123.5	9.8	5
13.0	10.2	12.4	121.5	9.0	6
13.0	9.3	12.2	131.1	9.1	7
13.1	9.8	12.2	124.4	10.4	8
13.1	10.3	12.6	122.3	9.7	9
13.4	10.2	12.2	119.6	10.1	10
13.0	9.9	12.0	121.2	10.0	11
13.2	9.3	12.0	120.0	9.6	12
12.5	9.4	12.4	131.9	10.5	13
13.1	10.0	12.0	120.0	10.0	14
13.0	9.9	12.2	123.2	10.1	15
13.3	10.1	12.2	110.8	10.5	16
13.3	10.0	12.0	120.0	10.1	17
12.8	9.8	12.4	126.5	10.0	18
13.0	9.8	12.0	122.4	9.5	19
13.2	10.2	14.0	137.2	10.0	20
13.2	10.0	11.6	116.0	9.6	21
13.2	9.6	11.2	116.6	10.3	22
12.9	10.0	12.4	124.0	10.5	23
13.5	9.5	12.8	134.7	10.5	24
14.0	10.6	14.0	132.0	10.2	25
14.0	10.1	13.0	128.7	10.0	26
13.0	10.1	12.8	126.7	10.4	27
12.5	9.9	12.8	129.2	10.0	28
13.7	10.3	12.8	124.2	11.0	29

TABLE

Measurements of male members of the Mir Jats

1	2	3	4	5	6	7	8	9	10	11	12	13	14
Serial No.	Province or State and District of birth.	Tribe or caste.	Age.	Cephalic length (glabella-occipital).	Cephalic breadth.	Cephalic index.	Nasal height.	Nasal breadth.	Nasal index.	Height from vertex to root of the nose.	Height from vertex to tragus of ear.	Height from vertex to chin.	Cephalic volume.
30	Chandda, Gullá	Lanjwani .	65	18.0	14.6	81.1	5.5	4.0	72.7
31	Nabi Box, Gullá .	Hajána .	25	18.0	15.0	83.3	6.2	3.3	53.2
32	Kamal „ .	„ .	25	18.0	14.6	81.1	5.0	3.4	68.0
33	Allu „ .	„ .	27	17.6	14.7	83.5	6.0	3.7	61.6
34	Músa „ .	„ .	33	18.0	15.0	83.3	5.3	3.4	64.1
35	Nindá „ .	Lanjwani .	27	17.5	14.6	83.4	4.8	3.0	62.5
36	Rahmdil „ .	Hajána .	37	16.2	15.5	95.6	6.3	3.1	49.2
37	Pándhi „ .	„ .	60	20.0	14.8	74.0	6.6	4.4	66.6
38	Hakim „ .	Lanjwani .	65	19.3	14.4	74.6	5.7	3.5	61.4
39	Langá „ .	Hajána .	60	17.1	14.0	81.8	5.6	3.2	57.1
40	Rahman, Mithri.	Kandhani .	33	18.0	15.5	86.1	6.2	3.5	56.4
41	Mohabbat, Mithri.	Jalwani .	22	16.2	14.1	87.0	5.3	3.3	62.2
42	Ghana Kan-dhani.	„ .	61	18.0	15.0	83.3	7.0	3.7	52.8
43	Ahmad, Tali .	Barhan .	40	18.0	15.4	85.5	6.0	3.5	58.3
44	Yaru, Hambi	Kandhani	47	18.0	14.5	80.5	5.1	3.7	72.5
45	Chaudu .	Hajani .	47	18.4	14.0	76.0	6.0	4.5	75.0
46	Balaoh .	„ .	55	17.5	15.0	85.7	6.1	3.7	60.6
47	Mitha, Lishan	„ .	28	18.0	14.6	81.1	5.7	4.0	70.1
48	Rakhia Mochi	Kandhani .	33	17.5	14.3	81.7	5.6	3.4	59.5
Average .				180.1	146.4	81.2	57.3	35.4	61.7

I.

tribe taken at Sibl on the 5th May 1903.

15	16	17	18	19	20	21	22	23	24	25	26	27	28	29
Maximum bizygomatic breadth.	Nasio-mental length.	Facial index.	Facial angle (Cuvier).	External orbital breadth.	Bi-orbito-nasal arc.	Orbito-nasal index.	Bigonial breadth.	Height standing.	Height sitting.	Height kneeling.	Height to chin.	Height to sternal notch.	Bi-iliac crest breadth.	Serial No.
12.8	10.1	12.4	122.7	9.3	30
13.1	10.2	12.8	125.4	10.0	31
13.2	10.3	13.0	126.2	10.6	32
13.3	9.6	12.0	125.0	9.7	33
13.6	10.3	14.0	135.9	10.7	34
13.5	9.5	11.0	115.7	10.0	35
13.0	9.5	11.4	120.0	9.9	36
11.6	10.8	13.0	120.3	11.3	37
13.0	9.8	12.0	122.4	9.5	38
13.1	9.3	12.4	133.3	11.0	39
14.0	10.3	12.8	124.2	10.6	40
12.5	10.0	12.0	120.0	9.9	41
14.0	10.0	13.4	134.0	10.5	42
13.0	10.0	12.0	120.0	10.5	43
12.0	10.1	12.4	122.7	10.0	44
13.0	10.0	12.4	124.0	11.2	4
13.5	10.0	12.4	124.0	11.2	46
14.0	10.1	12.6	124.7	11.0	47
13.2	9.5	12.0	126.3	9.0	43
132.3	99.6	124.2	124.6	101.9

ANTHROPOMETRIC DATA.

TABLE II.

Abstract of Measurements.

TYPE—MIR JATS.

TABLE

Abstract of measurements of male members of the

1	2	3	4	5	6	7	8	9	10	11	12	13	14
Serial No.	Province or State and District of birth.	Tribe or caste.	Age.	Cephalic length (glabello-occipital).	Cephalic breadth.	Cephalic index.	Nasal height.	Nasal breadth.	Nasal index.	Height from vertex to root of the nose.	Height from vertex to tragus of ear.	Height from vertex to chin.	Cephalic volume.
1-10	...	Mir Jats.	...	1839	1454	...	563	360
11-20	1797	1478	...	548	352
21-30	1796	1447	...	569	346
31-40	1797	1481	...	577	345
41-48	1416	1169	...	498	298
GRAND TOTAL		8645	7029	...	2755	1701
Average		180.1	146.4	81.2	57.3	35.4	61.7

II.

Mir Jats tribe taken at Sibi on the 5th May 1903.

15	16	17	18	19	20	21	22	23	24	25	26	27	28	29
Maximum bizygomatic breadth.	Nasio-mental length.	Facial index.	Facial angle (Cuvier).	External orbital breadth.	Bi-orbito nasal arc.	Orbito-nasal index.	Bigonial breadth.	Height standing.	Height sitting.	Height kneeling.	Height to chin.	Height to sternal notch.	Bi-iliac crest breadth.	Serial No.
1327	1005	1236	...	1005	1-10
1304	984	1232	...	1003	11-20
1328	1002	1258	...	1018	21-30
1344	996	1244	...	1033	31-40
1052	797	992	...	833	41-48
6355	4784	5962	...	4892	
1323	99.6	124.2	124.6	101.9	

ANTHROPOMETRIC DATA.

SERIATIONS.

TYPE—MIR JATS.

SERiations.

Turko-Iranian Type.

Type Specimen: MIR JATS.

PROPORTIONS OF HEAD.				PROPORTIONS OF NOSE.				RELATIVE PROMINENCE OF ROOT OF NOSE.			
(Cephalic—Index.)				(Nasal Index.)				(Orbito nasal—Index.)			
Average	Maximum	Minimum	Range	Average	Maximum	Minimum	Range	Average	Maximum	Minimum	Range
81.2	96	73	23	61.7	75	40	35	124.6	137	111	26
INDICES.				Percentage on number of subjects.							
HEAD.				Number of subjects.	5	10	15	20	25	30	35
LONG HEADS (Dolicho-Cephalic).	{ 72.5 and under 75	.	.	5	◆◆◆◆◆	◆◆◆◆◆	◆◆◆◆◆	◆◆◆◆◆			
				6	◆◆◆◆◆	◆◆◆◆◆	◆◆◆◆◆	◆◆◆◆◆			
MEDIUM HEADS (Meso-Cephalic).	{ 75 and under 77.5	.	.	8	◆◆◆◆◆	◆◆◆◆◆	◆◆◆◆◆	◆◆◆◆◆			
				9	◆◆◆◆◆	◆◆◆◆◆	◆◆◆◆◆	◆◆◆◆◆			
BROAD HEADS (Brachy-Cephalic).	{ 77.5 and under 80	.	.	9	◆◆◆◆◆	◆◆◆◆◆	◆◆◆◆◆	◆◆◆◆◆			
				7	◆◆◆◆◆	◆◆◆◆◆	◆◆◆◆◆	◆◆◆◆◆			
	{ 80 and under 82.5	.	.	9	◆◆◆◆◆	◆◆◆◆◆	◆◆◆◆◆	◆◆◆◆◆			
				9	◆◆◆◆◆	◆◆◆◆◆	◆◆◆◆◆	◆◆◆◆◆			
	{ 82.5 and under 85	.	.	7	◆◆◆◆◆	◆◆◆◆◆	◆◆◆◆◆	◆◆◆◆◆			
				2	◆◆◆◆◆	◆◆◆◆◆	◆◆◆◆◆	◆◆◆◆◆			
	{ 85 and under 87.5	.	.	2	◆◆◆◆◆	◆◆◆◆◆	◆◆◆◆◆	◆◆◆◆◆			
				2	◆◆◆◆◆	◆◆◆◆◆	◆◆◆◆◆	◆◆◆◆◆			
	{ 87.5 and under 90	.	.	2	◆◆◆◆◆	◆◆◆◆◆	◆◆◆◆◆	◆◆◆◆◆			
				2	◆◆◆◆◆	◆◆◆◆◆	◆◆◆◆◆	◆◆◆◆◆			
	{ 90 and over .	.	.	2	◆◆◆◆◆	◆◆◆◆◆	◆◆◆◆◆	◆◆◆◆◆			
				2	◆◆◆◆◆	◆◆◆◆◆	◆◆◆◆◆	◆◆◆◆◆			

ANTHROPOMETRIC DATA.

TABLE I.

Individual Measurements.

·TYPE—KALANDRANI.

TABLE

Measurements of male members of the Kalandrāni

1	2	3	4	5	6	7	8	9	10	11	12	13	14
Serial No.	Province or State and District of birth.	Tribe or caste.	Age.	Cephalic length (glabella-occipital).	Cephalic breadth.	Cephalic Index.	Nasal height.	Nasal breadth.	Nasal index.	Height from vertex to root of the nose.	Height from vertex to tragus of ear.	Height from vertex to chin.	Cephalic volume.
1	Sardar Peroj Sha, Mir Tulāk.	Kalandrāni	50	18.8	14.6	77.6	6.2	3.5	56.4
2	Usman Sardar's brother.	"	30	18.5	14.0	75.6	6.0	3.6	60.0
3	Mir Mahamed	"	27	17.6	14.1	80.1	6.0	3.5	58.3
4	Mir Balooch Khan.	"	30	19.0	15.1	79.4	6.4	3.4	53.1
5	Mir Adisher.	"	32	18.2	15.0	82.4	6.4	3.5	54.6
6	Mir Musa Khan.	"	37	17.8	15.0	84.2	5.6	3.2	57.1
7	Mir Dost Mohamed.	"	25	17.6	15.0	85.2	6.0	4.0	66.6
8	Mir Bhanda .	"	35	18.0	15.0	83.3	5.8	3.2	55.1
9	Mir Vali Mahomed.	"	37	18.0	15.0	83.3	6.5	3.4	52.3
10	Mir Khair Mahomed.	"	28	19.2	15.0	78.1	5.2	4.0	76.9
11	Mir Azam Khan.	"	43	18.0	14.2	78.8	5.8	3.4	58.6
12	Mir Yakub Khan.	"	32	18.0	15.0	83.3	6.5	3.4	52.3
13	Mir Nirak Tulāk.	"	45	18.2	15.0	82.4	5.5	3.2	58.1
14	Mir Faiz Mohamed.	"	52	16.2	14.0	86.4	5.4	3.5	64.8
15	Mir Validar .	"	37	16.4	14.0	85.3	5.4	3.4	62.9
16	Mir Karim-box.	"	32	18.0	15.2	84.4	6.4	3.5	54.6
17	Mir Barfi .	"	37	17.0	15.0	88.2	5.0	3.8	76.0
18	Mir Miram .	"	30	19.0	15.0	78.9	5.0	4.0	80.0
19	Mir Shabi .	"	30	17.0	14.3	84.1	6.0	3.6	60.0
20	Mir Gazi Khan.	"	27	18.0	14.0	77.7	6.0	3.6	60.0
21	Mir Garar Khan.	"	45	16.0	13.8	86.2	6.4	3.4	62.9
	Average .			178.3	146.3	82.0	58.8	35.2	59.8

I.

tribe taken at Kalad State on the 10th April 1903.

15	16	17	18	19	20	21	22	23	24	25	26	27	28	29
Maximum bizygomatic breadth.	Nasio-mental length.	Facial index.	Facial angle (convier).	External orbital breadth.	Bi-orbito nasal arc.	Orbito-nasal index.	Bigonial breadth.	Height standing.	Height sitting.	Height kneeling.	Height to chin.	Height to sternal notch.	Bi-iliac crest breadth.	Serial No.
13.6	9.4	12.0	127.6	10.0	1
14.0	11.2	14.0	125.0	11.0	2
12.4	10.2	11.6	113.7	9.0	3
14.0	10.8	13.2	122.2	10.0	4
13.3	10.8	13.2	122.2	9.8	5
13.2	9.8	12.6	128.5	9.5	6
12.8	10.0	12.6	126.0	10.1	7
14.0	10.8	13.0	120.3	10.3	8
13.4	10.3	12.4	120.3	9.2	9
14.5	10.8	12.6	116.6	12.0	10
13.0	10.4	12.4	119.2	10.0	11
12.4	11.0	12.8	116.3	9.4	12
13.0	10.2	12.8	125.4	10.2	13
12.0	10.0	12.4	124.0	9.5	14
13.2	10.4	12.4	119.2	11.0	15
13.4	10.4	12.0	115.3	10.8	16
13.0	10.0	12.0	120.0	10.2	17
13.0	10.2	12.4	121.5	11.0	18
13.0	10.2	12.4	121.5	11.0	19
13.1	10.0	12.0	120.0	11.0	20
13.2	10.1	12.4	122.7	10.6	21
132.1	103.3	125.3	121.2	102.6	

ANTHROPOMETRIC DATA.

TABLE II.

Abstract of Measurements.

TYPE—KALANDRĀNI.

TABLE

Abstract of measurements of male members of the Kalandrāni tribe

1	2	3	4	5	6	7	8	9	10	11	12	13	14
Serial No.	Province or State and District of birth.	Tribe or caste.	Age.	Cephalic length (glabella-occipital).	Cephalic breadth.	Cephalic index.	Nasal height.	Nasal breadth.	Nasal index.	Height from vertex to root of the nose.	Height from vertex to tragus of ear.	Height from vertex to chin.	Cephalic volume.
1-10	Kalat	1827	1478	...	601	353
11-21		1918	1595	...	634	388
	GRAND TOTAL.	Kalandrāni		3745	3073	...	1235	741
	Average	...		178.3	146.3	82.0	58.8	35.2	59.8

II.

taken at Kalad State on the 10th April 1903.

15	16	17	18	19	20	21	22	23	24	25	26	27	28	29
Maximum bizygomatic breadth.	Nasio-mental length.	Facial index.	Facial angle (Cuvier).	External orbital breadth.	Bi-orbito nasal arc.	Orbito-nasal index.	Bigonial breadth.	Height standing.	Height sitting.	Height kneeling.	Height to chin.	Height to sternal notch.	Bi-iliac crest breadth.	Serial No.
1352	1041	1272	...	1009	1-10
1423	1129	1360	...	1147	11-21
2775	2170	2632	...	2156	
1321	1083	1253	121.2	102.6	

ANTHROPOMETRIC DATA.

TABLE I.

Individual Measurements.

TYPE—MED.

TABLE

Measurements of male members of the Med

1	2	3	4	5	6	7	8	9	10	11	12	13	14
Serial No.	Province or State and District of birth.	Tribe or caste.	Age.	Cephalic length (glabella-occipital).	Cephalic breadth.	Cephalic index.	Nasal height.	Nasal breadth.	Nasal index.	Height from vertex to root of the nose.	Height from vertex to tragus of ear.	Height from vertex to chin.	Cephalic volume.
1	Pasni . .	Med.	...	185	148	80.0	52	40	76.9
2	Do.	200	150	75.0	60	42	70.0
3	Do.	182	150	82.4	54	41	75.9
4	Do.	185	148	80.0	58	38	65.5
5	Do.	182	145	79.6	50	42	84.0
6	Do.	185	146	78.9	50	36	72.0
7	Do.	188	146	77.6	66	35	58.0
8	Do.	192	152	79.1	50	46	92.0
9	Do.	180	156	86.6	50	36	72.0
10	Do.	190	160	84.2	56	36	64.2
11	Do.	180	144	80.0	46	36	78.2
12	Do.	174	150	86.2	48	36	75.0
13	Do.	174	144	82.7	44	34	77.2
14	Jirani	190	156	82.1	58	40	68.9
15	Do.	176	144	81.8	56	38	67.8
16	Do.	185	148	80.0	55	32	58.1
17	Do.	178	136	76.4	56	30	53.5
18	Do.	190	145	76.3	52	44	84.6
19	Do.	174	153	87.9	50	38	76.0
20	Do.	176	150	85.2	50	38	76.0
21	Do.	182	153	84.0	58	36	62.0
22	Do.	184	152	82.6	56	40	71.4
23	Chábár	175	150	85.7	56	36	64.2
24	Do.	188	153	83.6	58	43	74.1
25	Do.	190	154	81.0	54	38	70.3
26	Do.	175	150	85.7	60	44	73.3
27	Do.	170	142	73.5	64	36	56.2
28	Pasni	184	146	79.3	50	36	72.0
29	Do.	180	150	83.3	58	38	65.5

I.

Tribe taken at Makran on the 19th May 1903.

15	16	17	18	19	20	21	22	23	24	25	26	27	28	29
Maximum bizygomatic breadth.	Nasio-mental length.	Facial index.	Facial angle (Cuvier).	External orbital breadth.	Bi-orbito nasal arc.	Orbito nasal index.	Bigonial breadth.	Height standing.	Height sitting.	Height kneeling.	Height to chin.	Height to sternal notch.	Bi-iliac crest breadth.	Serial No.
..	1
..	2
..	3
..	4
..	5
..	6
..	7
..	8
..	9
..	10
..	11
..	12
..	13
135	105	..	7778	14
135	114	..	8444	15
140	112	..	8000	16
130	104	..	8000	17
135	112	..	8296	18
134	108	..	8060	19
128	106	..	8281	20
134	108	..	8060	21
144	110	..	7639	22
130	115	146	1269	105	..	8077	23
134	120	144	1200	110	..	8209	24
132	120	144	1200	110	..	8333	25
130	116	136	1172	104	..	8000	26
134	116	156	1344	103	..	8060	27
148	130	160	1230	124	..	8378	28
138	118	152	1288	108	..	7823	

TABLE

Measurements of male members of the Med

1	2	3	4	5	6	7	8	9	10	11	12	13	14
Serial No.	Province or State and District of birth.	Tribe or caste.	Age.	Cephalic length (glabella-occipital).	Cephalic breadth.	Cephalic index.	Nasal height.	Nasal breadth.	Nasal index.	Height from vertex to root of the nose.	Height from vertex to tragus of ear.	Height from vertex to chin.	Cephalic volume.
30	Páeni . .	Med.	...	178	150	84.2	60	40	66.6
31	Do.	174	148	85.0	62	46	74.1
32	182	152	83.5	68	36	52.9
33	180	152	84.4	56	38	67.8
34	182	150	82.4	56	40	71.4
35	176	146	82.9	54	36	66.6
36	190	160	84.2	54	46	85.1
37	184	144	78.2	58	38	65.5
38	184	146	79.3	54	40	74.0
39	181	145	80.1	58	38	65.5
40	180	144	80.0	62	34	54.8
41	180	144	80.0	58	40	68.9
42	Ormára	180	156	86.6	56	40	71.4
43	"	180	154	85.5	56	40	71.4
44	"	182	152	83.5	56	38	67.8
45	"	190	150	78.9	54	38	70.3
46	"	182	150	82.4	52	34	65.3
47	"	180	160	88.8	62	42	67.7
48	"	180	160	88.8	60	38	63.6
49	"	174	144	82.7	58	36	62.0
50	"	170	140	82.3	54	36	66.6
51	"	176	150	85.2	54	36	66.6
52	"	182	152	83.5	54	34	62.9
53	"	174	160	91.9	54	42	77.7
54	"	176	148	84.0	58	38	65.5
55	"	184	146	79.3	58	42	72.4
56	"	180	148	82.2	60	40	66.6
57	"	182	146	80.2	58	38	65.5
58	"	182	146	80.2	58	38	65.5

1.

Tribe taken at Makran on the 19th May 1903.

15	16	17	18	19	20	21	22	23	24	25	26	27	28	29
Maximum bizygomatic breadth.	Nasio-mental length.	Facial index.	Facial angle (Cuvier).	External orbital breadth.	Bi-orbito nasal arc.	Orbito-nasal index.	Bigonial breadth.	Height standing.	Height sitting.	Height kneeling.	Height to chin.	Height to sternal notch.	Bi-iliac breadth.	Serial No.
138	122	100	131.0	112	...	8116	30
130	118	148	125.4	114	...	8769	31
140	120	164	136.6	116	...	8286	32
142	123	164	126.4	114	...	8028	33
132	116	146	125.8	104	...	7879	34
122	108	140	129.6	91	...	7459	35
144	118	164	138.9	110	...	7639	36
130	116	148	127.6	110	...	8462	37
130	124	156	125.8	110	...	8462	38
134	126	152	120.6	104	...	7767	39
130	122	156	127.8	110	...	8462	40
134	124	160	129.3	110	...	8209	41
130	118	160	135.5	110	...	8462	42
134	120	168	140.0	110	...	8209	43
132	118	156	132.2	116	...	8788	44
134	120	160	133.3	106	...	8657	45
128	118	156	132.2	106	...	8281	46
142	118	156	132.2	110	...	7746	47
134	118	156	132.2	110	...	8209	48
128	110	144	130.9	110	...	8594	49
120	110	140	127.2	98	...	9167	50
122	104	136	130.7	102	...	8361	51
134	122	148	121.3	104	...	7761	52
132	128	144	112.5	110	...	8333	53
132	118	160	135.5	108	...	8182	54
132	118	156	132.2	110	...	8333	55
128	110	140	127.2	108	...	8438	56
132	120	148	123.3	112	...	8485	57
136	118	148	125.4	108	...	7941	58

TABLE

Measurements of male members of the Med

1	2	3	4	5	6	7	8	9	10	11	12	13	14
Serial No.	Province or State and District of birth.	Tribe or caste.	Age.	Cephalic length (glabella-occipital)	Cephalic breadth.	Cephalic index.	Nasal height.	Nasal breadth.	Nasal index.	Height from vertex to root of the nose.	Height from vertex to tragus of ear.	Height from vertex to chin.	Cephalic volume.
59	Ormárá .	Med.	...	194	140	72.1	52	38	73.0
60	Do.	176	140	79.5	56	34	60.7
61	Do.	193	154	80.2	56	42	75.0
62	Do.	182	150	82.4	56	38	67.8
63	Do.	170	150	86.2	58	38	65.5
64	Do.	172	152	88.3	56		53.5
65	Do.	170	140	82.3	56	34	60.7
66	Do.	176	148	84.0	56	44	78.5
67	Do.	182	150	82.4	54	36	66.6
68	Do.	176	150	85.2	50	36	72.0
69	Do.	180	138	76.6	60	38	63.6
70	Do.	176	146	82.9	43	36	75.0
71	Do.	190	152	80.0	64	40	62.5
72	Do.	176	145	82.3	54	33	70.3
73	Do.	174	146	83.9	62	35	56.4
74	Do.	186	152	81.7	62	34	54.8
75	Do.	182	150	82.4	56	36	64.2
76	Do.	192	148	77.0	58	40	68.9
77	Do.	186	146	78.4	54	36	66.6
78	Do.	194	154	79.3	56	40	71.4
79	Do.	192	150	78.1	53	44	75.8	
Average				181.4	145.9	82.0	55.9	38.1	68.1

I.

Tribe taken at Makran on the 21st May 1903.

15	16	17	18	19	20	21	22	23	24	25	26	27	28	29
Maximum bizygomatic breadth.	Nasio-mental length.	Facial index.	Facial angle (Cuvier).	External orbital breadth.	Bi orbito nasal arc.	Orbito nasal index.	Bigonial breadth.	Height standing.	Height sitting.	Height kneeling.	Height to chin.	Height to sternal notch.	Bi-iliac crest breadth.	Serial No.
180	114	140	1228	114	...	8769	59
128	110	140	1272	110	...	8594	60
142	124	160	1290	114	...	8028	61
180	116	144	1241	108	...	8808	62
134	118	148	1254	106	...	7910	63
128	106	136	1283	106	...	8281	64
124	112	144	1285	100	...	8065	65
132	116	144	1241	106	...	8030	66
134	114	148	1298	108	...	8060	67
180	113	144	1274	106	...	8154	68
126	108	144	1333	108	...	8571	69
128	114	136	1192	108	...	8433	70
132	114	150	1816	113	...	8561	71
130	116	140	1206	102	...	7846	72
122	116	144	1241	110	...	9016	73
133	112	142	1267	110	...	8371	74
128	110	140	1272	100	...	7813	75
134	122	148	1213	103	...	8060	76
132	116	144	1241	108	...	8182	77
142	180	160	1230	116	...	8169	78
134	122	148	1213	110	...	8209	79
132.5	117.3	149.4	1273	108.5	...	821.6	

ANTHROPOMETRIC DATA.

TABLE II.

Abstract of Measurements.

TYPE—MED.

TABLE

Abstract of measurements of male members of the Med

1	2	3	4	5	6	7	8	9	10	11	12	13	14
Serial No.	Province or State and District of birth.	Tribe or caste.	Age.	Cephalic length (glabella-occipital).	Cephalic breadth.	Cephalic index.	Nasal height.	Nasal breadth.	Nasal index.	Height from vertex to root of the nose.	Height from vertex to tragus of ear.	Height from vertex to chin.	Cephalic volume.
1-10	...	Med.	...	1869	1501	...	546	392
11-20	1797	1470	...	515	366
21-30	1801	1500	...	574	387
31-40	1813	1487	...	582	392
41-50	1798	1510	...	566	332
51-60	1806	1476	...	562	380
61-70	1776	1478	...	550	372
71-79	1672	1343	...	524	343
GRAND TOTAL	14332	11765	...	4419	3014
Average	181.4	143.9	82.0	55.9	33.1	68.1

II.

Tribe taken at Makran on the 21st May 1903.

15	16	17	18	19	20	21	22	23	24	25	26	27	28	29
Maximum bizygomatic breadth.	Nasio-mental length.	Facial index.	Facial angle (Cuvier).	External orbital breadth.	Bi-orbito nasal arc.	Orbito-nasal index.	Bigonial breadth.	Height standing.	Height sitting.	Height kneeling.	Height to chin.	Height to sternal notch.	Bi-iliac crest breadth.	Serial No.
...	1-10
937	761	...	56859	11-20
1362	957	1198	...	1039	...	80695	21-30
1334	1196	1538	...	1083	...	81213	31-40
1316	1174	1556	...	1086	...	84322	41-50
1306	1162	1460	...	1086	...	83197	51-60
1308	1141	1443	...	1070	...	81845	61-70
1187	1058	1316	...	977	...	74127	71-79
8750	6688	8516	...	7162	...	542258	
1325	1173	1494	1273	1085	...	8216	

ANTHROPOMETRIC DATA.

SERIATIONS.

TYPE—MED.

SERiations.

Turko-Iranian Type.

Type Specimen : MED.

PROPORTIONS OF HEAD. (Phalic Index.)			PROPORTIONS OF NOSE. (Nasal Index.)			RELATIVE PROMINENCE OF ROOT OF NOSE. (Orbito-Nasal Index.)		
Average	.	82.0	Average	.	68.1	Average	.	127.3
Maximum	.	92	Maximum	.	92	Maximum	.	140
Minimum	.	72	Minimum	.	53	Minimum	.	113
Range	.	20	Range	.	39	Range	.	27

INDICES.	Number of subjects.	Percentage on number of subjects.							
		5	10	15	20	25	30	35	
HEAD.									
LONG HEADS { (Dolicho-cephalic).	70 and under 72.5
	72.5 and under 75	1	—1
MEDIUM HEADS { (Meso-cephalic)	75 and under 77.5	1	—1
	77.5 and under 80	5	—6
	80 and under 82.5	13	—16
BROAD HEADS { (Brachy-cephalic).	82.5 and under 85	25
	85 and under 87.5	18
	87.5 and over	10	—13
		6	—8

SERiations.

Turko-Iranian Type.

Type Specimen : MED.

PROPORTIONS OF HEAD.			PROPORTIONS OF NOSE.		RELATIVE PROMINENCE OF ROOT OF NOSE.	
Phalic Index.)			(Nasal Index.)		(Orbito-Nasal Index.)	
Average	.	82.0	Average	. 68.1	Average	. 127.3
Maximum	.	92	Maximum	. 92	Maximum	. 140
Minimum	.	72	Minimum	. 53	Minimum	. 113
Range	.	20	Range	. 39	Range	. 27

INDICES.		Number of subjects.	Percentage on number of subjects.									
HEAD.			5	10	15	20	25	30	35			
LONG HEADS (Dolicho-cephalic).	{ 70 and under 72.5	1	◆—1									
	{ 72.5 and under 75	1	◆—1									
MEDIUM HEADS (Meso-cephalic)	{ 75 and under 77.5	5	◆◆◆◆◆—6									
	{ 77.5 and under 80	13	◆◆◆◆◆◆◆◆◆◆—16									
BROAD HEADS (Brachy-cephalic).	{ 80 and under 82.5	25	◆◆◆◆◆◆◆◆◆◆◆◆◆◆◆◆—32									
	{ 82.5 and under 85	18	◆◆◆◆◆◆◆◆◆◆◆◆◆◆◆◆—28									
	{ 85 and under 87.5	10	◆◆◆◆◆◆◆◆◆◆◆◆—18									
	{ 87.5 and over	6	◆◆◆◆◆◆◆◆◆◆◆◆—8									

ANTHROPOMETRIC DATA.

TABLE I.

Individual Measurements.

TYPE—MENGAL.

TABLE

Measurements of male members of the Mengal

1	2	3	4	5	6	7	8	9	10	11	12	13	14
Serial No.	Pr. vince or State and District of birth.	Tribe or caste.	Age.	Cephalic length (glabella-occipital).	Cephalic breadth.	Cephalic index.	Nasal height.	Nasal breadth.	Nasal index.	Height from vertex to root of the nose.	Height from vertex to tragus of ear.	Height from vertex to chin.	Cephalic volume.
1	Darga Khan Saruna	Miraji	27	18.0	15.4	85.5	5.4	3.6	66.6
2	Rohimdad Saruna	...	40	17.5	15.5	88.5	6.0	3.6	60.0
3	Imambaz Saruna	...	16	16.1	15.0	93.1	5.5	3.4	61.8
4	Sinar Saruna	...	55	17.5	15.0	85.7	6.1	3.5	57.3
5	Ido Saruna	...	48	17.2	15.0	87.2	4.4	3.2	72.7
6	Bijja Saruna	Mirwani	32	17.0	15.2	89.4	6.3	3.4	53.9
7	Ohhuta Saruna	Shapam	35	17.4	15.3	87.9	6.0	3.4	56.6
8	Aftur Saruna	Miraji	32	17.8	16.0	89.3	6.0	3.5	58.3
9	Karimbox Saruna	...	32	18.5	16.0	86.4	5.6	4.0	71.4
10	Nobu Saruna	...	23	18.0	16.0	88.8	5.6	4.0	71.4
11	Akin Saruna	Mardoi	23	18.2	14.5	79.6	6.0	3.2	53.3
12	Jummi	Miraji	25	18.1	15.0	82.8	5.8	3.4	58.6
13	Lashkari Saruna	Pahlvan	30	17.6	15.6	88.6	6.2	3.4	54.8
14	Hatel Khan Saruna	...	32	18.2	15.2	83.5	6.0	4.0	66.6
15	Bangal Saruna	Miraji	30	18.2	15.0	82.4	6.4	3.3	51.5
16	Jalal Saruna	Gadra	35	18.0	15.0	83.3	6.4	3.5	54.6
17	Gulom Saruna	Ganan drani	35	18.2	16.0	87.9	6.2	3.3	61.2
18	Haibat Saruna	...	35	17.0	15.1	88.8	6.4	3.2	50.0
19	Shade Saruna	...	30	18.2	14.8	81.3	6.3	3.5	55.5
20	Gulam Saruna	...	28	17.6	15.0	85.2	5.6	3.4	60.7
21	Rabbu Saruna	...	18	17.5	14.4	82.2	5.6	3.4	60.7
22	Dilshu Saruna	...	22	18.1	14.5	80.1	5.4	3.4	62.9

I.

tribe taken at Saruna on the 19th March 1903.

15	16	17	18	19	20	21	22	23	24	25	26	27	28	29
Maximum bizygomatic breadth.	Nasio-mental length.	Facial index.	Facial angle (Cuvier).	External orbital breadth.	Bi-orbito nasal arc.	Orbito-nasal index.	Bigonial breadth.	Height standing.	Height sitting.	Height kneeling.	Height to chin.	Height to sternal notch.	Bi-iliac crest breadth.	Serial No.
13.5	11.0	14.2	129.1	12.0	1
13.6	11.0	14.0	127.2	11.0	2
12.4	10.6	12.0	113.2	10.5	3
13.5	10.6	12.0	113.2	10.6	4
12.5	12.1	13.0	107.4	10.2	5
13.0	11.0	13.6	123.6	9.5	6
13.0	10.0	12.8	128.0	11.0	7
13.6	11.0	13.2	120.0	11.2	8
14.0	11.2	14.0	125.0	12.0	9
13.6	11.0	13.0	118.1	11.5	10
13.0	11.2	14.4	128.5	11.0	11
14.2	11.1	13.0	117.1	10.2	12
13.4	11.1	13.2	118.9	10.8	13
13.0	11.1	13.6	122.5	10.4	14
13.0	11.2	14.4	128.5	10.0	15
13.0	10.6	12.8	118.5	10.2	16
14.1	11.2	13.2	117.8	11.1	17
14.0	11.1	12.8	115.3	12.0	18
13.8	11.2	14.0	125.0	10.0	19
13.5	11.2	14.4	128.5	11.0	20
12.5	11.6	13.0	112.0	9.0	21
13.5	11.8	12.2	103.4	11.1	22

TABLE

Measurements of male members of the Mengal

1	2	3	4	5	6	7	8	9	10	11	12	13	14
Serial No.	Province or State and District of birth.	Tribe or caste.	Age.	Cephalic length (glabella-occipital).	Cephalic breadth.	Cephalic index.	Nasal height.	Nasal breadth.	Nasal index.	Height from vertex to root of the nose.	Height from vertex to tragus of ear.	Height from vertex to chin.	Cephalic volume.
23	Botha Saruna	...	20	19.0	15.0	78.9	5.4	4.0	74.0
24	Abdul Rahima	Dinaradi	35	19.0	15.1	79.4	6.2	3.4	54.8
25	Baluch Rahima	Miraj	18	19.0	14.6	76.8	6.0	3.2	53.3
26	Abdul Rahiman Saruna	...	30	17.6	15.0	85.2	6.0	3.3	55.0
27	Kamalu Vadd	Mirji	35	18.0	14.6	81.1	6.0	3.5	58.3
28	Atamohomed Saruna	Mirji	22	17.5	15.2	86.8	5.8	3.3	56.9
29	Rahu Saruna Mohamed	...	16	17.5	14.6	83.4	5.1	3.1	60.7
30	Pirmahomed Saruna	Seni Mohomad	30	18.0	14.5	80.5	6.1	3.3	54.1
31	Aru Saruna	Miraji	30	18.0	16.0	88.8	5.6	3.4	60.7
32	Mohmed Jamoli	Mardoi	32	17.4	14.0	80.4	5.6	3.2	57.1
33	Daru	Miraji	38	18.2	15.4	84.6	5.4	3.8	70.3
34	Darman Saruna	Miraji	25	18.4	15.3	83.1	5.5	3.5	63.6
35	Miran Saruna	...	30	18.0	14.6	81.1	5.6	3.0	53.5
36	Darya Khan Saruna	Dinarzi	22	18.0	14.5	80.5	5.0	3.4	68.0
37	Sumar Khan Saruna	...	17	18.5	14.2	76.7	6.0	3.4	56.6
38	Ramu Khan Saruna	Miraji	22	18.0	15.2	84.4	5.0	3.6	72.0
39	Bachu Khan	Miraji	34	17.5	15.2	86.8	5.2	3.4	65.3
40	Meheran Khan	Miraji	33	19.0	15.1	79.4	6.5	3.4	52.3

I.

tribe taken at Saruna on the 19th March 1903.

15	16	17	18	19	20	21	22	23	24	25	26	27	28	29
Maximum bizygomatic breadth.	Nasio-mental length.	Facial index.	Facial angle (Cuvier).	External orbital breadth.	Bi-orbito nasal arc.	Orbito-nasal index.	Bigonial breadth.	Height standing.	Height sitting.	Height kneeling.	Height to chin.	Height to sternal notch.	Bi-iliac crest breadth.	Serial No.
13.6	11.5	14.0	121.7	11.2	23
13.2	10.8	13.0	120.3	10.0	24
13.2	11.1	14.0	126.1	11.0	25
13.0	10.8	12.8	118.5	10.0	26
13.2	11.0	13.0	118.1	10.8	27
13.8	11.3	14.0	123.8	11.0	28
13.0	10.8	12.8	118.5	10.8	29
13.4	10.8	13.2	122.2	9.5	30
13.5	10.9	14.0	123.4	10.0	31
13.0	10.1	14.0	126.1	10.2	32
13.4	10.0	13.2	122.0	10.2	33
13.3	11.2	13.6	121.4	10.8	34
13.5	11.3	13.0	115.0	10.0	35
13.6	11.2	14.0	125.0	10.3	36
14.1	12.1	14.6	120.6	11.0	37
12.8	10.2	12.4	121.5	10.4	38
14.0	10.2	11.4	111.1	11.0	39
13.5	10.8	12.8	124.2	10.8	40

TABLE

Measurements of male members of the Mengal

1	2	3	4	5	6	7	8	9	10	11	12	13	14
Serial No.	Province or State and District of birth.	Tribe or caste.	Age.	Cephalic length (glabella-occipital).	Cephalic breadth.	Cephalic index.	Nasal height.	Nasal breadth.	Nasal index.	Height from vertex to root of the nose.	Height from vertex to tragus of ear.	Height from vertex to chin.	Cephalic volume.
23	Botha Saruna	...	20	19.0	15.0	78.9	5.4	4.0	74.0
24	Abdul Rahima	Dinardi	35	19.0	15.1	79.4	6.2	3.4	51.8
25	Baluch Rahima	Miraj	18	19.0	14.6	76.8	6.0	3.2	53.3
26	Abdul Rahiman Saruna	...	30	17.6	15.0	85.2	6.0	3.3	55.0
27	Kamalu Vadd	Mirji	35	18.0	14.6	81.1	6.0	3.5	58.3
28	Atamohomed Saruna	Mirji	22	17.5	15.2	86.8	5.8	3.3	56.9
29	Rahu Saruna Mohamed	...	16	17.5	14.6	83.4	5.1	3.1	60.7
30	Pirmahomed Saruna	Seni Mohomad	30	18.0	14.5	80.5	6.1	3.3	54.1
31	Aru Saruna	Miraji	30	18.0	16.0	88.8	5.6	3.4	60.7
32	Mohmed Jamoli	Mardoj	32	17.4	14.0	80.4	5.6	3.2	57.1
33	Daru	Miraji	38	18.2	15.4	84.6	5.4	3.8	70.3
34	Darman Saruna	Miraji	25	18.4	15.3	83.1	5.5	3.5	63.6
35	Miran Saruna	...	30	18.0	14.6	81.1	5.6	3.0	53.5
36	Darya Khan Saruna	Dinarzi	22	18.0	14.5	80.5	5.0	3.4	68.0
37	Sumar Khan Saruna	...	17	18.5	14.2	76.7	6.0	3.4	56.6
38	Ramu Khan Saruna	Miraji	22	18.0	15.2	84.4	5.0	3.6	72.0
39	Bachu Khan	Miraji	34	17.5	15.2	86.8	5.2	3.4	65.3
40	Meheran Khan	Miraji	33	19.0	15.1	79.4	6.5	3.4	52.3

I.

tribe taken at Saruna on the 19th March 1903.

15	16	17	18	19	20	21	22	23	24	25	26	27	28	29
Maximum bizygomatic breadth.	Nasio-mental length.	Facial index.	Facial angle (Cuvier).	External orbital breadth.	Bi-orbito nasal arc.	Orbito-nasal index.	Bigonial breadth.	Height standing.	Height sitting.	Height kneeling.	Height to chin.	Height to sternal notch.	Biacial breadth.	Serial No.
13.6	11.5	14.0	121.7	11.2	23
13.2	10.8	13.0	120.3	10.0	24
13.2	11.1	14.0	126.1	11.0	25
13.0	10.8	12.8	118.5	10.0	26
13.2	11.0	13.0	118.1	10.8	27
13.8	11.3	14.0	123.8	11.0	28
13.0	10.8	12.8	118.5	10.8	29
13.4	10.8	13.2	122.2	9.5	30
13.5	10.9	14.0	128.4	10.0	31
13.0	10.1	14.0	126.1	10.2	32
13.4	10.0	12.2	122.0	10.2	33
13.3	11.2	13.6	121.4	10.8	34
13.5	11.3	13.0	115.0	10.0	35
13.6	11.2	14.0	125.0	10.3	36
14.1	12.1	14.6	120.6	11.0	37
12.8	10.2	12.4	121.5	10.4	38
14.0	10.2	11.4	111.1	11.0	39
13.5	10.8	12.8	124.2	10.8	40

TABLE

Measurements of male members of Mengal tribe

1	2	3	4	5	6	7	8	9	10	11	12	13	14
Serial No.	Province or State and District of birth.	Tribe or caste.	Age.	Cephalic length (glabellæ-occipital).	Cephalic breadth.	Cephalic index.	Nasal height.	Nasal breadth.	Nasal index.	Height from vertex to root of the nose.	Height from vertex to tragus of ear.	Height from vertex to chin.	Cephalic volume.
41	Murakhan	Dirarzai	32	18.0	14.6	81.1	4.1	3.4	82.9
42	Dad Kharina (Not known)	Gurginari	52	18.0	15.2	84.4	5.8	3.6	62.0
43	Korimdad	...	44	18.0	16.2	90.0	6.2	3.6	58.0
44	Haidar	Gurginari	25	16.7	15.0	89.8	5.3	3.2	60.3
45	Kivara Akapat	Gurginari	23	17.5	14.5	82.8	5.4	3.3	61.1
46	Dadshah Drakhal	Sumal Hadi	26	18.5	15.3	82.7	5.4	4.0	74.0
47	Nobibox Akapat	Gurginari	24	17.5	15.0	85.7	6.0	3.5	58.3
48	Dinar	...	55	17.8	15.2	85.3	5.8	4.3	74.1
49	Gulamb Husein Trakalor	Mengal	22	17.0	15.0	88.2	5.8	3.2	55.1
50	Mungdal	Mengal	55	15.1	14.4	79.5	6.2	4.0	64.5
51	Allu Kasmaji	Gurginari	32	17.5	14.0	80.0	6.3	4.0	63.4
52	Mahamir Kasmaji	Sehupan	32	18.5	14.5	78.3	6.3	3.6	57.1
53	Moru Kasmaji	Sehupan	27	17.8	14.5	81.4	5.6	3.4	60.7
54	Nuna Kasmaji Vaddoi	Sehupan Vaddovi	28	19.0	14.5	76.3	5.8	3.5	60.3
55	Bhura Kasmaji Sehupan	Sehupan	25	18.2	15.0	82.4	5.4	3.5	64.8
56	Balli Kasmaji	Mirhaji	32	17.2	15.0	87.2	5.5	4.0	72.7
57	Angana Kasmaji	Gurginari	31	18.0	14.5	80.5	6.0	3.4	56.6
58	Abbas Farura	Mirhaji	33	18.2	14.0	76.9	6.4	3.2	50.0

I.

taken at Saruna on the 29th March 1903. .

15	16	17	18	19	20	21	22	23	24	25	26	27	28	29
Maximum bizygomatic breadth.	Nasio-mental length.	Facial index.	Facial angle (Cuvier.)	External orbital breadth.	Bi-orbito nasal arc.	Orbito nasal index.	Bigonial breadth.	Height standing.	Height sitting.	Height kneeling.	Height to chin.	Height to sternal notch.	Bi-iliac breadth.	Serial No.
13.0	10.4	12.2	117.4	10.0	41
13.5	10.4	13.0	125.0	11.2	42
13.0	10.4	14.0	134.6	10.0	43
13.0	10.4	14.0	134.6	10.5	44
12.5	10.2	12.8	125.4	9.8	45
14.0	11.0	14.0	127.2	10.0	46
12.0	10.0	13.0	130.0	9.8	47
13.0	10.4	12.4	119.2	10.6	48
12.4	10.7	12.8	119.6	10.0	49
13.0	10.7	14.0	130.8	10.0	50
12.5	10.2	12.2	119.6	10.2	51
14.2	10.6	13.2	124.5	11.1	52
14.0	10.6	11.6	109.4	10.6	53
13.0	10.8	10.8	100.0	10.0	54
13.2	10.8	13.2	122.2	10.0	55
14.0	11.0	14.0	127.2	11.0	56
13.0	9.5	12.0	126.3	10.0	57
13.4	11.0	13.6	123.6	9.8	58

TABLE

Measurements of male members of the Mengal

1	2	3	4	5	6	7	8	9	10	11	12	13	14
Serial No.	Province or State and District of birth.	Tribe or caste.	Age.	Cephalic length (glabella-occipital).	Cephalic index.	Cephalic index.	Nasal height.	Nasal breadth.	Nasal index.	Height from vertex to root of the nose.	Height from vertex to tragus of ear.	Height from vertex to chin.	Cephalic volume.
59	Jendda Lad	Lahadi .	25	19'0	14'2	74'7	5'3	3'1	58'4
60	Abdúlar	Ghulam Mári .	28	18'0	14'3	79'4	6'0	3'3	55'0
61	Gul Mahomed	Mihad Jshan	50	18'0	15'3	85'0	6'8	3'5	51'4
62	Bacha Dori .	Mihadi .	40	18'0	15'3	85'0	6'1	3'5	57'3
63	Sherkha Dori	Mihadi .	32	18'0	14'2	78'8	5'4	3'3	61'1
64	Karatan Dori	Mihadi .	23	18'2	14'0	76'9	5'5	3'2	58'1
65	Pocha Dori .	Gadru .	27	17'0	15'0	88'2	5'8	3'2	55'1
66	Achar Dori .	Gadru .	22	17'0	14'2	83'5	5'4	3'4	62'9
67	Miha Dori .	Jamali .	25	18'0	14'8	82'2	5'6	3'5	62'5
68	Ozmen Dori .	Dhanupari	35	18'0	14'5	80'5	6'8	3'4	50'0
69	Khair Mahomed Tuk.	Kashkeh .	35	19'0	15'0	78'9	5'6	3'1	55'3
70	Heshu Khujdar.	Gajgi .	17	18'0	14'1	78'3	5'4	3'1	57'4
71	Binu Khujdar	Kamal .	27	19'0	15'0	78'9	5'6	3'1	55'3
72	Mavali Khijdar.	„ .	27	18'5	14'6	78'9	5'6	3'2	57'1
73	Khair Mahamed.	„ .	30	19'0	15'4	81'0	6'3	3'2	50'7
74	Sha Mahe-med.	„ .	25	18'0	14'6	81'1	5'4	3'0	55'5
75	Ata Mahmed	Palavan .	30	17'6	14'5	82'3	6'4	3'4	53'1
76	Ali Mahamed	Kalatran .	30	17'4	14'4	82'7	5'6	3'4	60'7
77	Khudebox .	Gazki .	35	18'5	13'0	70'2	6'4	3'4	53'1
	Average		179'5	148'7	82'8	57'8	34'4	59'5

I.

tribe taken at Saruna on the 29th March 1903.

15	16	17	18	19	20	21	22	23	24	25	26	27	28	29
Maximum biygomatic breadth.	Nasio-mental length.	Facial index.	Facial angle (Ouvier).	External orbital breadth.	Bi-orbito nasal arc.	Orbito-nasal index.	Bigonial breadth.	Height standing.	Height sitting.	Height kneeling.	Height to chin.	Height to sternal notch.	Bi-iliac crest breadth.	Serial No.
13.0	11.0	12.0	109.0	10.0	59
13.1	10.8	12.6	116.6	10.5	60
13.0	11.4	13.4	117.5	10.0	61
13.0	10.6	13.6	128.3	10.0	62
13.0	10.6	13.2	124.5	10.8	63
13.0	10.2	12.4	121.5	10.4	64
14.0	10.2	12.4	121.5	11.0	65
13.0	10.4	12.8	123.0	10.2	66
13.0	11.0	12.8	116.3	10.5	67
11.5	10.6	12.8	120.7	9.1	68
13.0	10.7	13.6	127.1	11.1	69
12.0	10.4	12.0	115.4	9.5	70
13.4	10.8	12.2	112.9	10.4	71
13.2	10.0	12.0	120.0	10.1	72
14.0	11.0	11.0	100.0	11.0	73
12.6	10.7	12.2	114.0	11.0	74
13.0	10.6	12.0	113.2	10.6	75
13.0	10.6	12.2	115.0	11.0	76
14.0	11.1	14.0	126.1	10.3	77
13.2.3	108.0	130.3	120.6	104.8	

ANTHROPOMETRIC DATA.

TABLE II.

Abstract of Measurements.

TYPE—MENGAL.

ANTHROPOMETRIC DATA.

TABLE II.

Abstract of Measurements.

TYPE—MENGAL.

TABLE

Abstract of measurements of male members of the Mengal

1	2	3	4	5	6	7	8	9	10	11	12	13	14
Serial No.	Province or State and District of birth.	Tribe or caste.	Age.	Cephalic length (glabella-occipital.)	Cephalic breadth.	Cephalic index.	Nasal height.	Nasal breadth.	Nasal index.	Height from vertex to root of the nose.	Height from vertex to tragus of ear.	Height from vertex to chin.	Cephalic volume.
1-10	...	Mengal.	...	1750	1544	...	569	356
11-20	1793	1512	...	613	347
21-30	1812	1475	...	576	339
31-40	1810	1495	...	554	341
41-50	1771	1504	...	560	361
51-60	1814	1445	...	586	350
61-70	1792	1464	...	584	332
71-77	1280	1015	...	418	227
GRAND TOTAL				...	13822	11454	...	4455	2653
Average				...	177.5	148.7	82.8	57.8	34.4	59.5

II.

tribe taken at Saruna on the 19th March 1903.

15	16	17	18	19	20	21	22	23	24	25	26	27	28	29
Maximum bizygomatic breadth.	Nasio-mental length.	Facial index.	Facial angle (Cuvier).	External orbital breadth.	Bi-orbito nasal arc.	Orbito-nasal index.	Bigonial breadth.	Height standing.	Height sitting.	Height kneeling.	Height to chin.	Height to sternal notch.	Bi-iliac crest breadth.	Serial No.
1327	1095	1318	...	1095	1-10
1350	1110	1358	...	1067	11-20
1324	1115	1320	...	1044	21-30
1347	1085	1320	...	1047	31-40
1294	1046	1322	...	1019	41-50
1334	1063	1252	...	1032	51-60
1285	1061	1290	...	1026	61-70
933	748	856	...	744	71-77
10193	8323	10036	...	8074	
132-3	108-0	130-3	120-6	104-8	

ANTHROPOMETRIC DATA.

TABLE I.

Individual Measurements.

TYPE—CHHUTTA LOK.

TABLE I—LASBELA
Measurements of male members of the Chutta lok

1	2	3	4	5	6	7	8	9	10	11	12	13	14
Serial No.	Province or State and District of birth.	Tribe or caste.	Age.	Cephalic length (Glabella-occipital).	Cephalic breadth.	Cephalic index.	Nasal height.	Nasal breadth.	Nasal index.	Height from vertex to root of the nose.	Height from vertex to tragus of ear.	Height from vertex to chin.	Cephalic volume.
1	Gul Bhod on the Hul.	Taochattakur Lakha.	35	18.4	15.0	81.5	5.6	3.6	64.2
2	Alli Durreji sect.	Maretia	35	10.8	10.0	95.2	6.4	4.0	62.5
3	Karu-Durreji	Do.	30	16.8	15.2	90.4	5.6	4.0	71.4
4	Jorak do.	Do.	30	18.0	14.8	82.2	6.0	3.8	68.3
5	Mihan Sál	Otmani	25	18.0	15.5	86.1	5.5	3.6	65.4
6	Meirhu, Ladas	Ganja	22	19.0	15.5	81.5	5.6	3.8	67.8
7	Sidha-Lidani	Shoda	22	17.0	14.8	87.0	6.0	3.0	50.0
8	Darya Khān Talanga.	Marito	27	18.0	15.2	84.4	6.2	3.2	51.6
9	Faizu-Virab	Olmani	33	17.5	14.6	83.4	5.6	3.2	57.1
10	Motias do.	Furani	30	18.0	15.5	86.1	7.0	3.6	51.4
11	Ido-Durreji	Marcho	22	16.5	14.6	88.4	5.4	3.3	61.1
12	Fakir Hinidan	Othamani	23	17.0	14.6	85.8	6.4	3.5	54.6
13	Gul Sol	Do.	32	18.2	15.0	82.4	5.4	3.2	59.2
14	Pir Bashk Hinidan.	Nurtani	50	18.0	15.2	84.4	6.2	3.7	59.6
15	Variyo Suruna	Marcho	65	17.4	14.8	85.0	6.0	4.0	66.6
16	Pover-Sol	Shape	32	17.4	15.5	89.0	5.6	3.8	67.8
17	Gando-Sol	Turani	27	16.2	15.0	92.5	6.2	3.4	54.8
18	Sumar-Sol	Othmani	25	16.2	14.5	89.5	6.8	3.5	51.4
19	Suri-Sol	Do.	35	18.0	15.0	83.3	6.4	3.4	53.1
20	Kadar-Sol	Do.	45	18.0	15.2	84.4	6.4	3.4	53.1
21	Adam, Durreji	Marcho	25	18.0	16.2	90.0	6.2	3.8	58.0
22	Bihan do.	Othmoni	25	18.0	15.9	88.3	5.0	3.5	70.0
23	Buhar do.	Mercho	60	17.6	14.8	84.0	5.8	3.6	62.0
24	Zando-Hinidan	Bikak	30	18.4	15.0	81.5	6.2	3.1	50.0
25	Dost Mahamed Durreji.	Mutani	30	18.1	15.1	83.4	6.6	3.5	53.0
26	Photo-Durreji	Othmani	35	18.0	14.8	82.2	5.6	3.4	60.7

STATE, BELUCHISTAN.

caste taken at Hinidan on the 14th March 1903.

15	16	17	18	19	20	21	22	23	24	25	26	27	28	29
Maximum bi-zygomatic breadth.	Nasio-mental length.	Facial index.	Facial angle (Cuvier.)	External orbital breadth.	Bi-orbito nasal arc.	Orbito nasal index.	Bigonial breadth.	Height standing.	Height sitting.	Height kneeling.	Height to chin.	Height to sternal notch.	Bi-iliac crest breadth.	Serial No.
13.5	11.5	12.3	111.3	10.2	1
14.0	11.8	14.6	123.8	11.3	2
13.2	11.2	14.2	126.7	11.0	3
12.8	11.2	13.6	121.4	11.2	4
14.0	11.3	14.6	129.1	12.0	5
13.2	11.4	14.6	128.1	11.6	6
13.2	11.4	14.0	122.8	12.0	7
12.9	11.4	14.4	126.3	10.8	8
13.0	10.2	13.2	129.4	11.0	9
13.0	11.2	13.2	117.8	10.2	10
12.6	10.0	12.8	128.0	10.5	11
12.6	10.8	13.6	125.9	10.6	12
13.5	11.0	13.6	123.6	11.2	13
13.6	10.8	13.2	122.2	10.6	14
13.0	10.8	12.8	118.5	10.2	15
13.5	11.4	13.6	119.2	11.4	16
13.0	11.2	13.6	121.4	10.0	17
13.1	11.4	14.8	129.8	11.0	18
13.0	10.8	14.0	129.6	10.0	19
13.0	11.0	14.4	130.9	10.0	20
14.2	11.6	14.0	120.6	11.0	21
13.5	11.2	14.0	125.0	10.6	22
13.2	11.0	14.0	127.2	10.2	23
13.5	11.2	15.0	134.0	11.4	24
13.4	11.2	14.0	125.0	11.5	25
13.2	11.4	13.8	121.0	12.0	26

TABLE

Measurements of male members of the Chutta lok

1	2	3	4	5	6	7	8	9	10	11	12	13	14
Serial No.	Province or State and District of birth.	Tribe or caste.	Age.	Cephalic length (glabella-occipital).	Cephalic breadth.	Cephalic index.	Nasal height.	Nasal breadth.	Nasal index.	Height from vertex to root of the nose.	Height from vertex to tragus of ear.	Height from vertex to chin.	Cephalic volume.
27	Popat-Saruna	Durani	60	18.0	15.1	83.8	6.2	3.4	54.8
28	Nur Mohamed Durreji.	Mareho	32	17.6	15.0	85.2	5.6	3.1	55.3
29	Sanjan Durreji	Do.	30	17.6	14.6	82.9	5.6	3.6	64.2
30	Haji Umar Hinidan.	Othmani	30	17.5	14.0	80.0	6.4	3.5	54.6
31	Faisu Durreji	Bikak	25	17.2	14.6	84.8	5.6	3.6	64.2
32	All a r a k h e Durreji.	Do.	25	17.5	14.5	82.8	6.6	3.6	54.5
33	Ibrahim Hini-dan.	Othmani	60	17.5	14.6	83.4	6.4	3.7	57.8
	Average			176.1	150.2	85.2	60.0	35.2	58.6

I.

tribe taken at Dureji on the 15th March 1903.

15	16	17	18	19	20	21	22	23	24	25	26	27	28	29
Maximum bizygomatic breadth.	Nasio-mental length.	Facial index.	Facial angle (uvier).	External orbital breadth.	Bi-orbito nasal arc.	Orbito-nasal index.	Bigonial breadth.	Height standing.	Height sitting.	Height kneeling.	Height to chin.	Height to sternal notch.	Bi-iliac crest breadth.	Serial No.
13.1	11.2	14.4	128.5	10.6	27
13.0	11.2	12.8	114.2	11.0	28
13.0	11.1	13.6	122.5	10.0	29
12.5	11.1	13.6	122.5	10.0	30
13.2	10.8	13.2	122.2	11.0	31
12.8	11.0	14.0	127.2	10.5	32
14.0	11.2	14.4	128.5	11.2	33
132.2	111.2	138.3	124.3	108.4	

ANTHROPOMETRIC DATA.

TABLE II.

Abstract of Measurements.

TYPE—CHHUTTA LOK.

TABLE

Abstract of measurements of male members of the Chutta

1	2	3	4	5	6	7	8	9	10	11	12	13	14
Serial No.	Province or State and District of birth.	Tribe or caste.	Age.	Cephalic length (glabello-occipital).	Cephalic breadth.	Cephalic index.	Nasal height.	Nasal breadth.	Nasal index.	Height from vertex to root of the nose.	Height from vertex to tragus of ear.	Height from vertex to chin.	Cephalic volume.
1-10		Chuttalok	...	1775	1521	...	595	358
11-20			...	1729	1494	...	608	352
21-33			...	2310	1942	...	778	452
			...	5814	4957	...	1981	1162
			...	176.1	150.2	85.2	60.0	35.2	58.6
	GRAND TOTAL.		...	5814	4957	...	1981	1162
	Average		...	176.1	150.2	85.2	60.0	35.2	58.6

II.

lok tribe taken at Hinidan on the 14th March 1903.

15	16	17	18	19	20	21	22	23	24	25	26	27	28	29
Maximum bigygonatic breadth.	Nasio-mental length.	Facial index.	Facial angle (Cuvier).	External orbital breadth.	Bi-orbito nasal arc.	Orbito-nasal index.	Bigonial breadth.	Height standing.	Height sitting.	Height kneeling.	Height to chin.	Height to sternal notch.	Bi-iliac breadth.	Serial No.
1328	1126	1392	...	1113	1-10
1309	1092	1364	...	1055	11-20
1726	1452	1808	...	1410	21-33
4363	3670	4564	...	3578	
132.2	111.2	138.3	124.3	108.4	

ANTHROPOMETRIC DATA.

TABLE I.

Individual Measurements.

TYPE—SANGUR.

TABLE

Measurements of male members of the Sangur

1	2	3	4	5	6	7	8	9	10	11	12	13	14
Serial No.	Province or State and District of birth.	Tribe or caste.	Age.	Cephalic length (glabella-occipital).	Cephalic breadth.	Cephalic index.	Nasal height.	Nasal breadth.	Nasal index.	Height from vertex to root of the nose.	Height from vertex to tragus of ear.	Height from vertex to chin.	Cephalic volume.
1	Ali Jooraksai Omera.	Sangur.	40	18.2	15.8	86.8	6.8	4.3	63.2
2	Diner Mahamadám.	Sajde	40	18.0	15.0	83.3	5.6	4.0	71.4
3	Hadang Vaurasai.	Sangur.	27	17.4	15.6	89.6	5.6	4.2	75.0
4	Arab Mayadum.	"	28	17.5	15.6	89.1	6.0	3.8	63.3
5	Qádá Muradzai.	"	23	18.2	14.6	80.2	5.7	3.6	63.1
6	Malang-Meyadum.	"	24	18.0	16.0	88.8	6.0	3.8	63.3
7	Gamárá Muradzai.	"	29	18.2	15.1	82.9	5.0	3.8	76.0
8	Marghe Muradzai.	"	20	18.6	16.0	86.0	5.4	3.6	66.6
9	Khaugé Muradzai.	"	17	18.0	15.0	83.3	6.0	3.8	63.3
10	Bagbdad-Mallar.	"	30	17.0	16.0	94.1	6.2	4.0	64.5
11	Sadry Mayadaire.	"	20	17.4	14.8	85.0	5.6	3.6	64.2
12	Sahebdað Mayadaire.	"	30	17.2	15.2	88.3	6.0	4.2	70.0
13	Waahir Mayadaire.	"	30	17.6	15.6	88.6	6.8	4.0	58.8
14	Mayar Mayadaire.	"	30	17.4	14.8	85.0	6.0	3.8	63.3
15	Mengal Mayadaire.	"	45	17.6	15.2	86.3	5.8	3.4	58.6
16	Mureyá Mayadaire.	"	35	17.8	15.0	84.2	6.8	3.6	52.9
Average		177.5	153.3	86.3	59.5	38.4	64.5

I.

tribe taken at Omara on the 6th March 1903.

15	16	17	18	19	20	21	22	23	24	25	26	27	28	29
Maximum biygo- matic breadth.	Nasio-mental length.	Facial index.	Facial angle (Cuvier).	External orbital breadth.	Bi-orbital nasal arc.	Orbito-nasal index.	Bigonial breadth.	Height standing.	Height sitting.	Height kneeling.	Height to chin.	Height to sternal notch.	Bi-iliac breadth.	Serial No.
140	12.4	16.0	129.0	11.0	1
124	11.4	14.0	122.8	11.0	2
140	12.4	15.2	122.5	10.8	3
134	11.2	14.4	128.5	10.0	4
18.6	12.0	15.0	125.0	11.0	5
12.8	11.3	14.0	121.7	9.8	6
18.4	11.3	14.4	127.4	10.6	7
13.8	11.6	14.8	127.5	11.6	8
18.0	12.0	15.2	126.6	10.2	9
18.4	11.3	12.8	113.2	11.0	10
18.6	12.0	14.4	120.0	11.0	11
13.6	11.6	14.8	127.5	10.0	12
13.8	11.9	14.4	121.0	10.8	13
13.2	11.4	14.2	124.5	11.2	14
13.4	11.4	14.0	122.8	11.0	15
13.4	11.4	14.4	126.3	11.8	16
134.8	116.7	145.0	124.2	107.3	

ANTHROPOMETRIC DATA.

TABLE II.

Abstract of Measurements

TYPE—SANGUR.

TABLE

Abstract of measurements of male members of the Sangur

1	2	3	4	5	6	7	8	9	10	11	12	13	14
Serial No.	Province or State and District of birth.	Tribe or caste.	Age.	Cephalic length (glabella-occipital).	Cephalic breadth.	Cephalic index.	Nasal height.	Nasal breadth.	Nasal index.	Height from vertex to root of the nose.	Height from vertex to tragus of ear.	Height from vertex to chin.	Cephalic volume.
1-10	...	Sangur.	...	1791	1547	...	583	389
11-16	1050	906	...	330	226
	GRAND TOTAL.	2841	2453	...	913	615
	Average	177.5	153.3	86.3	59.5	38.4	64.5

II.

tribe taken at Omara on the 6th March 1903.

15	16	17	18	19	20	21	22	23	24	25	26	27	28	29
Maximum bizygomatic breadth.	Nasio mental length.	Facial index.	Facial angle (Cuvier).	External orbital breadth.	Bi-orbito-nasal arc.	Orbito nasal index.	Bigonial breadth.	Height standing.	Height sitting.	Height kneeling.	Height to chin.	Height to sternal notch.	Bi-iliac crest breadth.	Serial No.
1848	1171	1458	...	1070	1-10
810	697	862	...	648	11-16
2158	1868	2320	...	1718	
1348	1167	1450	1242	1073	

ANTHROPOMETRIC DATA.

TABLE I.

Individual Measurements.

TYPE—BANDIJA.

.

TABLE

Measurements of male members of Bandija

1	2	3	4	5	6	7	8	9	10	11	12	13	14
Serial No.	Province or State and District of birth.	Tribe or caste.	Age.	Cephalic length (glabella-occipital).	Cephalic breadth.	Cephalic index.	Nasal height.	Nasal breadth.	Nasal index.	Height from vertex to root of the nose.	Height from vertex to tragus of ear.	Height from vertex to chin.	Cephalic volume.
1	Gul Mahomed Kila.	Bandija	41	16.8	15.4	91.6	5.4	3.5	64.8
2	Jumal Khan Kila.	"	40	17.2	15.0	87.2	6.2	3.5	56.4
3	Jullu Khan Kila.	"	30	17.2	15.5	90.1	6.0	3.5	58.3
4	Sahibuma Kila.	"	25	17.8	15.4	86.5	5.6	4.0	71.4
5	Tharu Kila .	"	25	17.6	14.8	84.0	5.8	4.0	68.9
6	Sumar Kila .	"	40	18.0	15.4	85.5	6.0	3.5	58.3
7	Julam Kila .	"	27	17.6	15.4	87.5	6.2	3.4	54.8
8	Alla Dina Kila	"	16	17.4	15.1	86.7	6.0	3.3	55.0
9	Wekhoo Kila	"	15	17.2	16.2	94.1	5.6	3.4	60.7
10	Sav Kila .	"	30	17.2	15.0	87.2	5.4	3.4	62.9
11	Bahmluo Kila	"	35	17.8	15.0	84.2	6.0	3.2	53.3
12	Khamesi Kila	"	40	18.4	16.2	88.0	5.6	4.0	71.4
13	Morad Kila .	"	40	16.8	14.6	86.9	6.5	3.4	52.3
14	Jatar Kila .	"	25	17.2	15.2	88.3	6.2	3.3	53.2
15	Aohar Kila .	"	22	17.0	15.2	89.4	6.0	3.4	56.6
16	Nānu Kila .	"	30	18.0	15.0	83.3	5.6	3.4	60.7
17	Sangur Kila .	"	25	18.6	15.2	81.7	6.0	3.8	63.3
18	Yusup Kila .	"	30	17.5	14.8	84.5	6.2	3.5	56.4
19	Balocha Kila	"	25	18.0	16.0	88.8	7.0	4.2	60.0
20	Chhata Kila .	"	50	19.0	15.4	81.0	6.4	3.6	56.2
21	Belal Dinga .	"	27	17.2	14.4	85.7	6.4	3.8	59.3
22	Muredav Dinga .	"	25	18.0	15.4	85.5	6.2	3.6	58.0
23	Lias Dinga .	"	32	17.2	15.4	89.5	6.0	3.4	56.6
24	Lodo " .	"	30	18.2	15.0	82.4	5.6	3.4	60.7
25	Piru " .	"	27	17.8	16.1	90.4	6.0	3.6	60.0
26	Sangoro " .	"	28	17.2	15.6	90.7	5.8	3.3	56.9

I.

tribe taken at Kila on the 12th March 1903.

15	16	17	18	19	20	21	22	23	24	25	26	27	28	29
Maximum bizygomatic breadth.	Nasio-mental length.	Facial index.	Facial angle (Cuvier).	External orbital breadth.	Bi-orbito nasal arc.	Orbito nasal index.	Bigonial breadth.	Height standing.	Height sitting.	Height kneeling.	Height to chin.	Height to sternal notch.	Bi-iliac breadth.	Serial No.
13.5	11.4	13.2	115.7	10.3	1
13.6	11.6	14.6	125.8	10.4	2
13.6	11.8	13.0	110.1	10.6	3
13.6	12.2	14.6	119.6	11.3	4
14.0	12.5	15.2	121.6	11.0	5
13.3	11.6	14.4	124.1	10.0	6
12.8	10.8	14.0	129.6	10.0	7
13.6	11.6	14.4	124.1	9.8	8
13.4	11.6	13.6	117.2	10.6	9
13.4	11.5	14.4	125.2	10.0	10
13.0	11.5	14.0	121.7	10.0	11
14.2	12.0	14.4	120.0	11.0	12
12.4	11.2	15.6	139.2	9.6	13
13.0	11.4	14.0	122.8	9.0	14
13.3	11.8	14.8	125.4	11.0	15
12.8	11.8	14.4	122.0	10.0	16
13.2	12.0	14.8	123.3	10.2	17
12.8	12.0	15.2	126.6	10.4	18
13.2	11.8	14.8	125.4	10.2	19
13.4	11.6	14.4	124.1	11.0	20
13.2	11.0	14.0	127.2	11.0	21
13.8	12.0	15.0	125.0	12.2	22
13.6	11.6	14.4	124.1	10.8	23
14.0	11.3	14.0	123.8	10.6	24
13.6	11.1	12.4	111.7	10.5	25
13.6	11.6	14.4	124.1	11.0	26

TABLE

Measurements of male members of the Bandija

1	2	3	4	5	6	7	8	9	10	11	12	13	14
Serial No.	Province or State and District of birth.	Tribe or caste.	Age.	Cephalic length (glabella-occipital.)	Cephalic breadth.	Cephalic index.	Nasal height.	Nasal breadth.	Nasal index.	Height from vertex to root of the nose.	Height from vertex to tragus of ear.	Height from vertex to chin.	Cephalic volume.
27	Sālu Dinga .	Bandija .	22	16.8	14.8	88.1	6.0	8	46
28	Miyalu ,, .	„	35	18.2	15.0	82.4	6.0	3.8	63.3
29	Vārru ,, .	„	40	17.8	14.6	82.0	5.5	3.6	65.4
30	Chootoo ,, .	„	25	17.0	15.5	91.1	6.0	3.4	56.6
31	Mahumed ,,	„	50	16.5	14.6	88.4	5.4	3.3	61.1
32	Dukhis ,, .	„	30	17.1	15.0	87.7	5.6	3.4	60.7
33	Haji ,, .	„	20	16.8	15.2	90.4	6.0	3.4	56.6
34	Sundoo ,, .	„	15	17.0	15.2	89.4	6.4	3.0	46.8
35	Usman ,, .	„	15	16.2	14.4	88.8	5.6	3.6	64.2
		Average	174.6	152.0	87.0	59.4	35.0	58.9

I.

tribe taken at Dinja on the 13th March 1903.

15	16	17	18	19	20	21	22	23	24	25	26	27	28	29
Maximum bizygomatic breadth.	Nasio-mental length.	Facial index.	Facial angle (Ouvier).	External orbital breadth.	Bi-orbito nasal arc.	Orbito-nasal index.	Bigonial breadth.	Height standing.	Height sitting.	Height kneeling.	Height to chin.	Height to sternal notch.	Bi-iliac crest breadth.	Serial No.
130	11.2	13.6	121.4	10.1	27
13.4	11.2	14.0	125.0	11.0	28
13.6	11.6	14.0	120.6	11.0	29
13.0	11.0	13.6	123.6	10.0	30
13.4	10.8	13.6	125.9	10.0	31
13.0	10.6	13.0	122.6	10.2	32
14.0	11.8	14.0	118.6	12.0	33
12.8	11.4	13.6	119.2	10.1	34
13.2	11.0	13.0	118.1	10.0	35
133.5	115.1	141.2	122.6	104.8	

ANTHROPOMETRIC DATA.

TABLE II.

Abstract of Measurements.

TYPE—BANDIJA.

ANTHROPOMETRIC DATA.

TABLE II.

Abstract of Measurements.

TYPE—BANDIJA.

TABLE

Abstract of measurements of male members of the Bandija

1	2	3	4	5	6	7	8	9	10	11	12	13	14
Serial No.	Province or State and District of birth.	Tribes or caste.	Age.	Cephalic length (glabella-occipital).	Cephalic breadth.	Cephalic index.	Nasal height.	Nasal breadth.	Nasal index.	Height from vertex to root of the nose.	Height from vertex to tragus of ear.	Height from vertex to chin.	Cephalic volume.
1-10	...	Bandija.	...	1740	1532	...	582	355
11-20	1783	1526	...	615	358
21-30	1754	1518	...	595	347
31-35	836	744	...	290	167
	GRAND TOTAL	6113	5320	...	2082	1227
	Average	174.6	152.0	87.0	59.4	35.0	58.9

II.

tribe taken at Kila on the 12th March 1903.

15	16	17	18	19	20	21	22	23	24	25	26	27	28	29
Maximum bizygomatic breadth.	Nasio-mental length.	Facial index.	Facial angle (Cuvier).	External orbital breadth.	Bi-orbito nasal arc.	Orbito-nasal index.	Bigonial breadth.	Height standing.	Height sitting.	Height kneeling.	Height to chin.	Height to sternal notch.	Bi-iliac crest breadth.	Serial No.
1348	1166	1414	...	1040	1-10
1313	1171	1464	...	1024	11-20
1348	1136	1394	...	1082	21-30
664	556	672	...	523	31-35
4673	4029	4944	...	3669	
133'5	115'1	141'2	122'6	104'8	

SUMMARY OF MEASUREMENTS.

SUMMARY OF

Turko-Iranian

(In order of

Number of subject.	NAME OF TRIBE OR CASTE.	Language or Dialect.	Locality.	DIMENSIONS OF HEAD.						PROPORTIONS OF HEAD.		
				LENGTH (GLABELLO-OCCIPITAL).			BREADTH (EXTREME).			CEPHALIC INDEX.		
				Average.	Maximum.	Minimum.	Average.	Maximum.	Minimum.	Average.	Maximum.	Minimum.
58	Lori . . .	Brāhui and Gypsy (Mokaki).	Quetta and Sarana.	177.6	192	158	189.5	152	180	78.5	90	71
59	Wanechi (Pathan)	Pashto .	Bābihān Thal Chotiali.	178.1	195	161	141.2	155	126	79.2	89	70
100	Jat . . .	Jadgāli .	Sibi . .	177.8	196	160	141.9	155	130	79.8	92	70
100	Pani (Pathan)	Pashto .	Sibi . .	183.9	198	168	147.4	158	139	80.1	90	75
300	Dehwāri .	Dehwāri .	Mastung .	179.4	200	165	145.3	160	130	80.9	91	68
48	Mir Jats .	Jatki . .	Sibi . .	180.1	200	162	146.4	158	135	81.2	96	73
21	Kalandrāni	178.3	192	160	146.3	152	138	82.0	88	76
79	Med . . .	Makrāni Balochi	Pāsni, Gwadur Chābār and Ornara.	181.4	200	170	148.9	160	136	82.0	92	72
77	Mengal (Brāhui)	Brāhui .	Surma .	179.5	190	161	148.7	162	130	82.8	93	70
83	Chhutta Lok	Jadgāli Levy	Hinidān Tracts.	176.1	190	162	150.2	162	140	85.2	95	80
16	Sangur	177.5	186	170	153.3	160	146	86.3	94	80
35	Bandijā . .	Jadgāli	Kila Levy Tracts.	174.6	190	162	152.0	162	144	87.0	94	81

MEASUREMENTS.

Type.

Cephalic Index.)

DIMENSIONS OF NOSE.						PROPORTIONS OF NOSE.			STATURE.			RELATIVE PROMINENCE OF ROOT OF NOSE.					
HEIGHT.			BREADTH.			NASAL INDEX.						External bi-orbital breadth (Average).	Bi-orbitonasal are (Average).	ORBITO-NASAL INDEX.			
Average.	Maximum.	Minimum.	Average.	Maximum.	Minimum.	Average.	Maximum.	Minimum.						Average.	Maximum.	Minimum.	
56.4	66	44	35.1	44	26	62.2	85	48	98.7	119.5	121.0	133	105	
56.9	66	48	33.7	45	28	59.2	87	47	99.2	121.8	122.7	133	114	
56.1	64	44	35.4	46	25	63.1	84	42	98.0	122.5	125.0	143	104	
50.9	58	43	37.2	43	32	78.0	90	55	167.7	185.2	156.0	112.0	132.0	117.8	126	111	
50.9	70	42	35.4	45	28	69.5	98	47	164.2	180.3	148.8	104.6	124.6	119.1	133	107	
57.3	86	48	35.4	45	30	61.7	75	40	99.6	124.2	124.6	137	111	
58.8	65	50	35.2	40	32	59.8	80	52	103.3	125.3	121.2	129	114	
55.9	68	44	38.1	46	30	68.1	92	53	117.3	149.4	127.3	140	113	
57.8	68	41	34.4	43	30	59.5	83	50	108.0	130.3	120.6	135	103	
60.0	70	50	35.2	40	30	58.6	71	50	111.2	138.3	124.3	134	111	
59.5	68	50	38.4	43	34	64.5	76	53	116.7	145.0	124.2	129	113	
59.4	70	54	35.0	42	28	58.9	71	47	115.1	141.2	122.6	139	110	

CALCUTTA:
SUPERINTENDENT GOVERNMENT PRINTING, INDIA
8 HASTINGS STREET.

2

This book should be returned to
the Library on or before the last date
stamped below.

A fine is incurred by retaining it
beyond the specified time.

Please return promptly.

Ind 3596.2
Anthropometric Data from Baluchista
Widener Library 005376109



3 2044 088 750 542